
This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

GoogleTM books

<https://books.google.com>



NYPL RESEARCH LIBRARIES



3 3433 01072440 3



QFE
Sibthorp
Digitized by Google

FLORÆ GRÆCÆ PRODROMUS :

SIVE

PLANTARUM OMNIUM ENUMERATIO,
QUAS
IN PROVINCIIS AUT INSULIS GRÆCIÆ
INVENIT
JOHANNES SIBTHORP, M.D.

S. S. REG. ET LINN. LOND. SOCIUS,
BOT. PROF. REGIUS IN ACADEMIA OXONIENSIS.

HIC ILLIC ETIAM INSERTÆ SUNT
PAUCULÆ SPECIES QUAS VIR IDEM CLARISSIMUS, GRÆCIAM VERSUS
NAVIGANS, IN ITINERE, PRÆSERTIM APUD ITALIAM ET SICILIAM,
INVENERIT.

CHARACTERES ET SYNONYMA OMNIUM
CUM ANNOTATIONIBUS
ELABORAVIT
JACOBUS EDVARDUS SMITH, M.D.

S. S. IMP. NAT. CUR. REGIÆ LOND. HOLM. UPSAL. TAURIN.
OLYSSIP. PHILADELPH. ALIARUMQUE SOCIUS;
SOC. LINN. LOND. PRÆSES.

VOL. I.

LONDINI :
TYPIS RICHARDI TAYLOR ET SOCIÏ,
IN VICO SHOE LANE,
VENEUNT APUD JOHANNEM WHITE, IN VICO FLEET STREET.

MDCCCVI.

A 110

1
XEROX WER
31187
VIA 800

PRÆFATIO.

PLANTÆ quas Græcia habet, jamdum ab antiquissimis, tum a scriptoribus maximè idoneis, Homero scilicet, Theophrasto, Dioscoride &c, commemoratæ, nomen per omnes terras haud mediocre obtinuerunt. Utcunque verò celebres fuerint, et apud doctissimos viros ex mentione tam illustri factâ, gratiâ plurimùm valuerint, at nequaquam a systematico quodam botanico ritè illustratæ sunt. Barbaries scilicet quæ per totam illam regionem mores hominum sævitiâ infecit, in-

vestigationem rerum sponte illic provenientium, opus peregrinatoribus verè periculosum reddidit, et difficile admodum. Sunt profectò apud hodiernos peregrinatores perpauca qui quædam ad Botanicen Græcam spectantia, hîc illîc quasi disjecta, raptim collegere; et plurimi scriptores, studio et labore libros et collectanea domi evolventes, quæ priùs parùm innotuerint extundere et illustrare conati sunt.

Nemo autem unquam animum ad hæc elaboranda adjunxit tali studio, quali Johannes Sibthorp M. D. in Academiâ Oxoniensi Botanices Professor Regius. Vir fuit ingeniosus admodum, doctissimus, patientissimus laboris, pectore animoso. Cum jam arderet mens impatiens quietis desidiosa, Academia Oxoniensis munus viatorium, ex celeberrimi Radcliffii instituto, quod diù exoptaverat, quo iter in regiones

PRÆFATIO.



posset alienas tendere, contulit. Quam fideliter rem gessit, quam optimè de Academia, atque instituto Radcliffiano meruit, hæ chartæ satis indicabunt.

Voti igitur jam compos, cursum illico in Græciam flexit Professor noster. Iter sanè inchoabat anno 1785, hoc consilium in animo præcipuè habens quo pacto Historiam Naturalem Græciæ, Agriculturam et Medicinam ritè illustraret. *Nullius addictus jurare in verba*, omnia quæ prisci viri olim de re rusticâ dixissent, cum suis practicis observationibus conferre statuit. Pictorem egregii nominis Ferdinandum Bauer, cujus virtutem icones nostræ exhibent, secum duxit. Atque ita ad omne officii munus instructus, cùm jam multo labore per Germaniam, Italiam, Siciliamque peragrasset, tandem ad insulas continentemque Græciæ pervenit. Hic biennium commo-

ratus, domum anno 1787 revertit, thesauro plantarum siccatarum iconumque prædiviti onustus. Nec mora, ad propositum primarium exequendum, nempe illustrationem evulgationemque Floræ Græcæ, toto pectore sedulus incubuit. Primus labor fuit quæ in itinere collegerat studiosissimè investigare, deinde cum libris collectaneisque Sherardianis Oxoniæ conservatis, Banksianis Londini, et Museo Linnæano, quod aliquot abhinc annis mihi jure emptum cesserat, omnia comparare. Cum verò totus in hoc esset, inceptum opus ad umbilicum ducere nequivit; quippe plurima, ad labores adimplendos necessaria, aut omninò prætermissa, aut nimis negligenter observata fuisse, sensit. Hinc visum est vestigia rursùs in Græciam ferre, si quæ quæ deficerent liceat supplere. Hoc itinere feliciter peracto, domum secundò rediit anno 1795. At interim ardor animi

vires corporis absumpserat. Patriæ redditum eheu ! mors excepit.

Ad postremam vero diem usque sollicitus, ne frustrà tantum operæ insumpserit, posthumam investigationum botanicarum publicationem in animo conceperat, eandemque ad ordinem quendam redegerat. Imprimis mille plantas sub titulo Floræ Græcæ, in decem volumina folio digestas, omnes descriptas et ritè depictas, singulo nempe volumine centum plantas continente, edi voluit. Quin et eodem tempore Prodrumum Floræ Græcæ octavo, omninò sine iconibus, evulgandum jussit. Porro testamenti sui curatores, amicos omni laude dignos, dominum Johannem Hawkins, prioris itineris postremique maximâ ex parte socium, et dominum Thomam Platt postulavit, ut diligenter exquirèrent qui opera hæc juris publici faceret, qui etiam cha-

racteres et descriptiones plantarum conficeret, synonyma auctorum cogeret, et alia operibus illustrandis necessaria, ex iconibus speciminibus et manuscriptis suis, pararet. Quo sumptus huic negotio tam immensosuppeditentur, prædium quod quotannis 300 ferè minas reddebat, Academiæ Oxoniensi testamento dedit animo verè liberali ; fidei committens, quod primi ex hoc prædio redditus ad opera hæc paranda atque evulganda omninò impenderentur, et quod, postquam hæc absoluta forent, posterius proventus omnes ad Professore in Agriculturâ et Re Rusticâ in Academiâ Oxoniensi remunerandum applicentur.

Curatores testamenti Sibthorpiani publicationem utriusque operis, Prodrumi scilicet Floræ Græcæ et Floræ Græcæ ipsius, mihi commiserunt. Quà potui votis defuncti amici respondere studui : liceat sal-

tem profiteri, quòd quo fidelius commissa exequerer, iterum atque iterum testamentum Sibthorpiantum perlegi; notas quas contulerat omnes pro re natâ inserui; quæ proposita vivâ voce testamenti sui curatoribus atque aliis amicis, præcipuè illustrissimo Josepho Banks baronetto, tum mihi quoque, plurimis locis temporibus et modis communicâsset, omnia sollicitus in memoriâ tenui, et fideliter obsecutus sum.

Primus mihi labor fuit idoneum quendam, qui icones ritè ad adumbrationes primarias sculperet, exquirere. Illud opus D. Jacobo Sowerby, jamdudum hâc arte celeberrimo, collatum est. At priusquam icones ære incisæ fuerint, mihi curæ fuit singulas cum archetypis conferre; mox etiam num color singulæ iconi pictæ, habitusque rectè convenirent, sedulò scrutari.

Quod ad Floræ Græcæ, tum ad Prodromi descriptiones, observationes, cæteraque hujusmodi attinet, necesse est dinumerem fontes unde omnia hæc mihi haurire licuit ; tum quam partem horum tuli, ne aut ego culpæ obnoxius sim de rebus quæ nequaquam vitandæ fuerint, aut e contra ne doctissimi Sibthorp nomen culpâ ingennii mei deterere videar.

Duas diversas plantarum Græcarum enumerationes elaboravit Sibthorp. Hisce subjunxit citationes Linnæi et Tournefortii, et iconem singulæ speciei retulit, simul memorans quo in loco quamque invenerit. Hæc manuscripta magnâ ex parte materiem præbuerunt unde Prodromus Floræ Græcæ confectus fuit. Exhibent scilicet non solum mille plantas Floræ Græcæ, quin et cæteras quas hic illic in Græciâ

Sibthorp observaverat. At hæc manuscripta non adeò omnibus numeris absoluta sunt, prout fors fuissent si Sibthorp ipse ultimam manum operi imposuisset. Plurima enim necessariò addenda observavi ex herbario, itinerariis, atque aliis catalogis et Floris ejus partialibus desumenda. Nomina prætereà, et synonyma auctorum, multis in locis correxi et mutavi, herbariis Linnæi, Banksii et Tournefortii, quæ satis evolvere defuncto amico nostro non licuit, ità suadentibus.

Observationes in utroque opere botanicæ, characteres specifici, descriptionesque, ea omnia mihi imputanda sunt; namque omnia hæc intacta Sibthorp prætermisit. Lectorem igitur oro, obsecro, quascunque hallucinationes in his rebus detexerit, condonet benevolus. Hanc veniam jure quodam mihi impetrare fas est. Nam vix ob-

servatio aliqua, aut etiam nomen, plantis siccatis sive iconibus a Sibthorp adjectum fuit. Quæ igitur observatio, aut quod nomen in manuscriptis cuique plantæ convenit, non nisi ex investigatione nominum et notarum congeriei, pluries repetitâ, laboriosissimâ, patuit. Insuper hæc præsertim liceat memorare, quod nomina in itinerario conscripta plerumque extemporanea fuerint, et postea multis in locis per catalogos varios mutata, nullâ prioris tituli commemoratione citatâ. Hinc summo pere cavendum duxi, quo minùs ulla planta de quâ ex mentione in prioribus catalogis aut itinerariis factâ, incertus fuerim, aut de quâ aut me aut alios falli posse suspicarer, in Floram admittatur, nisi prius aut herbarium Sibthorpianum, aut icones Bauerianæ, sedem ejus ritè confirmaverint. His testimoniis deficientibus nomen Sibthorpianum subjunxi. Cum vix ulla plan-

tarum cryptogamicarum in Prodromo Floræ Græcæ enumeratarum specimina in collectaneis Sibthorpiæ hodiè conservata extant, de his fides illustrissimo viro ipsi, classis Cryptogamiæ certè peritissimo, omnis danda est.

Quod ad delectum plantarum quæ in opere majori, Florâ scilicet Græcâ, inseruntur, attinet, intelligendum est, quod Sibthorp jamdudum omnes has nominatim indixerat. Mihi igitur fuit hujus voluntati atque instituto obsequi, minimè repugnare. Icones mille quas edendas fore instituerat, ferè omnes adumbratas reliquit. Voluit sanè iconem exhibere cujusque plantæ quam in Græciâ antiquâ et regionibus circumjacentibus collegerat, (paucarum prætereà aut novarum, aut inter rariores habendarum, quas in itinere invenerat per Italiam Siciliaeque partem) nec in Curtisii

Florâ Londinensi, aut in operibus Jacquin priùs depictam observaverat. Et quamvis post mortem ejus plurimæ quas adumbrari curaverat, in voluminibus sequentibus Jacquini locum habuerint, visum est tamen nobis nullam mutationem facere, quin omnes in lucem edere quas Sibthorp edi destinaverat. Modò vita illi longior concessa fuisset, proculdubiò opus ditavisset figuris plurium novarum specierum in ultimo itinere inventarum, quas in Prodro-mo memoravi. Lubens quidem icones harum in opere illo exhibuissem, at amici nostri testamentum omninò vetuit.

Synonyma Dioscoridis sumuntur ex manuscripto Sibthorpiano quod Viennæ plerumque conscripserat, ubi in codicem veterem celeberrimum, tabulis pictis ornatum, incidit. Omnia hæc synonyma cum optimiseditionibus Dioscoridis comparavi.

Si quâ rationem habui cur in dubio de synonymi alicujus applicatione hærerem, illic nomen Professoris nostri (illi enim error, si quis sit, imputandus est,) subjeci. Nomina quæ Græci hodierni plantis attribuere, ex observationibus ejus didici. Hæc dominus Hawkins revisit sedulus. Quæ nomina plantarum in insulâ Zacyntho in usu sunt sæpè subjiciuntur; omnia hæc medicus quidam ejus insulæ Sibthorp retulit, unâ cum plantis ipsis exsiccatis.

Illustratio scriptorum Græcorum veterum, eorundemque synonymorum, in longè majus provecta fuisset, multaque præterea aut omninò ommissa, aut leviter in itinerariis ejus tacta, inserta fuissent, modo Deus O. M. vitam Sibthorp satis ad hæc adimplenda concessisset. Quicquid in istis certum et indubitatum extrahere potui,

quod ad usus et vires plantarum attinet,
ad calcem observationum mearum passim
adjicitur.

Haud omninò supervacaneum fore duxi
memorare quod nomen *Salvia candidissima*,
a Professore Vahl impositum, a me reten-
tum fuisset, nisi appellatio *crassifolia* jam-
jam in tabulâ insculpta fuisset.

J. E. SMITH.

DABAM LONDINI,
JUL. DIE 1MO MDCCCVI.

I. MONANDRIA.

I. *Monogynia.*

SALICORNIA.

Linn. Gen. Pl. 5. Juss. 86.

1. *S. herbacea. Linn. Sp. Pl. 5.*

S. geniculata, annua. Tourn. Cor. 51.

Κρίθμος hodiè.

Icon. Engl. Bot. t. 415.

In maritimis arenosis Cretæ, Meli, aliarumque insularum Græcarum frequens. ☉.

2. *S. fruticosa. Sp. Pl. 5.*

S. geniculata sempervirens. Tourn. Cor. 51.

Icon. Camer. Epit. 246.

In maritimis prope Athenas. ♀.

CHARA.

G. Pl. 567. Juss. 18. Gærtn. t. 84.

3. *C. vulgaris. Sp. Pl. 1624.*

Μάχα hodiè.

Icon. Engl. Bot. t. 336.

In Cretæ aquis pigrioribus, et prope Athenas. ☉.

ZOSTERA.

G. Pl. 472. *Juss.* 24. *Gærtn. t.* 19.

4. *Z. marina. Sp. Pl.* 1374.

Alga angustifolia vitriariorum. Tourn.Inst. 569.

Φύκια hodiè.

Icon. Engl. Bot. t. 467.

In insulæ Lemniæ littore, et ad Pontum Euxinum. 4.

II. Digynia.

CORISPERMUM.

G. Pl. 6. *Juss.* 86. *Gærtn. t.* 75.

5. *C. hyssopifolium. Sp. Pl.* 6.

Icon. Fl. Græc. t. 1.

In arenosis maritimis Thraciæ ad Pontum Euxinum, prope *Fanar* et *Cyaneas* insulas. ☉.

Variat staminibus 1—5.

CALLITRICHE.

G. Pl. 6. *Juss.* 19. *Gærtn. t.* 68.

6. *C. aquatica. Fl. Brit.* 8.

C. verna et autumnalis. Sp. Pl. 6.

Icon. Engl. Bot. t. 722.

In aquis stagnantibus montis Olympi Bithyni. ☉.

II. DIANDRIA.

I. Monogynia.

JASMINUM.

G. Pl. 9. Juss. 106. Gærtn. t. 42.

7. *J. fruticans. Sp. Pl. 9.*

J. luteum, vulgò dictum bacciferum. Tourn. Inst. 597.

Sarí Jassemín Turcorum.

Icon. Dod. Pempt. 571. f. 4.

In sylvis per totam Phrygiam Asiæ minoris. Ad viam inter Smyrnam et Bursam, et circa Byzantium. h.

LIGUSTRUM.

G. Pl. 9. Juss. 106. Gærtn. t. 92.

8. *L. vulgare. Sp. Pl. 10.*

Ligustrum. Tourn. Inst. 596.

Lilák Turc.

Icon. Curt. Lond. fasc. 5. t. 1.

Ad sepes inter Smyrnam et Bursam, et circa Byzantium. h.

PHILLYREA.

G. Pl. 10. Juss. 106. Gærtn. t. 92.

9. *Ph. media. Sp. Pl. 10.*

Ph. folio ligustri. *Tourn. Inst.* 596.

Icon. *Matth. Valgr.* v. 1. 155.

In Græciæ insulis. Frequens in Cretæ montosis
asperis. η .

10. Ph. *latifolia.* *Sp. Pl.* 10.

Ph. folio levitèr serrato. *Tourn. Inst.* 596.

Φιλλυρεα *Dioscoridis.*

Φύλλικα *hodiè.*

Φυλλίσι *Zacynthiorum.*

Αγλανδινιά *Bæoticorum.*

Icon. *Fl. Græc.* t. 2.

In montosis asperis insularum Græcarum. Fre-
quens in Cretâ. η .

OLEA.

G. Pl. 10. *Juss.* 105. *Gærtn.* t. 93.

11. O. *europæa.* *Sp. Pl.* 11.

O. sylvestris, folio duro subtùs incano. *Tourn.*
Inst. 599.

Ελαια αγραια *Diosc.*

Ελαια ήμερα, planta sativa, *ejusdem.*

Αγροελιά *hodiè.*

Jaban Zeitan Agagí *Turc.*

Icon. *Fl. Græc.* t. 3.

In insulis Græcis copiosè; etiam ad viam inter
Scalam novam et Smyrnam. Ubique culta in-
venitur. η .

FRAXINUS.

G. Pl. 550. *Juss.* 105. *Gærtn. t.* 49.

12. *F. Ornus. Sp. Pl.* 1510.

F. florifera botryoides. Tourn. Inst. 577. *Sibth.*

Μελαία Diosc.

Μέλεος hodiè.

Disu Budak Turc.

Icon. Fl. Græc. t. 4.

In monte Parnasso, et circa Byzantium. *Sibth.*

Frequens in montibus elatioribus petrosis per

totam Græciam. *D. Hawkins. 2.*

CIRCÆA.

G. Pl. 11. *Juss.* 319. *Gærtn. t.* 24.

13. *C. lutetiana. Sp. Pl.* 12. *Tourn. Inst.* 301.

Icon. Curt. Lond. fasc. 3. *t.* 3.

In Græciâ rariùs occurrit. In sylvis umbrosis montis Olympi Bithyni, et ad pagum *Belgrad. 2.*

VERONICA.

G. Pl. 12. *Juss.* 99. *Gærtn. t.* 54.

* *Spicatae.*

14. *V. spuria. Sp. Pl.* 13.

V. spicata angustifolia. Tourn. Inst. 143.

Icon. Barrel. Ic. t. 891.

In Laconiâ. *Sibth. MSS. 2.*

15. *V. spicata*. *Sp. Pl.* 14.

V. spicata minor. *Tourn. Inst.* 144.

Icon. Engl. Bot. t. 2.

In Laconiâ. ۲.

16. *V. pinnata*. *Mant.* 24.

Icon. Act. Petrop. ann. 1770. t. 29. f. 1. *Willden.*

In monte Athone. ۲.

17. *V. officinalis*. *Sp. Pl.* 14.

V. mas supina et vulgatissima. *Tourn. Inst.* 143.

Icon. Curt. Lond. fasc. 3. t. 1.

Prope Thessalonicam. ۲.

**** *Corymboso-racemosæ.***

18. *V. gentianoides*. *Tr. of Linn. Soc.* v. 1. 194.

Willden. Sp. Pl. v. 1. 61.

V. orientalis erecta, gentianellæ foliis. *Tourn.*

Cor. 7.

Icon. Fl. Græc. t. 5.

In summâ parte, nive solutâ, montis Olympi Bithyni. ۲.

19. *V. thymifolia*, corymbo terminali, foliis revolutis incanis, caulibus fruticulosus diffusis, capsularum lobis divaricatis.

Icon. Fl. Græc. t. 6.

In cacumine montium Cretæ, olim Leuci nunc Sphaciotici dictorum. Floret inter saxa nive nuper operta. ۲.

20. *V. serpyllifolia*. *Sp. Pl.* 15.

V. pratensis serpyllifolia. *Tourn. Inst.* 144.

Icon. *Curt. Lond. fasc.* 1. *t.* 3.

In Olympi Bithyni graminosis, et circa Byzantium. *¶*.

21. *V. Becabunga*. *Sp. Pl.* 16.

V. aquatica major, folio subrotundo. *Tourn. Inst.* 145.

Becabunga Turc.

Icon. *Curt. Lond. fasc.* 2. *t.* 3.

In Elide et Arcadiâ ad scaturigines, et prope Byzantium. *¶*.

22. *V. Anagallis*. *Sp. Pl.* 16.

V. aquatica major et minor, folio oblongo. *Tourn. Inst.* 145.

Icon. *Curt. Lond. fasc.* 5. *t.* 2.

In fossis aquosis, et ad rivulos, in insulis Græciæ frequens. *¶*.

23. *V. Teucrium*. *Sp. Pl.* 16.

V. major frutescens altera. *Tourn. Inst.* 144.

Icon. *Riv. Monop. Irr. t.* 95. *f.* 1. *V. montana*.

Prope Thessalonicam. *Sibth. MSS.* *¶*.

24. *V. prostrata*. *Sp. Pl.* 17.

V. minor angustifolia, ramosior et procumbens. *Tourn. Inst.* 144.

Icon. *Riv. Monop. Irr. t.* 95. *f.* 2.

In agro Byzantino. *Sibth. MSS.* *¶*.

25. *V. pectinata*. *Mant.* 24.

V. constantinopolitana incana, *chamædryos folio*. *Tourn. Cor.* 7.

Icon. *Buxb. Cent.* 1. t. 39. f. 1.

In Bithyniâ et in agro Byzantino.

In montium Sphacioticorum Cretæ summis jugis.

D. Hawkins. 4.

26. *V. Chamædryos*. *Sp. Pl.* 17.

V. minor, foliis imis rotundioribus. *Tourn. Inst.* 144.

Icon. *Curt. Lond. fasc.* 1. t. 2.

In Laconiâ, et in sylvis circa pagum *Belgrad.* 4.

27. *V. latifolia*. *Sp. Pl.* 18.

V. maxima. *Tourn. Inst.* 144.

Icon. *Jacq. Austr.* t. 60. *V. pseudo-chamædryos*.
Prope Smyrnam. 4.

28. *V. austriaca*. *Sp. Pl.* 17.

V. austriaca, foliis tenuissimè laciniatis. *Tourn. Inst.* 144.

Icon. *Jacq. Austr.* t. 329. *V. multifida*.
Inter Smyrnam et Bursam. 4.

29. *V. multifida*. *Sp. Pl.* 17. *Tr. of Linn. Soc.*
v. 1. 191.

Icon vix ulla fidenda.

Cum præcedente, ut ex herbario videtur, legit
Sibthorp. 4.

*** *Pedunculis unifloris.*

30. *V. glauca*, floribus solitariis, foliis cordatis inciso-serratis, caulibus procumbentibus, laciniis calycinis utrinque dentatis.

Icon. *Fl. Græc. t. 7.*

In jugo montis Hymetti prope Athenas. *D. F. Bauer.* ☉.

31. *V. agrestis.* *Sp. Pl.* 18.

V. flosculis oblongis pediculis insidentibus, chamædryos folio. *Tourn. Inst.* 145.

Icon. *Curt. Lond. fasc. 1. t. 1.*

- β. *V. flosculis oblongis pediculis insidentibus, chamædryos folio, major.* *Buxb. Cent.* 1. 26. *t. 40. f. 2.*

Icon. *Fl. Græc. t. 8.*

In umbrosis et cultis montis Olympi Bithyni.

β. in insulis Principum prope Byzantium. ☉.

32. *V. arvensis.* *Sp. Pl.* 18.

V. flosculis cauliculis adhærentibus. *Tourn. Inst.* 145.

Icon. *Curt. Lond. fasc. 2. t. 2.*

In Peloponneso ; in insulâ Cypro, et circa Byzantium. ☉.

33. *V. hedcrifolia.* *Sp. Pl.* 19.

V. cymbalarisæ folio verna. *Tourn. Inst.* 145.

Icon. *Curt. Lond. fasc. 2. t. 1.*

In agro Cariensi, Byzantino, et Peloponnesiaco ; etiam in insulâ Cypro. ☉.

34. *V. cymbalaria*, floribus solitariis, foliis cordatis inciso-crenatis, laciniis calycinis rotundatis, seminibus urceolatis læviusculis.

V. cymbalariaefolia. *Vahl. Enum. v. 1. 81.*

V. hederifolia β . *Sp. Pl. 19.*

V. chia, *cymbalariaefolio*, *verna*, flore albo umbilico virescente. *Tourn. Cor. 7. Buxb. Cent. 1. 25. t. 39. f. 2. malè.*

Icon. Fl. Græc. t. 9.

Circa Byzantium, et in Archipelagi insulis. ☉.

35. *V. triphyllos.* *Sp. Pl. 19.*

V. verna, trifido vel quinquefido folio. *Tourn. Inst. 145.*

Icon. Fl. Græc. t. 10.

In campestribus Thraciæ, Pontum Bosphorum et Euxinum versus. ☉.

36. *V. acinifolia.* *Sp. Pl. 19.*

V. minima, *clinopodii minoris folio*, glabra, romana. *Tourn. Inst. 144.*

Icon. Vaill. Paris. t. 33. f. 3.

Circa Byzantium. *Sibth. MSS.* ☉.

GRATIOLA.

G. Pl. 13. Juss. 121. Gærtn. t. 53.

37. *G. officinalis.* *Sp. Pl. 24.*

Digitalis minima, *Gratiola dicta.* *Tourn. Inst. 165.*

Icon. Fl. Dan. t. 363.

In uliginosis ad lacum Niceæ, Bithyniæ. ♀.

PINGUICULA.

G. Pl. 13. *Juss.* 98. *Gærtn. t.* 112.

38. *P. crystallina*, corollâ inæquali, nectario obtuso petalo brevior, laciniis calycinis oblongis, scapo basi glabro.

Icon. *Fl. Græc. t.* 11.

In rivulis prope vicum Camandriæ in insulâ Cypro. *D. F. Bauer.*

UTRICULARIA.

G. Pl. 14. *Juss.* 98.

39. *U. vulgaris. Sp. Pl.* 26.

Millefolium aquaticum lenticulatum. Bauh. Pin. 141.

Icon. *Engl. Bot. t.* 253.

In aquis Argolicis. ♀.

LEMNA. *G. Pl.* 478.

Lenticula. Juss. 19.

40. *L. trisulca. Sp. Pl.* 1376.

Icon. *Engl. Bot. t.* 926.

In aquis Byzantii. ☉.

41. *L. minor. Sp. Pl.* 1376. *Fl. Brit.* 957.

Φακος ὁ ἐπὶ τῶν τελευμάτων *Diosc.*

Icon. *Engl. Bot. t.* 1095.

In aquis stagnantibus Græciæ ubique. ☉.

Genus vix monoicum hîc meliùs collocatur.

LYCOPUS.

G. Pl. 15. *Juss.* 111.42. *L. europæus.* *Sp. Pl.* 30.*L. palustris glaber.* *Tourn. Inst.* 191.*Icon. Curt. Lond. fasc.* 3. *t.* 2.

In humidiusculis circa Thyatiram, hodiè *Akhis-*
sar, et in agro Eliensi et Byzantino. 4.

43. *L. exaltatus.* *Suppl.* 87.

L. foliis in profundas lacinias incisis. *Tourn.*
Inst. 191.

Icon. Fl. Græc. t. 12.

In locis humidis circa Lupadium, Bithyniæ. 4.

ZIZIPHORA.

G. Pl. 16. *Juss.* 111. *Gærtn. t.* 66.44. *Z. capitata.* *Sp. Pl.* 31.

Thymus humilis latifolius. *Buxb. Cent.* 3. 28.
t. 51. *f.* 1.

Icon. Fl. Græc. t. 13.

In monte Crucis insulæ Cypri. *D. F. Bauer.* ☉.

ROSMARINUS.

G. Pl. 16. *Juss.* 111.45. *R. officinalis.* *Sp. Pl.* 33.*R. spontaneus, latiore folio.* *Tourn. Inst.* 195.*Λιζανωτίς Diosc.**Δρυδρολιζανον hodiè.*

Biberic *Turc.*

Icon. *Fl. Græc. t. 14.*

In insulis Græcis rariùs ; in Melo legit Sibthorp.

In Zacyntho, nec non in Bæotiâ. *D. Hawkins. h.*

SALVIA.

G. Pl. 17. Juss. 111. Gærtn. t. 66.

46. *S. officinalis. Sp. Pl. 34.*

S. major. Tourn. Inst. 180.

Ελελισφακον *Diosc.*

Icon. *Woodv. Med. Bot. t. 38.*

In asperis Græciæ, ut a Dioscoride memoratur. *h.*

Gallas esculentas profert, *S. pomiferæ* et *trilobæ* instar.

47. *S. pomifera. Sp. Pl. 34.*

S. cretica frutescens *pomifera*, foliis longioribus incanis et crispis. *Tourn. Cor. 10. It. v. 1.30. cum icone.*

Φασκομηλιά *hodiè.*

Icon. *Fl. Græc. t. 15.*

In collibus apricis et asperis Cretæ. In Græciâ vulgaris. *D. Hawkins. h. Floret Julio.*

48. *S. calycina*, foliis ovatis crenatis planis reticulato-venosis incanis, calycibus trilobis dilatatis retusis mucronulatis.

S. orientalis frutescens, foliis circinatis, acetabulis moluccæ. *Tourn. Cor. 10.*

Icon. *Fl. Græc. t. 16.*

In monte Hymetto prope Athenas, Julio florens. *h.*

49. *S. triloba*. *Suppl.* 88.

S. baccifera. *Tourn. Inst.* 180.

S. cretica pomifera Clusii, flore albo. *Tourn. Cor.* 10.

Φάσκος, ἡ ἀληφασκιά, *hodiè*.

Φασκομηλιά, *in Peloponneso*.

Icon. Fl. Græc. t. 17.

In Archipelagi insulis, et per totam Græciam,
locis asperis et apricis, frequens. ἡ.

50. *S. ringens*, foliis interruptè pinnatis crenatis
subrevolutis rugosis, ramis floriferis panicu-
latis, corollâ declinatâ recurvâ.

Χλωμὸς *hodiè*.

Icon. Fl. Græc. t. 18.

In petrosis ad latera montium haud infrequens.
Ad cænobium *Mega Spilaio* dictum, prope Ca-
lavritam, Peloponnesi. *D. Hawkins.* 4.

51. *S. viridis*. *Sp. Pl.* 34.

Horminum comâ viridi. *Tourn. Inst.* 178.

Icon. Fl. Græc. t. 19.

In Cariæ arvis. ☉.

52. *S. Horminum*. *Sp. Pl.* 34.

Horminum comâ purpuro-violaceâ, et comâ
rubrâ. *Tourn. Inst.* 178.

Ὁρμινον *Diosc.*

Σαρκοθρόφι *Argol.*

Icon. *Fl. Græc. t.* 20.

In arvis Græciæ haud rara. ☉.

Anne præcedentis varietas?

53. *S. sylvestris. Sp. Pl.* 34.

Sclarea folio salviæ, major vel maculata. *Tourn. Inst.* 179.

Icon. *Jacq. Austr. t.* 212.

In agro Byzantino. 4.

54. *S. pratensis. Sp. Pl.* 35.

Sclarea pratensis, foliis serratis, flore cæruleo.
Tourn. Inst. 179.

Icon. *Engl. Bot. t.* 153.

In insulis Græciæ haud infrequens. Copiosissimè
ad viam inter Smyrnam et Bursam. 4.

55. *S. Forskælei. Mant.* 26.

Sclarea orientalis, folio subrotundo, flore magno,
partim albo partim purpurascente. *Tourn. Cor.* 10. *Sibth.*

Icon. *Fl. Græc. t.* 21.

In sylvis umbrosis montis Olympi Bithyni, et
circa pagum *Belgrad* ad Bosphorum, Julio
florens. 4.

56. *S. Sibthorpii*, foliis cordatis lobatis crenatis
rugosis scabris, caule subaphyllo ramoso, staminum
appendiculis dilatatis.

Icon. *Fl. Græc. t. 22.*

In Peloponneso et in insulâ Zacyntho. In itinere Parnassum versus primò invenit Clarissimus Sibthorp. *D. F. Bauer. 4.*

57. *S. verbenaca. Sp. Pl. 35.*

Horminum sylvestre, lavandulæ flore. *Tourn. Inst. 178.*

Αγριος βασιλικος, ἡ Σαρκοθρόφι, hodiè.

Βέτυρόχορτον, ἡ σαρκάθροφιον, *Zacynth.*

Icon. *Curt. Lond. fasc. 6. t. 1.*

In Peloponneso frequens. Etiam in pascuis circa Byzantium, et in insulâ Zacyntho. *4.*

58. *S. multifida*, foliis cordatis multifidis incisis glabris, caule folioso simplici, staminum appendiculis retusis.

Horminum sylvestre inciso folio, cæsio flore, italicum. *Barrel. Ic. t. 220.*

Icon. *Fl. Græc. t. 23.*

In pascuis circa Byzantium. *D. F. Bauer. 4.*

59. *S. clandestina. Sp. Pl. 36.*

Icon. *Fl. Græc. t. 24.*

In arvis insulæ Cypri frequens. *D. F. Bauer. 8.*

60. *S. disermas. Sp. Pl. 36.*

Sclarea syriaca, flore albo. *Tourn. Inst. 179.*

Icon. *Barrel. Ic. t. 187.*

In agro Byzantino. *Sibth. MSS. 4.*

61. *S. verticillata*. *Sp. Pl.* 37.

Horminum sylvestre latifolium verticillatum.

Tourn. Inst. 178.

Πλημονόχορτον hodiè.

Icon. *Riv. Monop. Irr. t.* 38. *f.* 2. Horminum spurium.In Peloponneso haud rara ; etiam in agro Byzantino. *Sibth. MSS.* 4.62. *S. napifolia*. *Willd. Sp. Pl. v.* 1. 143.Icon. *Jacq. Hort. Vind. t.* 152.Prope Byzantium, et in Bithyniâ. *Sibth. MSS.* 4.63. *S. Sclarea*. *Sp. Pl.* 38.*Sclarea. Tourn. Inst.* 179.Icon. *Fl. Græc. t.* 25.In arvis inter oppida *Sousougherli* et *Ulubad*, sive *Lupadum*, Bithyniæ. ♂.64. *S. crassifolia*, foliis cordatis crenatis rugosis utrinque lanatis, caule aphylo, bracteis calyce brevioribus.*S. candidissima. Vahl. Enum. v.* 1. 278.*Sclarea orientalis*, foliis rotundioribus candidissimis. *Tourn. Cor.* 10.Icon. *Fl. Græc. t.* 26.In insulâ Cypro, at rarissimè. *D. F. Bauer.* 4.

65. *S. argentea*. *Sp. Pl.* 38.

Sclarea orientalis, verbasci folio, flore partim
albo partim flavescente. *Tourn. Cor.* 10.

Αιθιοπικis in Idâ nascens *Diosc.?* *Sibth.*

Icon. *Fl. Græc. t.* 27.

In monte Parnasso. ♂.

66. *S. Æthiopis*. *Sp. Pl.* 39.

Sclarea vulgaris lanuginosa, amplissimo folio.
Tourn. Inst. 179.

Αιθιοπικis *Diosc.*

Icon. *Jacq. Austr. t.* 211.

Circa Athenas; etiam ad vias inter Smyrnam et
Bursam. ♂.

MORINA.

G. Pl. 18. *Juss.* 194.

67. *M. persica*. *Sp. Pl.* 39.

M. orientalis, carlinæ folio. *Tourn. Cor.* 48. *It.*
v. 2. 120. *cum icone.*

Icon. *Fl. Græc. t.* 28.

In montibus Parnasso et Cylleni, ad campos elatos
fertiliores, Augusto florens. *D. Hawkins.* 4.

*II. Digynia.***ANTHOXANTHUM.***G. Pl.* 18. *Juss.* 29.68. *A. odoratum.* *Sp. Pl.* 40.*Gramen anthoxanthon spicatum.* *Tourn. Inst.*
518.*Icon.* *Curt. Lond. fasc.* 1. *t.* 4.**In graminosis Græciæ, et in monte Olympo Bi-
thyno. 4.**

III. TRIANDRIA.

I. Monogynia.

VALERIANA.

G. Pl. 22. *Juss.* 195. *Gærtn. t.* 86.

Fedia. Gærtn. t. 86.

69. *V. rubra. Sp. Pl.* 44. *Tourn. Inst.* 131.

Ανάλατος hodiè.

Icon. Engl. Bot. t. 1531.

In Peloponnesi montibus. 4.

70. *V. angustifolia. Willd. Sp. Pl. v.* 1. 175.

V. rubra β. Sp. Pl. 44.

V. rubra angustifolia. Tourn. Inst. 131.

Icon. Fl. Græc. t. 29.

In montibus elatioribus circa Athenas. 4.

71. *V. calcitrapa. Sp. Pl.* 44.

V. foliis calcitrapæ; etiam V. lusitanica latifolia annua laciniata. Tourn. Inst. 132.

Icon. Fl. Græc. t. 30.

In arvis Argolicis. ☉.

72. *V. orbiculata*, floribus monandris subcalcaratis, foliis inferioribus petiolatis cordato-orbiculatis denticulatis.

Icon. *Fl. Græc. t.* 31.

In monte Crucis insulæ Cypri. *D. F. Bauer.* ☉.

73. *V. Cornucopiæ.* *Sp. Pl.* 44.

Valerianella cornucopioides, flore galeato.
Tourn. Inst. 133.

Icon. *Fl. Græc. t.* 32.

In arvis circa Byzantium. ☉.

74. *V. Dioscoridis*, floribus triandris, foliis omnibus pinnatis: radicalium foliolis ovatis dentato-repandis, radice tuberosâ.

Φου *Diosc. Sibth.*

Icon. *Fl. Græc. t.* 33.

Prope Limyrum fluvium Lyciæ. *D. Hawkins.* ♀.

75. *V. tuberosa.* *Sp. Pl.* 46.

V. alpina minor. *Tourn. Inst.* 132.

Ναρδος ορεινή *Diosc.*

Icon. *Camer. Epit.* 16.

In montibus Ciliciæ, Cretæ, et Cypri, etiam in Parnasso, copiosè. ♀.

76. *V. echinata.* *Sp. Pl.* 47.

Valerianella cornucopioides echinata. *Tourn. Inst.* 133.

22 TRIANDRIA—MONOGYNIA.

Icon. *Column. Ecphr.* 206.

In arvis prope Athenas. ☉.

77. *V. Locusta. Sp. Pl.* 47, α.

Valerianella arvensis præcox humilis, semine compresso. Tourn. Inst. 132.

Λυκοτρίβολα hodiè.

Icon. *Curt. Lond. fasc.* 5. t. 4.

In arvis Græciæ, et insulæ Cypri, vulgaris. ☉.

78. *V. vesicaria. Willd. Sp. Pl. v.* 1. 183.

V. Locusta β. Sp. Pl. 47.

Valerianella cretica, fructu vesicario. Tourn. Cor. 6.

Icon. *Fl. Græc. t.* 34.

In Cretæ arvis. ☉.

79. *V. coronata. Willd. Sp. Pl. v.* 1. 184.

V. Locusta γ. Sp. Pl. 48.

Valerianella semine stellato. Tourn. Inst. 133.

Icon. *Column. Ecphr.* 209.

In arvis circa Byzantium. ☉.

80. *V. discoidea. Willd. Sp. Pl. v.* 1. 184.

V. Locusta ζ. Sp. Pl. 48.

Valerianella scabiosæ semine, major, lusitanica. Tourn. Inst. 133.

Icon. *Moris. sect. 7. t. 16. f. 29.*
In arvis Græciæ. ☉.

POLYCNUM.

G. Pl. 25. Juss. 84. Gærtn. t. 128.

81. *P. arvense. Sp. Pl. 50.*
Chenopodium annuum humifusum, folio breviori et capillaceo. Tourn. Inst. 506.
Icon. *Jacq. Austr. t. 365.*
In arvis circa Byzantium. ☉.

CROCUS.

G. Pl. 25. Juss. 59.

82. *C. sativus, stigmatē exserto tripartito: segmentis linearibus. Fl. Brit. 39.*
C. sativus α. Sp. Pl. 50. Tourn. Inst. 350.
Κροκος Diosc.
Icon. *Engl. Bot. t. 343.*
In agris Græciæ. In montibus circa Athenas. ♀.
83. *C. nudiflorus, stigmatē incluso trifido: lobis multifido-laciniatis penicilliformibus, flore aphylo. Fl. Brit. 41.*
C. autumnalis, sativo similis, florum capillamentis tenuissimis, minùs odoris. Tourn. Cor. 25.
Icon. *Engl. Bot. t. 491.*

β. *C. autumnalis*, sativo similis, florum capillamentis tenuissimis, minùs odoris, flore candidissimo. *Tourn. Cor.* 25.

γ. *C. orientalis autumnalis*, flore magno albo, capillamentis albidis inodoris. *Tourn. Cor.* 25?

In monte Athone, Septembri vel Octobri florens. 4.

84. *C. vernus*, stigmate incluso trifido: lobis cuneiformibus incis. *Fl. Brit.* 40.

C. vernus latifolius, purpureo-violaceus. *Tourn. Inst.* 351.

Icon. *Engl. Bot. t.* 344. *Jacq. Austr. append. t.* 36.

β. *C. orientalis angustifolius*, flore odoratissimo leucophæo. *Tourn. Cor.* 25.

γ. *C. orientalis vernus* flore subcæruleo (s. violaceo), externè spadiceo-rubente. *Tourn. Cor.* 25.

In summis montium jugis in Cretâ et Cypro insulis. 4.

85. *C. aureus*, stigmate incluso trifido: lobis sublinearibus denticulatis, radicum tunicâ membranaceâ.

C. vernus Mæsiacus primus. *Clus. Pannon.* 228. *Salisb. in Ann. of Bot. v.* 1. 122.

C. vernus latifolius aureus. *Tourn. Inst.* 352?

Icon. *Fl. Græc. t. 35.*

In arenosis argillâ substratis prope Sestum, Martio florens. 4.

IXIA.

G. Pl. 26. Juss. 58.

86. I. *Bulbocodium. Sp. Pl. 51.*

Bulbocodium crocifolium, flore parvo violaceo.

Tourn. Cor. 50.

Κατζα hodiè.

Icon. *Fl. Græc. t. 36.*

In montibus maritimis insularum Archipelagi frequens. 4.

Variat florum magnitudine et colore.

GLADIOLUS.

G. Pl. 26. Juss. 58.

87. *G. communis. Sp. Pl. 52.*

G. floribus uno versu dispositis, major et procerior, flore purpureo-rubente. *Tourn. Inst. 365.*

Ξιφίον *Diosc.*

Σπαθόκορτον hodiè.

Αγριόκόκορος *Zacynth.*

Icon. *Fl. Græc. t. 37.*

℞. *Gladiolus triphyllus. Sibth. MSS.*

Icon. *Fl. Græc. t. 38.*

In arvis insularum Græcarum, primo vere, vulgaris.

β. In Cypri campestribus ad meridiem montis *Troodos* dicti, solo fertiliori. *D.F. Bauer.* 4.

Varietas β vix differt nisi staturâ minore, caule trifloro subtriphylo, corollæ labio inferiore pallidiori.

IRIS.

G. Pl. 27. *Juss.* 57. *Gærtn. t.* 13.

* *Barbatæ.*

88. *I. florentina.* *Sp. Pl.* 55.

I. alba florentina. *Tourn. Inst.* 358.

Icon. Fl. Græc. t. 39.

In cœmeteriis neglectis rariùs. *D. Hawkins.* In insulâ Rhodo, et in Laconiâ. 4.

89. *I. germanica.* *Sp. Pl.* 55.

I. vulgaris, germanica, sive sylvestris. *Tourn. Inst.* 358.

Ἰρις *Diosc.*

Κρίνος *hodiè.*

Susen *Turc.*

Icon. Fl. Græc. t. 40.

In Cretæ campestribus. In cœmeteriis et ad pagos per totam Græciam frequens. 4.

90. *I. pumila*. *Sp. Pl.* 56.

I. humilis minor, flore purpureo. *Tourn.*
Inst. 361.

Icon. *Jacq. Austr. t.* 1.

In collibus Græciæ. *υ*.

* * *Imberbes*.

91. *I. Pseud-acorus*. *Sp. Pl.* 56.

I. palustris lutea. *Tourn. Inst.* 360.

Νερόκρινος hodiè.

Alak ingivi *Turc.*

Icon. *Curt. Lond. fasc.* 3. *t.* 4.

In Peloponnesi fossis aquosis, et circa Byzantium. *υ*.

92. *I. foetidissima*. *Sp. Pl.* 57.

I. foetidissima, seu *Xyris*. *Tourn. Inst.* 360.

Ξυρίς *Diosc.* ?

Icon. *Engl. Bot. t.* 596.

In pascuis humidis circa Byzantium. *υ*.

93. *I. graminea*. *Sp. Pl.* 58.

I. angustifolia prunum redolens, minor. *Tourn.*
Inst. 361.

Αγρίόκρινος hodiè.

Icon. *Jacq. Austr. t.* 2.

In Peloponneso haud rara. *υ*.

28 TRIANDRIA—MONOGYNIA.

94. *I. tuberosa*. *Sp. Pl.* 58.

Hermodactylus folio quadrangulo. *Tourn.*
Cor. 50.

Λογχιτῖς *Diosc.*

Icon. Fl. Græc. t. 41.

In Arcadiâ, et in agro Eliensi. 4.

95. *I. Sisyrinchium*. *Sp. Pl.* 59.

Sisyrinchium majus, flore luteâ (vel albâ)
maculâ notato. *Tourn. Inst.* 365.

Αγρίόκρινος *hodiè.*

Icon. Fl. Græc. t. 42.

In Laconiâ; et in Cypri, Cimoli et Zacynthi col-
libus maritimis. 4.

SCHŒNUS.

G. Pl. 29. *Juss.* 27.

96. *S. Mariscus*. *Sp. Pl.* 62.

Scirpus palustris altissimus, foliis et carinâ ser-
ratis. *Tourn. Inst.* 528.

Icon. Engl. Bot. t. 950.

In Peloponnesi paludibus. 4.

97. *S. mucronatus*. *Sp. Pl.* 63.

Scirpus maritimus, capite glomerato. *Tourn.*
Inst. 528.

Icon. Fl. Græc. t. 43.

In arenosis maritimis Cretæ et Messenæ. 4.

98. *S. nigricans*. *Sp. Pl.* 64.

Gramen spicatum, junci facie, lithospermi semine. *Tourn. Inst.* 518.

Icon. *Engl. Bot. t.* 1121.

In Peloponnesi paludosis. *¶*.

CYPERUS.

G. Pl. 29. *Juss.* 27. *Gærtn. t.* 2.

99. *C. longus*. *Sp. Pl.* 67.

C. odoratus, radice longâ, sive officinarum. *Tourn. Inst.* 527.

Κύπειρος hodiè.

Icon. *Jacq. Ic. Rar. t.* 297.

In paludosis Græciæ frequens. *¶*.

100. *C. rotundus*, culmo triquetro nudo, umbellâ foliosâ supradecompositâ, spiculis lanceolatis acutis, tuberibus oblongis.

C. rotundus. *Sp. Pl.* 67, *exclus. Fl. Zeyl.* 36.

C. rotundus vulgaris. *Tourn. Inst.* 527.

C. orientalis, radice olivari, spicis longis, e spadiceo purpurascens. *Scheuch. Agr.* 391. *t. 9. f. 3.*

Κυπείρος *Diosc.*

Κύπειρον hodiè.

Icon. *Moris. sect. 8. t. 11. f. 1.*

In Paro, Naxo, aliisque insulis Græcis. In insulæ Santorini vineis vitium summum. Radi-

cis tubera inter vestimenta, odoris gratiâ, servantur. *D. Hawkins.* 4.

Distinctissimus a *C. hexastachyo*, *Rottb. Gram.* 28. *t. 14. f. 2*, qui ad *Cyperum Fl. Zeyl. n. 36.* potiùs spectat.

101. *C. comosus*, culmo triquetro nudo, umbellâ foliosâ, spiculis linearibus longissimis, tuberribus ovatis : zonis obsoletis.

Icon. *Fl. Græc. t. 44.*

In palustribus prope Patras. 4.

102. *C. tenuiflorus*, culmo triquetro nudo, umbellâ foliosâ supradecompositâ, spiculis oblongis, glumis obtusis, radice repente.

C. tenuiflorus. *Rottb. Gram.* 30. *t. 14. f. 1.*
Jacq. Coll. v. 3. 190. Willd. Sp. Pl. v. 1. 284.

Icon. *Jacq. Ic. Rar. t. 296.*

In palustribus arenosis ad fluvium Ryndacum Bithyniæ, Augusto florens. 4.

103. *C. radicosus*, culmo triquetro nudo, umbellâ foliosâ, spiculis lanceolatis, foliis patentissimis rigidis recurvis.

Icon. *Fl. Græc. t. 45.*

In arenosis ad fluvium Ryndacum prope *Sousougherli*, quâ via a Smyrnâ ad Bursam ducit; etiam in insulis Græciæ, sed rariùs. 4.

104. *C. difformis*, digynus, culmo triquetro nudo, umbellâ foliosâ, spiculis linearibus arcuatis, glumis ventricosis retusis.

C. difformis. *Sp. Pl.* 67.

Icon. *Fl. Græc. t.* 46.

Prope Patras. ۛ?

105. *C. flavescens*, digynus, culmo triquetro nudo, umbellâ triphyllâ, spiculis lanceolatis, seminibus obtusè triquetris sublenticularibus.

C. flavescens. *Sp. Pl.* 68. *Scop. Carn.* 41.

C. minimus, paniculâ sparsâ subflavescente.

Tourn. Inst. 527.

Icon. *Fl. Græc. t.* 47.

In paludosis Asiæ minoris inter Smyrnam et Bursam. Etiam circa Byzantium, et in monte Athone. ۛ.

Semen punctulato-scabrum.

106. *C. glaber*, trigynus, culmo triquetro nudo, umbellâ triphyllâ, spiculis lanceolatis, glumis nervosis obtusis mucronulatis.

C. glaber. *Mant.* 2. 179.

Icon. *Segu. Veron. suppl. t.* 2. *f.* 1.

In Asiæ minoris paludibus cum Cypero flavescente legit Sibthorp. ۛ.

Cum præcedente convenit facie, colore, atque magnitudine, sed differt stigmatibus tribus, se-

minibus acutè triquetris apice obtusis, glumis-
que nervosis.

107. *C. fuscus*, trigynus, culmo triquetro nudo,
umbellâ triphyllâ, spiculis linearibus, glu-
mis lævibus, seminibus nitidis.

C. fuscus. *Sp. Pl.* 69. *Scop. Carn.* 41.

C. minimus, paniculâ sparsâ nigricante. *Tourn.*
Inst. 527.

Icon. *Fl. Græc.* t. 48.

In depressis humidis frequens, inter Smyrnam et
Bursam, et circa Byzantium. 4.

Semen elongatum, utrinque acuminatum, acutè
triquetrum, album.

108. *C. pannonicus.* *Suppl.* 103.

Icon. *Jacq. Austr. append.* t. 6.

Ad maris Euxini littora. *Sibth. ap. Herb. Banks.* ☉.

109. *C. mucronatus.* *Willd. Sp. Pl.* v. 1. 273.

C. distachyos. *Allion. Auct.* 48. t. 2. f. 5.

C. junciformis. *Cavan. Ic.* t. 204. f. 1. *Des-*
font. Atlant. v. 1. 42. t. 7. f. 1.

Icon. *Fl. Græc.* t. 49.

In palustribus limosis Byzantii et Corinthi. ☉.

SCIRPUS.

G. Pl. 30. *Juss.* 27. *Gærtn. t.* 2.

110. *S. palustris.* *Sp. Pl.* 70.

S. equiseti capitulo majori. *Tourn. Inst.* 528.

Icon. Engl. Bot. t. 131.

In paludibus insularum Græcarum vulgaris. 4.

111. *S. lacustris.* *Sp. Pl.* 72.

S. palustris altissimus. *Tourn. Inst.* 528.

Σύφα hodiè.

Icon. Engl. Bot. t. 666.

Ad fluviorum ripas in Cretâ, alibique. 4.

112. *S. Holoschoenus.* *Sp. Pl.* 72.

S. maritimus, capitulis rotundioribus glomeratis. *Tourn. Inst.* 528.

Σχοινός λεία *Diosc. Sibth.*

Icon. Engl. Bot. t. 1612.

In arenosis maritimis insularum Græcarum frequens. 4.

113. *S. romanus.* *Sp. Pl.* 72.

Κουφορέλος hodiè.

Icon. Jacq. Austr. t. 448.

In arenosis maritimis insularum Græcarum vulgaris. 4.

Præcedentis, ni fallor, varietas. *Conf. Fl. Brit.* 53.

34 TRIANDRIA—MONOGYNIA.

114. *S. setaceus.* *Sp. Pl.* 73.

S. omnium minimus, capitulo breviori. *Tourn.*
Inst. 528.

Icon. Fl. Dan. t. 311.

In paludosis insulæ Seriphi. ☉.

115. *S. mucronatus.* *Sp. Pl.* 73. *Dicks. Dr.*
Pl. 26.

Cyperus maritimus, capitulis glomeratis. *Tourn.*
Inst. 527.

Ὀλοσχοῖνος *Diosc. ? Sibth.*

Icon. Scheuchz. Agr. t. 9. *f.* 14.

In arenosis maritimis Græciæ copiosè. ♀.

116. *S. dichotomus.* *Sp. Pl.* 74. *Willd. Sp. Pl.*
v. 1. 303.

Icon. Fl. Græc. t. 50.

In arenosis maritimis Thraciæ, ad Pontum Euxinum propè *Fanar* et *Cyaneas* insulas. ☉.

117. *S. maritimus.* *Sp. Pl.* 74.

Cyperus rotundus inodorus germanicus. *Tourn.*
Inst. 527.

Icon. Curt. Lond. fasc. 4. *t.* 4.

In paludibus maritimis Peloponnesi; in insulâ
Cypro et propè *Byzantium.* ♀.

118. *S. sylvaticus*. *Sp. Pl.* 75.

Cyperus gramineus. *Tourn. Inst.* 527.

Icon. *Engl. Bot. t.* 919.

In nemoribus propè Byzantium. ♀.

119. *S. Michelianus*. *Sp. Pl.* 76.

Icon. *Till. Hort. Pis. t.* 21. *f.* 5.

In Bithyniâ. *Sibth. MSS.* ☉.

NARDUS.

G. Pl. 30. *Juss.* 33.

120. *N. aristata*. *Sp. Pl.* 78.

Icon. *Barrel. Ic. t.* 117. *f.* 1.

In insulæ Cypri campestribus. ☉.

II. Digynia.

CORNUCOPIA.

G. Pl. 31. *Juss.* 33.

121. *C. cucullata*. *Sp. Pl.* 79.

Icon. *Fl. Græc. t.* 51.

In insulâ Patmo. ☉.

SACCHARUM.

G. Pl. 32. *Juss.* 30. *Gærtn. t.* 82.

122. *S. Ravennæ. Syst. Veg. ed.* 13. 88.

Andropogon Ravennæ. Sp. Pl. 1481.

Gramen paniculatum arundinaceum ramosum,
paniculâ densâ sericeâ. Tourn. Inst. 523.

Καλαμος συριγγίας Diosc. Sibth.

Σαμάκι hodiè.

Icon. Fl. Græc. t. 52.

In Peloponneso copiosè. Ad littora Ponti Eux-
ini propè *Fanar.* 4.

123. *S. Teneriffæ. Suppl.* 106.

Icon. Fl. Græc. t. 53.

In montibus prope Messinam, Siciliæ, nec in
Græciâ, legit Sibthorp. 4.

124. *S. cylindricum. Willd. Sp. Pl. v.* 1. 323.

Lagurus cylindricus. Sp. Pl. 120.

Gramen tomentosum spicatum. Tourn. Inst. 518.

G. tomentosum creticum spicatum, spicâ pur-
pureâ. Tourn. Cor. 39.

Icon. Fl. Græc. t. 54.

In udis circa Athenas, et in agro Eliensi. 4.

PHALARIS.

G. Pl. 32. *Juss.* 29. *Gærtn. t.* 80.

125. *Ph. canariensis. Sp. Pl.* 79.

Gramen spicatum, semine miliaceo albo. Tourn.
Inst. 518.

Φαλαρις *Diosc.*

Κουκούλοχορτον *hodiè.*

Κουκούλη *Zacynth.*

Icon. *Fl. Græc. t.* 55.

In arvis Græciæ frequens. ☉.

126. *Ph. nodosa. Syst. Væg. ed.* 13. 88.

Ph. tuberosa. Mant. 2. 557.

Icon. *Fl. Græc. t.* 56.

Ad agrorum margines in insulis Græciæ. ♀.

127. *Ph. aquatica. Sp. Pl.* 79.

Gramen spicatum perenne, semine miliaceo,
tuberosâ radice. *Tourn. Inst.* 519.

Icon. *Fl. Græc. t.* 57.

In aquosis Asiæ minoris. ♀.

128. *Ph. arenaria. Fl. Brit.* 62.

Phleum arenarium. Sp. Pl. 88.

Gramen spicatum maritimum minimum, spicâ
cylindraceâ. *Tourn. Inst.* 520.

Icon. *Engl. Bot. t.* 222.

In arenosis maritimis insularum Græcarum frequens. ☉.

129. *Ph. phleoides. Sp. Pl.* 80.

Gramen spicatum, spicâ cylindraceâ tenuiori
longâ. *Tourn. Inst.* 520.

Icon. *Engl. Bot. t. 459.*

Frequens in arvis insularum Græcarum, et circa Byzantium. 4.

130. *Ph. geniculata*, spicâ cylindraceâ, glumis elliptico-lanceolatis dentato-ciliatis, culmis diffusis ramosis geniculatis.

Alopecurus geniculatus. Sibth. MSS.

Gramen aquaticum typhinum supinum italicum minus. *Barrel.*

Icon. *Barrel. Ic. t. 54.*

In aquis stagnantibus montis Olympi Bithyni. ☉.
Sequenti valdè affinis. Stamina certè tria.

131. *Ph. vaginiflora*, spicâ ovatâ basi vaginatâ, glumis elliptico-lanceolatis dentato-ciliatis, culmis diffusis ramosis.

Ph. vaginiflora. Forsk. Descr. 18.

Phleum schœnoides. Sp. Pl. 88. Jacq. Col. v. 1. 111.

Crypsis aculeata β. Ait. H. Kew. v. 1. 48.

Icon. *Jacq. Ic. Rar. t. 15.*

In udis depressis circa Olympum Bithynum. ☉.
Stamina tria inveni.

Hujus varietas videtur *Anthoxanthum aculeatum*,
Linn. Suppl. 89, Crypsis aculeata α, Ait. loc. cit.
Antitragus aculeatus, Gært. v. 2. 7. t. 80. f. 7,
floribus capitatis, haud spicatis, discrepans.

132. *Ph. paradoxa*. *Sp. Pl.* 1665.

Gramen spicatum perenne, semine miliacco,
radice repente. *Tourn. Inst.* 519, ex D. Des-
fontaines.

Αληπουνούρα hodiè.

Icon. *Fl. Græc. t.* 58.

In arvis Græciæ cum *Ph. canariensi* frequens. ☉.

PANICUM.

G. Pl. 32. *Juss.* 29. *Gærtn. t.* 1.

Digitaria. *Juss.* 29.

133. *P. verticillatum*. *Sp. Pl.* 82.

P. vulgare, spicâ simplici et asperâ. *Tourn.*
Inst. 515.

Icon. *Curt. Lond. fasc.* 4. *t.* 6.

In arvis insularum Græcarum frequens. ☉.

134. *P. glaucum*. *Sp. Pl.* 83.

Icon, *Schreb. Gram. t.* 25.

In insulâ Zacyntho. ☉.

135. *P. viride*. *Sp. Pl.* 83.

P. vulgare, spicâ simplici et molliori. *Tourn.*
Inst. 515.

Icon. *Curt. Lond. fasc.* 4. *t.* 5.

In pascuis cultisque circa Byzantium. ☉.

136. *P. Crus galli.* *Sp. Pl.* 83.

P. vulgare, spicâ multiplici asperiusculâ. *Tourn. Inst.* 515.

β. *P. vulgare*, spicâ multiplici longis aristis circumvallatâ. *Tourn. Inst.* 515.

Κεκριὲ hodiè.

Icon. *Curt. Lond. fasc.* 4. t. 8.

In umbrosis cultis circa *Olympum Bithynum*. ☉.

137. *P. eruciforme*, spicis alternis sessilibus secundis pilosis, valvulâ calycinâ tertiâ exiguâ acutiusculâ, culmo ramoso.

Icon. *Fl. Græc. t.* 59.

In arvis circa *Junonis templum* in insulâ *Samo*. ♀.

138. *P. sanguinale.* *Sp. Pl.* 84.

Gramendactylon, folio latiore. *Tourn. Inst.* 520.

Icon. *Curt. Lond. fasc.* 4. t. 7.

In cultis insularum *Græciæ*, et in monte *Athone*. ☉.

139. *P. Dactylon.* *Sp. Pl.* 85.

Gramen dactylon, radice repente, sive officinarum. *Tourn. Inst.* 520,

Αγρωστις *Diosc.*

Αγριάδα hodiè.

Icon. *Fl. Græc. t.* 60.

In arenosis *Græciæ* vulgaris. ♀.

140. *P. repens.* *Sp. Pl.* 87.

Milium angustifolium, paniculâ peramplâ,
sparsâ et erectâ. *Tourn. Cor.* 39.

Icon. *Fl. Græc. t.* 61.

Ad ripas fluvii prope Plataniam in insulâ Cretâ,
Junio florens. ۷.

141. *P. miliaceum.* *Sp. Pl.* 86.

Milium semine luteo. *Tourn. Inst.* 514.

Icon. *Bauh. Theatr.* 502.

In arvis Græciæ. ☉.

PHLEUM.

G. Pl. 33. *Juss.* 29. *Gærtn. t.* 1.

142. *Ph. nodosum.* *Sp. Pl.* 88.

Ph. pratense γ. *Fl. Brit.* 68.

Gramen spicatum, spicâ cylindraceâ brevi, ra-
dice nodosâ. *Tourn. Inst.* 520.

Icon. *Leers. t.* 3. f. 2.

In agro Peloponnesiaco et circa Byzantium. ۷.

143. *Ph. alpinum.* *Sp. Pl.* 88.

Gramen typhoides alpinum, spicâ brevi densâ
et veluti villosâ. *Scheuch. Agr.* 64. *Prod. t.* 3.

Icon. *Engl. Bot. t.* 519.

In Olympo Bithyno monte. ۷.

144. *Ph. felinum*, spicâ ovatâ, aristis glumâ longioribus divaricatis angulatis scabris, radice fibrosâ.

Μουστάκια του κατζούλιου *Zacynth.*

Icon *nulla*.

In insulâ *Zacyntho*. ☉.

A *Phleo alpino* differt radice fibrosâ, annuâ; glumis obtusissimis, basi tantum ciliatis; aristis longioribus, magisque divaricatis, nudis, angulatis, basi ferè lanceolatis.

145. *Ph. crinitum*. *Schreb. Gram.* 151. t. 20. f. 3.
Fl. Brit. 71.

Alopecurus monspeliensis. *Sp. Pl.* 89.

Agrostis panicea. *Ait. H. Kew.* v. 1. 94.

—— triaristata. *Knapp. Gram. Brit.* t. 23.

Panicum maritimum, spicâ longiore villosâ.

Tourn. Inst. 515.

Icon. *Fl. Græc.* t. 62.

In udis circa *Athenas*. ☉.

Gramen forsitan ad *Agrostidem* reducendum.

ALOPECURUS.

G. Pl. 33. *Juss.* 29. *Gærtn.* t. 1.

146. *A. pratensis*. *Sp. Pl.* 88.

Gramen spicatum, spicâ cylindraceâ longioribus villis donatâ. *Tourn. Inst.* 520.

Icon. *Curt. Lond. fasc. 5. t. 5.*

Circa Athenas, et in insulâ Cipro. 4.

147. *A. utriculatus*, spicâ oblongâ, glumis calycinis navicularibus gibbosis mucronulatis dorso villosis aristâ corollinâ brevioribus.

Phalaris utriculata. Sp. Pl. 80.

Gramen spicatum pratense, spicâ ex utriculo prodeunte. *Tourn. Inst. 519.*

Αληπουνούρα hodiè.

Icon. *Fl. Græc. t. 63.*

In graminosis et ruderalis Græciæ. ☉.

148. *A. angustifolius*, spicâ ovatâ, glumis retusis mucronulatis villosis aristâ duplò brevioribus, foliis radicalibus angustissimis,

Phleum Gerardi. Sibth. MSS. (nec Willd. Sp. Pl. v. 1. 355.)

Icon. *Fl. Græc. t. 64.*

In montis Olympi Bithyni summitate. 4.

149. *A. lanatus*, spicâ capitatâ, glumis calycinis acutis mucronatis villosis aristâ duplò brevioribus, foliis lanatis.

Icon *nulla.*

In summitate montis Olympi Bithyni, nive perfectâ. 4.

Radix lignosa, cæspitosa, atra. *Culmi* spithamæi, erecti, binodes, vix geniculati, basi diphylli, supernè nudi, glabri. *Folia* radicalia congesta, patentissima, linearia, planiuscula, obtusa, utrinque lanâ molli, niveâ, densissimè tecta, summo apice denudata: caulina brevissima et quasi abortiva, longissimè vaginata, vaginâ striatâ, basi glabrâtâ, strictâ, sub apice ventricosâ, minùs densè quam in ipsis foliis lanatâ. *Stipula* exigua. *Spica* subrotunda, densa, multiflora. *Calyx* ovatus, villosus, glumis acutis, mucronulatis, nervosis. *Corolla* univalvis, retusa, glabra. *Arista* e basi corollæ, tortilis, glumâ duplò longior, supernè scabra.

MILIUM.

G. Pl. 33. *Juss.* 29.

Cal. bivalvis, unilorus, tumidus. *Semen* corollâ persistente, castilagineâ, bivalvi, corticatum.

150. *M. effusum.* *Sp. Pl.* 90.

Gramen sylvaticum, paniculâ miliaceâ sparsâ.
Tourn. Inst. 523.

Icon. *Curt. Lond. fasc.* 4. t. 12.

In insulæ Cypri nemorosis. 4.

151. *M. lendigerum.* *Sp. Pl.* 91.

Agrostis australis. *Mant.* 30.

Panicum serotinum arvense, spicâ pyramidatâ.

Tourn. Inst. 515.

Icon. *Fl. Græc. t.* 65.

In Asiæ minoris arenosis maritimis. ☉.

152. *M. arundinaceum*, paniculâ laxâ, corollâ aristatâ glabrâ, calyce mucronato, stipulis brevissimis retusis.

Agrostis miliacea. Sp. Pl. 91.

A. græca. Sibth. MSS.

Γρηλαρη *Zacynth.*

Icon. *Fl. Græc. t.* 66.

Prope Athenas, et in insulâ Zacyntho. ♀.

153. *M. cærulescens*, paniculâ laxâ, corollâ subaristatâ glabrâ, aristâ calyce breviori, stipulis elongatis erosis.

M. cærulescens. Desfont. Atlant. v. 1. 66.

Icon. *Desfont. Atlant. t.* 12.

In insulis Græciæ frequens. ♀.

AGROSTIS.

G. Pl. 33. *Juss.* 29.

Cal. bivalvis, uniflorus, valvulis acutis. *Cor.* bivalvis, inæqualis, membranacea. *Stigmata* plumosa.

154. *A. stolonifera. Sp. Pl.* 93.

Icon. *Engl. Bot. t.* 1532.

In graminosis Græciæ frequens. ♀.

155. *A. alba.* *Sp. Pl.* 93.

Αγριόκάλαμια Zacynth.

Icon. Engl. Bot. t. 1189.

In Bithyniæ palustribus ad montis Olympi radices, et in insulâ Zacyntho. 4.

156. *A. pungens.* *Willd. Sp. Pl. v.* 1. 273. *Desfont. Atlant. v.* 1. 68.

Gramen paniculatum maritimum narbonense, radice repente. *Tourn. Inst.* 523.

Icon. Cavan. Ic. t. 111. *Schreb. Gram. t.* 27. f. 3.

In maritimis Græciæ. 4.

ANDROPOGON.

G. Pl. 540. *Juss.* 30.

Cal. bivalvis, uniflorus. *Cor.* subbivalvis; alterâ basin versûs aristatâ. *Flores* plures masculini, pedicellati, corollâ muticâ, vel nullâ.

157. *A. Gryllus.* *Sp. Pl.* 1480.

Gramen avenaceum, utriculis lanugine flavescens. *Tourn. Inst.* 525. *Herb. Tourn.*

Icon. Fl. Græc. t. 67.

In asperis et petrosis Cretæ et Cypri. 4.

158. *A. halepensis*, paniculâ erectâ supradecompositâ, glumis elliptico-lanceolatis, flosculis omnibus monopetalis.

Holcus halepensis. *Sp. Pl.* 1485.

Γρηλαρη *Zacynth*.

Icon. *Fl. Græc. t.* 68.

Circa Athenas frequens; etiam in insulâ *Zacyntho*. 4.

159. *A. angustifolius*, foliis linearibus canaliculatis pilosis, spicis digitatis corymbosis plurimis, calycibus striatis pedicellisque hirsutis.

A. Ischæmum. *Jacq. Austr. v.* 4. 43. *Schreb. Lips.* 46. *Lamarck. Dict. v.* 1. 376. *Roth. Germ. v.* 2. p. 2. 546.

A. n. 1414. *Hall. Hist. v.* 2. 203.

Gramen dactylon angustifolium, spicis villosis.
Tourn. Inst. 520.

Icon. *Jacq. Austr. t.* 384.

In Peloponneso, et circa Byzantium. 4.

Andropogon Ischæmum Linnæi, *A. n.* 4. *Gerard. Gallopr.* 107. *t.* 4, differt magnitudine majori, foliis latioribus atque longioribus, spicis paucioribus, glumis calycinis duplò majoribus, at minùs concinnè striatis.

160. *A. distachyos*, spicis digitatis geminis, glumis acutis glabris, culmo simplici.

A. distachyon. *Sp. Pl.* 1481. *Ger. Gallopr.* t. 3. f. 2.

Gramen dactylon, spicâ geminâ. *Tourn. Inst.* 521, *exclus. syn. Bauhinorum.*

Icon. *Fl. Græc. t.* 69.

In insulis Archipelagi frequens. 4 .

161. *A. hirtus*, spicis digitatis geminis, glumis acutis hirsutis, culmo ramoso.

A. hirtum. *Sp. Pl.* 1482.

Gramen dactylon siculum, multiplici paniculâ, spicis ab eodem exortu geminis. *Tourn. Inst.* 521.

Festuca junceo folio spicâ geminâ. *Bauh. Prod.* 19. *Theatr.* 145.

Icon. *Pluk. Phyt. t.* 92. f. 1.

In insulis Græcis. 4 .

HOLCUS.

G. Pl. 541. *Juss.* 30.

162. *H. lanatus.* *Sp. Pl.* 1485.

Gramen pratense paniculatum molle. *Tourn. Inst.* 522.

Icon. *Curt. Lond. fasc.* 4. t. 11.

Circa Byzantium. 4 .

A I R A.

G. Pl. 34. Juss. 31. Gærtn. t. 1. •

163. *A. cristata*. Sp. Pl. 94.

Gramen spicâ cristatâ subhirsutum. Tourn.
Inst. 519.

Icon. Engl. Bot. t. 648.

In agro Argolico. 4.

164. *A. minuta*. Sp. Pl. 95

Icon. Schreb. Gram. t. 21. f. 2.

Circa Byzantium. ☉.

165. *A. aquatica*. Sp. Pl. 95.

Gramen paniculatum aquaticum miliaceum.
Tourn. Inst. 521.

Icon. Curt. Lond. fasc. 1. t. 5.

In aquosis Græciæ. 4.

166. *A. cæspitosa*. Sp. Pl. 96.

Gramen pratense paniculatum altissimum, locustis parvis splendentibus non aristatis.
Tourn. Inst. 524.

Icon. Engl. Bot. t. 1453.

In graminosis campestribus insularum Græcarum frequens. 4.

167. *A. canescens.* *Sp. Pl.* 97.

Gramen paniculatum, capillaceo folio, minimum. *Tourn. Inst.* 523. *Herb. Tourn.*

Icon. Engl. Bot. t. 1190.

In arenosis maritimis Achaiaë. ʒ?

168. *A. caryophyllea.* *Sp. Pl.* 97.

Gramen paniculatum minimum molle. *Tourn. Inst.* 522.

Icon. Curt. Lond. fasc. 6. t. 6.

In Peloponnesi glareosis haud rara. ☉.

MELICA.

G. Pl. 34. *Juss.* 31. *Gærtn. t.* 80.

169. *M. ciliata.* *Sp. Pl.* 97.

Gramen avenaceum montanum lanuginosum. *Tourn. Inst.* 524.

Icon. Fl. Græc. t. 70.

In collibus et vineis Græciæ frequens. ʒ.

170. *M. minuta.* *Mant.* 32.

M. pyramidalis. *Desfont. Atlant. v.* 1. 72.

Icon. Cavan. Ic. t. 175. *f.* 2. *M. nutans.*

In montibus Peloponnesi, et insulæ Cypri. ʒ.

171. *M. saxatilis*, petalis imberbibus, paniculâ coarctatâ secundâ, floribus cernuis, stipulâ elongatâ, culmo simplici.

M. aspera. Desfont. *Atlant. v.* 1. 71 ?

Gramen avenaceum saxatile, paniculâ sparsâ, locustis latioribus candicantibus et nitidis.

Tourn. Inst. 524 ?

Icon. *Fl. Græc. t.* 71.

In insularum Græcarum collibus frequens. 4 .

172. *M. uniflora.* Willd. *Sp. Pl. v.* 1. 383.

Gramen avenaceum nemorense, glumis rarioribus ex fusco xerampelinis. *Tourn. Inst.* 524.

Icon. *Curt. Lond. fasc.* 5. t. 10.

In Laconia nemoribus; etiam in monte Athone, et prope Byzantium. 4 .

173. *M. nutans.* Sp. *Pl.* 92.

Gramen montanum avenaceum, locustis rubris.

Tourn. Inst. 524.

Icon. *Curt. Lond. fasc.* 6. t. 4.

In sylvis umbrosis circa pagum Belgrad ad Bosporum, et in monte Athone. 4 .

Hâc specie caret herbarium Sibthorpiæ.

174. *M. major*, petalis imberbibus, paniculâ divaricatâ: ramis binatis, floribus cernuis, culmo simplici, foliis involuto-pungentibus.

Icon. *Gmel. Sib. v.* 1. t. 19. f. 1 quoad faciem.

In herbario Græco Sibthorpiano, nescio unde lecta.
De hâc forsitan intelligendum est, ubicunque præcedentis nomen inter manuscripta Sibthorpiana occurrit. 4.

175. *M. cærulea*. *Mant.* 2. 325.

Gramen paniculatum autumnale, paniculâ angustiore e viridi nigricante. *Tourn. Inst.* 521.

Icon. *Curt. Lond. fasc.* 5. t. 11.

In ericetis circa Byzantium. 4.

SESLERIA.

Scop. Carn. ed. 1. 189. *Juss.* 31. *Fl. Brit.* 93.

Cal. bivalvis, subtriflorus. *Cor.* bivalvis; valvulâ interiore bifidâ.

176. *S. cærulea*, spicâ ovato-oblongâ imbricatâ, bracteis alternis, petalis exterioribus tridentatis aristatis.

S. cærulea. *Scop. Carn. ed.* 2. v. 1. 63. *Fl. Brit.* 94.

Cynosurus cæruleus. *Sp. Pl.* 106.

Gramen spicatum, glumis variis. *Tourn. Inst.* 519.

Icon. *Engl. Bot.* t. 1613.

In monte Parnasso. 4.

177. *S. alba*, spicâ ovato-oblongâ imbricatâ, bracteis alternis, petalis exterioribus lanceolatis acutis indivisis.

Carex dubia. *Sibth. MSS.*

Icon. *Fl. Græc. t. 72.*

In sylvis prope pagum *Belgrad.* 4.

P O A.

G. Pl. 34. Juss. 32.

178. *P. aquatica.* *Sp. Pl. 98.*

Gramen aquaticum paniculatum latifolium.

Tourn. Inst. 523.

Icon. *Curt. Lond. fasc. 5. t. 12.*

In aquosis circa *Byzantium.* 4.

179. *P. fluitans.* *Fl. Brit. 95.*

Festuca fluitans, *Sp. Pl. 111.*

Gramen paniculatum aquaticum fluitans. *Tourn.*

Inst. 521,

Icon. *Curt. Lond. fasc. 1. t. 7.*

In aquosis *Peloponnesi,* et ad pagum *Belgrad.* 4.

180. *P. maritima.* *Willd. Sp. Pl. v. 1. 396.*

Icon. *Engl. Bot. t. 1140.*

In maritimis insularum *Græcarum.* *Sibth. MSS. 4.*

181. *P. dura.* *Scop. Carn. ed. 2. 70.*

Cynosurus durus. *Sp. Pl. 105.*

Icon. *Host. Gram. Austr. v. 2. t. 73.*

In *Achaiâ,* et in insulâ *Cypro.* ☉.

182. *P. rigida.* *Sp. Pl.* 101.

Gramen paniculatum minus, radice repente,
paniculâ duriore. *Tourn. Inst.* 521.

Icon. *Curt. Lond. fasc.* 2. t. 4.

In collibus rupibusve insularum Græcarum vul-
garis. ☉.

183. *P. divaricata.* *Willd. Sp. Pl.* v. 1. 402.

Icon. *Gouan. Illustr.* t. 2. f. 1.

In insulæ Cypri maritimis. ☉.

184. *P. Eragrostis.* *Sp. Pl.* 100.

Briza Eragrostis. *Sp. Pl.* 103.

Gramen paniculis elegantissimis, sive *εραγροστis*,
majus. *Tourn. Inst.* 522.

Icon. *Fl. Græc.* t. 73.

In arvis circa Athenas, et ad Junonis templum in
insulâ Samo. ☉.

185. *P. capillaris.* *Sp. Pl.* 100.

Gramen paniculatum virginianum, locustis mi-
nimis. *Tourn. Inst.* 522.

Icon. *Moris. sect.* 8. t. 6. f. 33.

In Bithyniâ. ☉.

186. *P. palustris.* *Sp. Pl.* 98.

Icon. *Moris. sect.* 8. t. 6. f. 27.

In aquosis Græciæ. *Sibth. MSS.*

187. *P. trivialis*. *Sp. Pl.* 99.

Gramen pratense paniculatum medium. *Tourn.*
Inst. 521.

Icon. *Curt. Lond. fasc.* 2. t. 6.

In Peloponnesi pratis. ۲.

188. *P. pratensis*. *Sp. Pl.* 99.

Gramen pratense paniculatum majus, latiore
folio. *Tourn. Inst.* 521.

Icon. *Curt. Lond. fasc.* 2. t. 5.

In Peloponnesi pratis. ۲.

189. *P. angustifolia*. *Sp. Pl.* 99.

Gramen pratense paniculatum majus, angustiore folio. *Tourn. Inst.* 522.

Icon. *Leers. t.* 6. f. 3.

In agro Argolico, ex *Sibth. MSS.* ۲.

Præcedentis, ni fallor, varietas.

190. *P. compressa*. *Sp. Pl.* 101.

Icon. *Engl. Bot. t.* 365.

In pratis insulæ Cypri. ۲.

191. *P. alpina*. *Sp. Pl.* 99.

Icon. *Engl. Bot. t.* 1003.

In monte Olympo Bithyno. ۲.

192. *P. annua*. *Sp. Pl.* 99.

Gramen pratense paniculatum minus album.
Tourn. Inst. 521.

Icon. *Curt. Lond. fasc.* 1. t. 6.

In Laconiâ ; in umbrosis Olympi Bithyni, et in
Cariæ littore. ☉.

193. *P. nemoralis*. *Sp. Pl.* 102.

Icon. *Engl. Bot. t.* 1265.

In nemorosis prope Byzantium. ♀.

194. *P. decumbens*. *Fl. Brit.* 107.

Festuca decumbens. *Sp. Pl.* 110.

Gramen avenaceum parvum procumbens, pa-
niculis non aristatis. *Tourn. Inst.* 525.

Icon. *Engl. Bot. t.* 792.

In agro Byzantino. ♀.

BRIZA.

G. Pl. 35. *Juss.* 32. *Gærtn. t.* 1.

195. *B. minor*. *Sp. Pl.* 102.

Gramen paniculatum minus, locustis magnis
tremulis. *Tourn. Inst.* 523.

Τζόγυις *Zacynth.*

Icon. *Fl. Græc. t.* 74.

In Laconiâ, et in insulâ Zacyntho. ☉.

196. *B. media*. *Sp. Pl.* 103.

Gramen paniculatum majus, locustis magnis
candicantibus tremulis. *Tourn. Inst.* 523.

Icon. *Engl. Bot. t.* 340.

In pratis insulæ Cypri, et circa Byzantium. ♀.

197. *B. elatior*, spiculis cordatis duodecimfloris,
calyce flosculis brevior, corollâ gibbosâ,
stipulâ brevissimâ obtusâ.

Icon. *Fl. Græc. t.* 75.

In monte Athone. *D. Hawkins.* ♀.

198. *B. maxima*. *Sp. Pl.* 103.

Gramen paniculatum, locustis maximis candi-
cantibus tremulis. *Tourn. Inst.* 523.

Σκολαρινάκια hodiè.

Icon. *Fl. Græc. t.* 76.

In arvis insularum Græcarum frequens. ☉.

199. *B. spicata*, spiculis ovatis erectis septem-
floris, calyce flosculis brevior, corollâ ven-
tricosâ, paniculâ subspicatâ erectâ.

Icon. *Fl. Græc. t.* 77.

In monte Parnasso. ☉.

DACTYLIS.

G. Pl. 35. Juss. 31.

200. *D. glomerata*. Sp. Pl. 105.Gramen paniculatum, spicis crassioribus et brevioribus. *Tourn. Inst.* 521.Icon. *Engl. Bot. t.* 335.

Ad vias in insulis Græciæ, haud infrequens. ♀.

CYNOSURUS.

G. Pl. 36. Juss. 31. *Gærtn. t.* 1.201. *C. cristatus*. Sp. Pl. 105.Gramen spicatum, glumis cristatis. *Tourn. Inst.* 519.Icon. *Engl. Bot. t.* 316.

In pascuis graminosis circa Athenas et Byzantium. ♀.

202. *C. echinatus*. Sp. Pl. 105.Gramen spicatum echinatum, locustis unam partem spectantibus. *Tourn. Inst.* 519.Icon. *Fl. Græc. t.* 78.

In maritimis et ad vias, in insulis Græciæ frequens. ☉.

203. *C. phleoides*. *Desfont. Atlant. v.* 1. 82.Παλα κορώκιες *Zacynth.*Icon. *Desfont. Atlant. t.* 18.

In insulâ Zacyntho. ☉.

204. *C. ægyptius*. *Sp. Pl.* 106.

Gramen dactylon ægyptiacum. *Tourn. Inst.* 521.

Καλαμαργωσις *Diosc. ? Sibth.*

Icon. Moris. sect. 8. t. 3. f. 7.

In Græciâ haud infrequens. ☉.

205. *C. aureus*. *Sp. Pl.* 107.

Gramen barcinonense, paniculâ densâ aureâ.

Tourn. Inst. 523.

Icon. Fl. Græc. t. 79.

In asperis et petrosis Græciæ; etiam in Asiâ
minori et insulâ Cypro. ☉.

FESTUCA.

G. Pl. 36. *Juss.* 32.

206. *F. ovina*. *Sp. Pl.* 108.

Gramen loliaceum minus, capillaceo folio,
spicâ brizæ longissimâ. *Tourn. Inst.* 517.

Icon. Engl. Bot. t. 585.

In montibus elatioribus Græciæ frequens. ♀.

207. *F. vivipara*. *Fl. Brit.* 114.

F. ovina β. *Sp. Pl.* 108.

Icon. Engl. Bot. t. 1355.

In Peloponnesi montibus. ♀.

208. *F. reptatrix*, *Sp. Pl.* 108.

Icon nulla.

In Achaïæ littoribus arenosis. *Sibth. MSS.* ♀.

209. *F. duriuscula*. *Sp. Pl.* 108.

Gramen pratense, paniculâ duriore laxâ,
unam præcipuè partem spectante. *Tourn.*
Inst. 522.

Icon. *Engl. Bot. t.* 470.

In Achaiaë siccis. 4.

210. *F. punctoria*, paniculâ secundâ coarctatâ
simpliciusculâ, culmo tereti nudiusculo, fo-
liis recurvis rigidis involuto-pungentibus.

Icon nulla.

In itinere montem Olympum Bithyniæ versus,
vel in ipso monte, legit Sibthorp. 4.

Folia radicalia numerosa, palmaria, dura, li-
nearia, involuta, pungentia; subtùs lævissima,
ecarinata. *Culmus* solitarius, ferè pedalis,
erectus, strictus, teres, lævis, basi subdiphyl-
lus, foliis brevissimis, longissimè vaginatis.
Panicula parva, erecta, coarctata, vix ramosa.
Glumæ acuminatæ, glabræ.

211. *F. Myurus*. *Sp. Pl.* 109.

Gramen loliaceum murorum, spicâ longissimâ
aristis tenuissimis donatâ. *Tourn. Inst.* 517.

Icon. *Engl. Bot. t.* 1412.

In agro Messeniaco. ☉.

Glumæ in exemplaribus Sibthorpiæ ciliatæ.

212. *F. uniglumis*. *Fl. Brit.* 118. *Willd. Sp. Pl.*
v. 1. 423.

Αγρίοσάρι *Zacynth.*

Icon. *Engl. Bot. t.* 1430.

In insulâ *Zacyntho*, et prope *Messenam*. ☉.

213. *F. littoralis*, paniculâ secundâ glomeratâ
ovatâ, foliis involutis acutis distichis, stipulis
pilosus, culmis prostratis.

Poa littoralis. *Vahl. Symb.* v. 2. 19.

Dactylis littoralis. *Willd. Sp. Pl.* v. 1. 408.

Gramen caninum maritimum spicatum. *Bauh.*

Prod. 2. f. 2. *Tourn. Inst.* 518.

Icon. *Fl. Græc. t.* 80.

In arenosis maritimis *Messenæ*, et insulæ *Cimoli*,
Junio florens. ♀.

214. *F. dactyloides*, paniculâ ovatâ coarctatâ,
foliis planis patentibus, culmis erectis, glumis
omnibus carinatis scabris.

Dactylis pungens. *Desfont. Atlant.* v. 1. 80.
t. 16?

Icon. *Fl. Græc. t.* 81.

In *Archipelagi* insulis rariùs. *Junio* lecta in
Meli vineis. ☉?

215. *F. elatior*. *Sp. Pl.* 111.

Gramen paniculatum arundinaceum, spicâ
multiplici. *Tourn. Inst.* 523.

Icon. *Curt. Lond. fasc.* 6. t. 7.

In pratis circa Byzantium. ♀.

BROMUS.

G. Pl. 36. *Juss.* 32.

216. *B. mollis*. *Sp. Pl.* 112.

Gramen avenaceum, locustis villosis crassiori-
bus. *Tourn. Inst.* 526.

Λυκονόρα *Zacynth.*

Icon. *Curt. Lond. fasc.* 1. t. 8.

In arvis insularum Græciæ vulgaris. ♂.

217. *B. asper*. *Suppl.* 111.

B. ramosus. *Syst. Veg. ed.* 13. 102, (nec
Mant. 34.)

Gramen avenaceum dumetorum, paniculâ
sparsâ. *Tourn. Inst.* 525.

Icon. *Curt. Lond. fasc.* 2. t. 8. *B. hirsutus*.

In monte Athone. ♂.

218. *B. sterilis*. *Sp. Pl.* 113.

Gramen avenaceum, paniculâ sparsâ, locustis
majoribus et aristatis. *Tourn. Inst.* 526.

Αγριόζαφος *Zacynth.*

Icon. *Curt. Lond. fasc.* 1. t. 9.

In Laconiâ, Zacyntho, et circa Byzantium. ☉.

219. *B. tectorum*. *Sp. Pl.* 114.

Gramen avenaceum, locustis villosis angustis
candicantibus et aristatis. *Tourn. Inst.* 526.

Icon. *Fl. Græc. t.* 82.

Circa Athenas et Messenam. ♂.

220. *B. rubens*. *Sp. Pl.* 114.

Gramen avenaceum, spicâ simplici breviori et
crassiori, locustis longissimis (potiùs den-
sissimis) longiùs aristatis. *Tourn. Inst.* 524.

Icon. *Fl. Græc. t.* 83.

Inter segetes Peloponnesi, et in insulâ Cretâ. ♂.

221. *B. scoparius*. *Sp. Pl.* 114.

Icon *nulla*.

In agro Messeniaco, et circa Byzantium. *Sibth.*
MSS. ♂.

Præcedente duplò minor, et plurimis notis di-
stincta species.

222. *B. sylvaticus*. *Fl. Brit.* 136.

Gramen loliaceum corniculatum, spiciis vil-
losis. *Tourn. Inst.* 516.

Icon. *Engl. Bot. t.* 729.

In agro Byzantino. ♀.

223. *B. pinnatus*. *Sp. Pl.* 115.

Gramen loliaceum altissimum, spicâ brizæ
perlongâ, aristis brevibus donatâ. *Tourn.*
Inst. 517.

Icon. *Engl. Bot. t.* 730.

In sylvis et umbrosis insularum Græcarum frequens. ۛ.

224. *B. ramosus*. *Mant.* 34.

Gramen loliaceum corniculatum veluti fruticosum, foliis angustissimis. *Tourn. Inst.* 517.

Icon. *Fl. Græc. t.* 84.

Prope Athenas. ۛ.

225. *B. cristatus*. *Sp. Pl.* 115.

Icon. *Gmel. Sib. v. 1. t.* 23.

Prope Byzantium. *Sibth. MSS.* ۛ.

226. *B. distachyos*. *Sp. Pl.* 115.

Gramen loliaceum minus, spicâ brizæ perlongâ, aristis donatâ. *Tourn. Inst.* 517.

Αγριοήρα *Lacon.* .

Icon. *Host. Gram. Austr. v. 1. t.* 20.

In campo Trojano et Byzantino, et in Laconiâ.
Sibth. MSS. ۛ.

STIPA.

G. Pl. 37. Juss. 30.

227. *S. pennata. Sp. Pl. 115.*

*Gramen spicatum aristis pennatis. Tourn.
Inst. 518.*

Icon. Engl. Bot. t. 1356.

In monte Athone, et in Cypro insulâ. 4.

228. *S. capillata. Sp. Pl. 116.*

Icon. Scheuchz. Gram. t. 3. f. 13.

In campis circa Byzantium. Sibth. MSS. 4.

229. *S. juncea. Sp. Pl. 116.*

*Gramen avenaceum maximum, utriculis cum
lanugine albâ et longissimis aristis. Tourn.
Inst. 525.*

Icon. Fl. Græc. t. 85.

In montibus Lyciæ, et insulæ Cretæ. 3.

230. *S. tenacissima. Sp. Pl. 116.*

*Gramen spicatum, quod spartum Plinii. Tourn.
Inst. 518.*

Icon. Desfont. Atlant. t. 30.

In collibus Atticis. 4.

231. *S. paleacea. Willd. Sp. Pl. v. 1. 441.*

S. tortilis. Desfont. Atlant. v. 1. 99. t. 31.

VOL. I.

F

Gramen avenaceum supinum minus, spicâ densissimâ, cum longissimis aristis lanuginosis tortilibus. *Tourn. Inst.* 525 : ex Desfont.

Icon. *Fl. Græc. t.* 86.

In Peloponneso et in Cretâ. ☉ ?

232. *S. aristella. Syst. Nat. ed.* 12. v. 3. 229.

Agrostis bromoides. Mant. 30.

Icon. *Fl. Græc. t.* 87.

In Bithyniâ, et circa Athenas. Etiam in agro Byzantino. 4.

A V E N A.

G. Pl. 37. *Juss.* 32.

233. *A. fatua. Sp. Pl.* 118.

Festuca utriculis lanugine flavescentibus.

Bauh. Pin. 10.

Βρομος αγριος *Diosc. Sibth.*

Αγριοσιφώναρι, ἡ Αγριογένημα *hodiè.*

Αγριόβρομο *Attic.*

Icon. *Schreb. Gram. t.* 15.

Inter segetes Græciæ frequens. ☉.

234. *A. sterilis. Sp. Pl.* 118.

Icon. *Jacq. Ic. Rar. t.* 23.

In Laconiaë agris. *Sibth. MSS.* ☉.

235. *A. flavescens.* *Sp. Pl.* 118.

Gramen avenaceum pratense elatius, paniculâ
flavescente, locustis parvis. *Tourn. Inst.* 525.

Icon. *Curt. Lond. fasc.* 3. t. 5.

In agro Byzantino. 4.

236. *A. fragilis.* *Sp. Pl.* 119.

Gramen loliaceum, angustiore folio et spicâ,
aristis donatum *Tourn. Inst.* 516. Ex
auctoritate Cl. Desfontaines.

Icon. *Fl. Græc.* t. 88.

In arenosis maritimis Græciæ frequens. ☉.

237. *A. pratensis.* *Sp. Pl.* 119.

A. bromoides. *Sp. Pl.* 1666.

Gramen avenaceum, paniculâ purpuro-argen-
teâ splendente. *Tourn. Inst.* 525.

Icon. *Engl. Bot.* t. 1204.

Prope Byzantium. *Sibth. MSS.* 4.

238. *A. caryophyllea*, spicata, calycibus octo-
floris, receptaculis nudis, foliis planis
glabris.

Icon. *Fl. Græc.* t. 89.

In Cimoli insulæ cretaceis. 4.

LAGURUS.

G. Pl. 37. *Juss.* 30. *Gærtn. t.* 1.

239. *L. ovatus. Sp. Pl.* 119.

*Gramen spicatum tomentosum, longissimis
aristis donatum. Tourn. Inst.* 517.

Λαγυρέρα hodiè.

Αλεπονόρα Zacynth.

Πέννα βέτομο Attic.

Icon. Fl. Græc. t. 90.

In littoribus maritimis collibusque Græciæ frequens. ☉.

ARUNDO.

G. Pl. 38. *Juss.* 32.

240. *A. Donax. Sp. Pl.* 120.

*A. sativa, quæ Donax Dioscoridis. Tourn.
Inst.* 526.

Δοναξ Diosc.

Κάλαμος hodiè.

Icon. Bauh. Theatr. 271.

In uliginosis Græciæ vulgaris. ♀.

241. *A. Phragmites. Sp. Pl.* 120.

*A. vulgaris, sive Phragmites Dioscoridis.
Tourn. Inst.* 526.

Φραγμαίτης Diosc.

Αγριοκάλαμος hodiè.

Χαιτα Bæotic.

Icon. *Engl. Bot. t.* 401.

Ad lacum Niceæ, Bithyniæ. In Bæotiæ paludibus copiosè. In insulis Græcis haud rara. 4.

242. *A. Calamagrostis. Sp. Pl.* 121.

Gramen paniculatum arundinaceum, paniculâ densâ. *Tourn. Inst.* 523.

Icon. *Engl. Bot. t.* 403.

In Asiâ minori, ad viam inter Smyrnam et Bursam haud infrequens. *Sibth. MSS.* 4.

243. *A. colorata. Fl. Brit.* 147.

Phalaris arundinacea. Sp. Pl. 80.

Gramen paniculatum aquaticum, phalaridis semine. *Tourn. Inst.* 523.

Icon. *Fl. Dan. t.* 259.

In aquosis circa Byzantium. 4.

244. *A. arenaria. Sp. Pl.* 121.

Gramen spicatum secalinum maritimum maximum, spicâ longiore. *Tourn. Inst.* 518.

Icon. *Engl. Bot. t.* 520.

In arenosis maritimis Eliensibus. 4.

LOLIUM.

G. Pl. 38. Juss. 31.

245. *L. perenne*. Sp. Pl. 122.

Gramen loliaceum, angustiore folio et spicâ.

Tourn. Inst. 516.

Icon. Engl. Bot. t. 315.

Ad vias insularum Græcarum frequens. 4.

246. *L. temulentum*. Sp. Pl. 122.Gramen loliaceum, spicâ longiore, aristas
habens. Tourn. Inst. 516.

Αἰρα Diosc.

Η'ρα Lacon.

Icon. Engl. Bot. t. 1124.

Inter segetes Græciæ frequens. Sibth. MSS. ☉.

247. *L. arvense*. Fl. Brit. 150.Gramen loliaceum, spicâ longiore, sine aristis.
Tourn. Inst. 516.

Η'ρα Zacynth.

Icon. Engl. Bot. t. 1125; aristis nimis validis.

In insulâ Zacyntho. ☉.

ROTBOLLIA.

Suppl. 13. *Juss.* 31.

248. *R. incurvata.* *Suppl.* 114.

Aegilops incurvata. *Sp. Pl.* 1490.

Gramen loliaceum maritimum, spicis articulatis. *Tourn. Inst.* 517.

Icon. Fl. Græc. t. 91.

In Cypri et Zacynthi arenosis maritimis. ☉.

249. *R. digitata, spicis terminalibus fasciculatis, rachi angulatâ scabrâ, glumis acuminatis, foliorum vaginis pilosis.*

Icon. Fl. Græc. t. 92.

In Bithyniâ, in itinere Olympum versûs, legit Sibthorp. 4,

ÆGILOPS.

G. Pl. 343. *Juss.* 30. *Gærtn. t.* 175.

250. *Ae. ovata.* *Sp. Pl.* 1489.

Gramen spicatum, durioribus et crassioribus locustis, spicâ brevi. *Tourn. Inst.* 519.

Αιγίλων *Diosc.*

Σιδερόστρο *hodiè.*

Αγριόστρο *Zacynth.*

Icon. Fl. Græc. t. 93.

In Archipelagi insulis frequens. ☉.

251. *Ae. comosa*, spicâ cylindraceâ triflorâ, floribus inferioribus dentato-emarginatis: summo multiaristato.

Icon. *Fl. Græc. t.* 94.

In insulis Græciæ frequens. ☉.

252. *Ae. cylindrica*, spicâ cylindraceâ strictâ multiflorâ, floribus inferioribus dentato-emarginatis: summo biaristato.

Gramen creticum, spicâ gracili, in duas aristas longissimas et asperas abeunte. *Tourn. Cor.* 39.

Icon. *Fl. Græc. t.* 95.

In insulâ Cretâ. ☉.

ELYMUS.

G. Pl. 39. *Juss.* 31.

253. *E. arenarius*. *Sp. Pl.* 122.

Gramen spicatum secalinum maritimum, spicâ brevior. *Tourn. Inst.* 518.

Icon. *Mart. Rust. t.* 31.

In littoribus maritimis insularum Græcarum, ut et Ponti Euxini prope *Fanar*. ♀.

254. *E. crinitus*, spicâ erectâ, spiculis subbifloris scabris longissimè uniaristatis, involucri erecto setaceo scabro.

E. crinitus. Schreb. *Gram.* v. 2. 15. t. 24. f. 1.
Gramen hordeaceum, spicâ aristis longissimis
circumvallatâ. Scheuchz. *Agr.* 20. Buxb.
Cent. 1. 33. t. 52. f. 1.

Icon. *Fl. Græc.* t. 96.

In collibus ad vias circa Smyrnam. ☉.

SECALE.

G. Pl. 39. *Juss.* 32. *Gærtn.* t. 81.

255. *S. villosum.* *Sp. Pl.* 124.

Gramen spicatum secalinum, glumis villosis
in aristas longissimas desinentibus. *Tourn.*
Inst. 518.

Αγριοσέκαλι *Zacynth.*

Icon. *Fl. Græc.* t. 97.

In Cretæ et Zacynthi agris. ☉.

HORDEUM.

G. Pl. 39. *Juss.* 32. *Gærtn.* t. 81.

256. *H. bulbosum.* *Sp. Pl.* 125.

H. strictum. Desfont. *Atlant.* v. 1. 113. t. 37.

Gramen creticum spicatum secalinum altissi-
mum, tuberosâ radice. *Tourn. Cor.* 39.

Icon. *Fl. Græc.* t. 98.

In arenosis maritimis insulæ Cypri. 4.

257. *H. murinum*. *Sp. Pl.* 126.

Gramen spicatum vulgare secalinum. *Tourn. Inst.* 517.

Τριχωστόχυς *hodiè*.

Αγριοστόχυς *Lacon*.

Icon. *Curt. Lond. fasc.* 5. *t.* 9.

In regione et insulis Græciæ vulgaris, et circa Byzantium. ☉.

258. *H. maritimum*. *Fl. Brit.* 156.

Gramen spicatum secalinum maritimum minus. *Tourn. Inst.* 518.

Icon. *Engl. Bot. t.* 1205.

In littoribus maritimis insularum Græcarum frequens. ☉.

TRITICUM.

G. Pl. 40. *Juss.* 32. *Gærtn. t.* 81.

259. *T. junceum*. *Sp. Pl.* 128.

Gramen loliaceum maritimum, foliis pungentibus. *Tourn. Inst.* 516.

Icon. *Fl. Græc. t.* 99.

In insularum Græcarum arenosis frequens. ♀.

260. *T. repens*. *Sp. Pl.* 128.

Gramen loliaceum, radice repente, sive gramen officinarum. *Tourn. Inst.* 516.

Αἰσὰ *hodiè*.

Icon. *Engl. Bot. t.* 909.

In cultis et ad vias Græciæ vulgaris. 4.

261. *T. maritimum. Sp. Pl.* 128.

Gramen maritimum, paniculâ loliaceâ. *Tourn. Inst.* 517.

Icon. *Bauh. Theatr.* 130.

In arenosis maritimis insulæ Caphonissæ, prope Naxum. *Sibth. MSS.* ☉.

262. *T. unilaterale. Mant.* 35 ; synonymis confusis.

Gramen pusillum unicaule, paniculâ loliaceâ. *Tourn. Inst.* 517.

Icon. *Bocc. Mus. t.* 57. f. 2.

In petrosis maritimis Messenæ. *Sibth. MSS.* ☉.

Gramen minimum *Bauh. Hist. v.* 2. 465 est *Agrostis minima Linn. Knappia agrostidea Fl. Brit.* 1387.

CENCHRUS.

G. Pl. 542. *Juss.* 30. *Gærtn. t.* 80.

263. *C. capitatus. Sp. Pl.* 1488.

Gramen spicatum, spicâ subrotundâ echinatâ. *Tourn. Inst.* 519.

Icon. *Fl. Græc. t.* 100.

In Bithyniâ. ☉.

264. *C. frutescens.* *Sp. Pl.* 1489.

Gramen orientale spicatum fruticosum spinosum, spicis echinatis in capitulum congestis. *Tourn. Cor.* 39.

Νασος *Diosc. Sibth.*

Πετροκάλαμο *Messen.*

Icon. *Alpin. Exot. t.* 104; ex Linnæo.

In littoribus arenosis Cretæ, quandoque etiam in Archipelagi insulis, copiosè. In Achaïæ et Messenæ maritimis. *Sibth. MSS.* 4.

Planta mihi valdè obscura, quæ herbario Sibthorpiano ut et Linnæano omninò deest.

LAPPAGO.

Schreb. G. Pl. 55.

265. *L. racemosa.*

Cenchrus racemosus. *Sp. Pl.* 1487.

Gramen spicatum, locustis echinatis. *Tourn. Inst.* 519.

Icon. *Fl. Græc. t.* 101.

Circa Byzantium. ☉.

III. Trigynia.

MONTIA.

- G. Pl.* 41. *Juss.* 313. *Gærtn. t.* 129.
 266. *M. fontana. Sp. Pl.* 129.
Icon. Curt. Lond. fasc. 3. t. 8.
In Laconiâ. ☉.

HOLOSTEUM.

- G. Pl.* 42. *Juss.* 299. *Gærtn. t.* 130.
 267. *H. umbellatum. Sp. Pl.* 130.
Alsine verna glabra, floribus umbellatis albis.
Tourn. Inst. 242.
Icon. Engl. Bot. t. 27.
In agro Peloponnesiaco et Byzantino. ☉

POLYCARPON.

- G. Pl.* 42. *Juss.* 299. *Gærtn. t.* 129.
 268. *P. tetraphyllum. Sp. Pl.* 131.
Herniaria alsines folio. Tourn. Inst. 507.
Icon. Fl. Græc. t. 102.
Frequens ad vias in insulis Archipelagi. ☉.

IV. TETRANDRIA.

I. Monogynia.

GLOBULARIA.

G. Pl. 47. Juss. 97. Gærtn. t. 44.

269. *G. Alypum. Sp. Pl. 139.*

G. fruticosa, myrti folio tridentato. Tourn. Inst. 467.

Αλυπον Diosc.

Στερέκι hodiè.

Σεννα Zacynth.

Icon. Garidel. Aix. t. 42.

In Peloponneso; etiam in Archipelagi insulis, sed rariùs. In Helenæ, Salaminis et Zacynthi collibus. η.

270. *G. vulgaris. Sp. Pl. 139. Tourn. Inst. 467.*

Icon. Camer. Hort. t. 7.

In monte Olympo Bithyno haud infrequens. Ad viam inter Smyrnam et Bursam. υ.

DIPSACUS.

G. Pl. 48. *Juss.* 194. *Gærtn. t.* 86.

271. *D. sylvestris.* *Syst. Veg. ed.* 14. 143.

D. sylvestris, aut *virga pastoris major.* *Tourn. Inst.* 466.

Διψακος *Diosc.*

Σκελτάρα, ἡ Νερόκρατης *hodiè.*

Icon. Jacq. Austr. t. 402.

In Peloponneso vulgaris. Ad viam inter Smyrnam et Bursam, et in insulâ Zacyntho. ♂.

272. *D. laciniatus.* *Sp. Pl.* 141.

D. folio laciniato. *Tourn. Inst.* 466.

Icon. Jacq. Austr. t. 403.

Ad fossarum margines inter Smyrnam et Bursam copiosè, et prope Thessalonicam. ♂.

SCABIOSA.

G. Pl. 48. *Juss.* 194. *Gærtn. t.* 86.

* *Corollulis quadrifidis.*

273. *S. alpina.* *Sp. Pl.* 141.

S. alpina, foliis *centaurii majoris.* *Tourn. Inst.* 464.

Icon. Lob. Ic. 537. *f.* 2.

In monte Athone. ♀.

80 TETRANDRIA—MONOGYNIA.

274. *S. decurrens*, corollulis quadrifidis æqualibus, calycibus imbricatis, foliis pinnatis: foliolis decurrentibus inciso-serratis glabris.

S. orientalis, foliis centaurii majoris glabris et rigidis. *Tourn. Cor.* 34. *Herb. Tourn.*

Icon *nulla*.

In monte Athone cum priore, ut videtur, lecta et confusa. *Herb. Sibth.* 4.

Flores flavi.

275. *S. transylvanica*. *Sp. Pl.* 141.

S. altissima annua, foliis agrimonie nonnihil similibus. *Tourn. Inst.* 464.

Icon. *Jacq. Hort. Vind. t.* 111.

In campis Atticis et Byzantinis. ☉.

276. *S. ambrosioides*, corollulis quadrifidis æqualibus, calycibus imbricatis acutis, foliis interruptè bipinnatifidis incisis pubescentibus.

Icon. *Fl. Græc. t.* 103.

In monte Parnasso. 4.

277. *S. bidens*, corollulis quadrifidis radiantibus, foliis inferioribus lyratis serratis, fructibus compressis bicornibus.

Icon. *Fl. Græc. t.* 104.

In Asiâ minore. ♂.

278. *S. syriaca*. *Sp. Pl.* 141.

S. fruticans latifolia, floribus ad cæruleum inclinantibus. *Tourn. Inst.* 464.

Icon. *Fl. Græc. t.* 105.

In arvis insulæ Cypri. ☉.

279. *S. leucantha*. *Sp. Pl.* 142.

S. frutescens angustifolia alba. *Tourn. Inst.* 464.

Icon. *Clus. Hist. v.* 2. 4. f. 1.

In collibus Græciæ. *Sibth. MSS.* 4.

280. *S. integrifolia*. *Sp. Pl.* 142.

S. annua integrifolia, sive foliis bellidis. *Tourn. Inst.* 465.

Icon. *Clus. Hist. v.* 2. 2. f. 1?

Prope Limyrum fluvium Lyciæ. *Sibth. MSS.* ☉.

281. *S. amplexicaulis*. *Mant.* 195.

Κουφολαχανήδα *Zacynth.*

Icon *nulla*.

In insulâ Zacyntho. ☉.

282. *S. arvensis*. *Sp. Pl.* 143.

S. pratensis hirsuta, quæ officinarum. *Tourn. Inst.* 465.

Κουφολάχανον *Lacon.*

Icon. *Curt. Lond. fasc. 4. t.* 13.

In Laconiae arvis. 4.

** *Corollulis quinquefidis.*283. *S. columbaria.* *Sp. Pl.* 143.*S. capitulo globoso major.* *Tourn. Inst.* 465.Υωρόχορον *Zacynth.*Icon. *Engl. Bot. t.* 1311.

In insulis Græciæ frequens. 4.

284. *S. sicula.* *Mant.* 196.*S. sicula cardiacæ folio.* *Tourn. Inst.* 465.Icon. *Jacq. Hort. Vind. t.* 15. *S. divaricata.*

In insulâ Cypri. ☉.

285. *S. maritima.* *Sp. Pl.* 144.*S. maritima parva.* *Tourn. Inst.* 465.Icon. *Bauh. Hist. v.* 3. 7. f. 2.In Laconiâ. *Sibth. MSS.* ☉.286. *S. eburnea*, corollulis quinquefidis radiantibus fimbriato-dentatis calyce brevioribus, foliis pinnatifidis; summis linearibus indivisis.Icon. *Fl. Græc. t.* 106.

Inter Smyrnam et Bursam. ☉.

287. *S. prolifera.* *Sp. Pl.* 144.*S. stellata annua prolifera.* *Tourn. Inst.* 465.Σιτοθόρι *hodiè.*Icon. *Fl. Græc. t.* 107.

In insulæ Cypri arvis. ☉.

288. *S. argentea*. *Sp. Pl.* 145.

S. orientalis argentea, foliis inferioribus incis.
Tourn. Cor. 34.

Icon. *Fl. Græc. t.* 108.

Circa Corinthum et Elin ; etiam in maritimis
prope Byzantium, et ad vias inter Smyrnam
et Bursam, μ .

289. *S. africana*. *Sp. Pl.* 145.

S. africana arborescens maxima, foliis rugosis
et crenatis integris, major. *Tourn. Inst.* 465.

Σκαυθήζα, ἡ ἱερα ἀρτετηχα, *Zacynth.*

Icon. *Herm. Parad. t.* 219.

In insulâ *Zacyntho*. μ .

290. *S. ochroleuca*. *Sp. Pl.* 146.

S. multifido folio, flore flavescente. *Tourn.*
Inst. 464.

Icon. *Jacq. Austr. t.* 439.

In monte Olympo Bithyno, et circa Byzantium. δ .

291. *S. brachiata*, corollulis quinquefidis radian-
tibus crenatis, foliis subintegris, fructûs co-
ronâ membranaceâ subtùs pertusâ.

Knautia palæstina. *Mant.* 197.

Icon. *Fl. Græc. t.* 109.

In arvis insulæ Cypri. $\odot$.

292. *S. Sibthorpiana*, corollulis quinquefidis radiantibus integerrimis, foliis basi pinnatifidis, fructûs coronâ membranaceâ subtùs pertusâ.

Icon. *Fl. Græc. t.* 110.

In insulâ Cypri. ☉.

Fortè præcedentis varietas.

293. *S. plumosa*, corollulis quinquefidis radiantibus acutis, foliis lyratis, fructûs coronâ obsoletâ; pappo plumoso.

S. cretica, capitulo pappos mentiente. *Tourn. Cor. 34. Herb. Tourn.*

Knautia plumosa. Mant. 197.

Icon. *Fl. Græc. t.* 111.

In Cretæ rupibus copiosè. ☉.

294. *S. involucrata*, corollulis quinquefidis radiantibus acutis, foliis bipinnatifidis, fructûs coronâ exiguâ, calyce communi pinnatifido.

S. papposa. Sp. Pl. ed. 1. 101; nec Syst. Væg.

Icon. *Fl. Græc. t.* 112.

In Cretæ et Cypri collibus, Junio florens. ☉.

295. *S. ptercephala. Sp. Pl. 146.*

Icon. *Fl. Græc. t.* 113.

In montis Parnassi rupibus. ♀.

296. *S. tomentosa*, corollulis quinquefidis? caule procumbente fruticoso, foliis dentato-pinnatifidis incanis, calyce communi obtuso.

Icon *nulla*.

In excelsis montium Sphacioticorum in insulâ Cretâ, nive peractâ florens. γ .

Radix lignosa, multiceps. *Herba* tomentoso-incana. *Folia* radicalia, lineari-oblonga, uncialia sive biuncialia, dentato-pinnatifida, lacinii obtusis, subindè divisis. *Pedunculi* solitarii, terminales, simplices, nudi, uniflori. *Calyx* communis e foliolis 8 sive 10, ovatis vel oblongis, obtusiusculis, incanis. *Seminum* pappus scaber.

297. *S. coronopifolia*, corollulis quinquefidis radiantibus dentatis, caule procumbente fruticoso, foliis bipinnatifidis glabris, pappo scabro.

Icon. *Fl. Græc. t.* 114.

In rupibus. γ .

KNAUTIA.

G. Pl. 49. *Juss.* 195. *Gærtn. t.* 86.

298. *K. orientalis*. *Sp. Pl.* 146.

Icon. *Till. Pis. t.* 48.

In agro Byzantino. $\odot$.

SHERARDIA.

G. Pl. 50. *Juss.* 196. *Gærtn. t.* 24.

299. *S. arvensis.* *Sp. Pl.* 149.

Aparine supina pumila, flore cæruleo. Tourn.
Inst. 114.

Προβάτοχορτον, ἢ σπηρόχορτον, *hodiè.*

Icon. Curt. Lond. fasc. 5. *t.* 13.

In arvis et vineis insularum Græcarum frequens. ☉.

300. *S. muralis.* *Sp. Pl.* 149.

Galium minimum, seminibus oblongis. Buxb.
Cent. 2. 31. *t.* 30. *f.* 2.

Icon. Fl. Græc. t. 115.

In Cretæ rupibus. ☉.

301. *S. erecta, caulibus erectis, foliis quaternis binisve deflexis, verticillis multifloris, pedunculis fructiferis erecto-patulis.*

Asperula muralis verticillata minima. Column.
Ecphr. 302. *t.* 300.

Icon. Fl. Græc. t. 116.

In rupibus insularum Græcarum. ☉.

ASPERULA.

G. Pl. 50. *Juss.* 196.

302. *A. odorata.* *Sp. Pl.* 150.

Aparine latifolia humilior montana. *Tourn. Inst.* 114.

Icon. *Curt. Lond. fasc.* 4. *t.* 15.

In Olympi Bithyni umbrosis, et circa Byzantium. *℥*.

303. *A. rivalis*, foliis octonis lanceolatis margine retrorsum scabris, florum fasciculis paniculatis.

Icon. *Fl. Græc. t.* 117.

In insulâ Cretâ ad ripas fluvii prope Plataniam. *℥*.

304. *A. longifolia*, foliis suboctonis lineari-lanceolatis deflexis margine scabriusculis, paniculis capillaribus multifloris, fructu lævi.

Icon. *Fl. Græc. t.* 118.

In sylvis Byzantinis ad pagum *Belgrad.* *℥*.

305. *A. arvensis.* *Sp. Pl.* 150.

Gallium arvense, flore cæruleo. *Tourn. Inst.* 115.

Icon. *Dod. Pempt.* 355. *f.* 3.

In arvis Argolicis. *Sibth. MSS.* ☉.

88 TETRANDRIA—MONOGYNIA.

306. *A. incana*, foliis senis linearibus incanis, floribus fasciculatis terminalibus pubescentibus.

Rubeola cretica incana, floribus purpurascens. *Tourn. Cor.* 5.

Icon. *Fl. Græc. t.* 119.

In montibus Sphacioticis Cretæ. 4.

307. *A. tinctoria*. *Sp. Pl.* 150.

Icon. *Tabern. Krauter-buch.* 433. *f.* 1.

In campis circa Byzantium. *Sibth. MSS.* 4.

308. *A. lutea*, foliis quaternis linearibus glabris, caule erecto, floribus fasciculatis pubescentibus subaristatis.

Rubeola cretica saxatilis frutescens, flore flavescens. *Tourn. Cor.* 5 ?

Icon. *Fl. Græc. t.* 120.

In monte Parnasso. 4.

309. *A. cynanchica*, foliis quaternis linearibus: superioribus maximè inæqualibus, floribus fasciculatis terminalibus, fructu cauleque glabro.

A. cynanchica. *Sp. Pl.* 151. *Fl. Brit.* 172.

Rubeola vulgaris quadrifolia lævis, floribus purpurascens. *Tourn. Inst.* 130.

Icon. *Engl. Bot. t. 33.*

Ad viam inter Smyrnam et Bursam, et circa Byzantium. *¶*.

310. *A. rigida*, foliis linearibus quaternis : superioribus oppositis, floribus sparsis, caule diffuso pubescente, fructu glabro.

Icon. *Fl. Græc. t. 121.*

In Cretæ collibus et campis, Junio florens. *¶*.

311. *A. littoralis*, foliis linearibus quaternis margine cauleque scabris, floribus quadrifidis pilosis, fructu hispido.

Icon. *Fl. Græc. t. 122.*

Ad maris Euxini littora. *¶*.

312. *A. suberosa*, foliis linearibus quaternis subincanis, floribus muticis, caulibus adscendentibus cæspitosis, radice suberosâ.

Icon. *Fl. Græc. t. 123.*

In rupibus excelsis. *¶*.

313. *A. nitida*, foliis linearibus quaternis nitidis aristatis, floribus quadrifidis retusis mucronulatis, caulibus cæspitosis.

Rubeola orientalis minima, flore purpurascente. *Tourn. Cor. 5 ? Sibth.*

Icon. *Fl. Græc. t. 124.*

In summitate montis Olympi Bithyni, nive perfectâ florens. 4.

GALIUM.

G. Pl. 52. Juss. 196. Gærtn. t. 24.

* *Fructu glabro.*

314. *G. cruciatum. Fl. Brit. 173.*

Valantia cruciata. Sp. Pl. 1491.

Cruciata hirsuta. Tourn. Inst. 115.

Icon. *Engl. Bot. t. 143.*

In dumetis Arcadiæ. 4.

315. *G. coronatum*, foliis quaternis obovatis margine scabris: superioribus ellipticis, pedunculis quinquefidis diphyllis, caule lævi.

Cruciata orientalis glabra humifusa. Tourn.

Cor. 4; (nec Buxb. Cent. 5. 47. f. 39.)

Icon. *Fl. Græc. t. 125.*

In summitate montis Olympi Bithyni. 4.

316. *G. apricum*, foliis quaternis obovatis uniformibus margine scabris, pedunculis trifidis aphyllis, caulibus pilosis diffusis.

Icon. *Fl. Græc. t. 126.*

In Cretæ et Archipelagi rupibus frequens. ☉.

317. *G. junceum*, foliis quaternis obovato-linearibus obtusis glabris, floribus paniculatis congestis, caulibus erectis lævibus.

Icon. *Fl. Græc. t.* 127.

Ad sepes et agrorum margines in insulâ Cretâ. 4.

318. *G. palustre*. *Sp. Pl.* 153.

Cruciata palustris alba. *Tourn. Inst.* 115.

Icon. *Fl. Dan. t.* 423.

In aquosis circa Byzantium. 4.

319. *G. suberosum*, foliis quaternis lanceolatis acutis glabris, floribus terminalibus ternis, caulibus diffusis ramosissimis lævibus.

Icon. *Fl. Græc. t.* 128.

In Cretæ montibus 4.

320. *G. apiculatum*, foliis senis lanceolatis scabriusculis, caule incano, pedunculis trichotomis foliolosis, corollâ apiculatâ.

Icon. *Fl. Græc. t.* 129.

In Parnasso et Athone montibus. 4.

321. *G. incanum*, foliis senis linearibus cauleque incanis, pedunculis trifloris, corollâ aristatâ.

Icon. *Fl. Græc. t.* 130.

In monte Parnasso. *Sibth. apud Herb. Banks* 4.

322. *G. pyrenaicum*, foliis senis linearibus nitidis aristatis, floribus subsessilibus oppositis solitariis, corollâ obtusâ muticâ.

G. pyrenaicum. *Suppl.* 121.

G. saxatile minimum pyrenaicum, musci facie.
Tourn. Inst. 115.

Icon. *Fl. Græc. t.* 131.

In cacumine montis Olympi Bithyni, nive perfectâ. *γ*.

323. *G. incurvum*, foliis octonis linearibus glabris aristatis deflexis incurvis, caule paniculato, corollâ obtusâ muticâ.

Icon. *Fl. Græc. t.* 132.

In montibus Sphacioticis Cretæ. *γ*.

324. *G. verum.* *Sp. Pl.* 155.

G. luteum. *Tourn. Inst.* 115.

Γαλιον *Diosc.*

Icon. *Curt. Lond. fasc.* 6. *t.* 13.

Ad vias in insulâ Samo, et in Peloponneso. *γ*.

325. *G. Mollugo.* *Sp. Pl.* 155.

G. album vulgare. *Tourn. Inst.* 115.

Icon. *Fl. Dan. t.* 455.

In agro Byzantino. *γ*.

326. *G. glaucum*. *Sp. Pl.* 156.

G. saxatile, glauco folio. *Tourn. Inst.* 115.

Icon. *Jacq. Austr. t.* 81.

In agro Byzantino. *Sibth. MSS.* 4.

327. *G. purpureum*. *Sp. Pl.* 156.

G. nigro-purpureum montanum tenuifolium.

Tourn. Inst. 115.

Icon *nulla fidenda*.

In Cretæ montibus Sphacioticis, etiam in monte Parnasso. 4.

** *Fructu scabro*.

328. *G. tricornè*. *Fl. Brit.* 176.

Aparine semine lævi. *Tourn. Inst.* 114.

Κολυγίδα *Zacynth.*

Icon. *Engl. Bot. t.* 1641.

In arvis Græciæ, et in insulâ Zacyntho. ☉.

329. *G. verrucosum*, foliis senis lanceolatis margine antrorsum aculeatis, pedunculis axillaribus trifloris, fructu verrucoso nutante.

Valantia Aparine. *Sp. Pl.* 1491.

Aparine semine coriandri saccharati. *Tourn. Inst.* 114.

Απαρινή *Diosc.*

Icon. *Fl. Græc. t.* 133.

In arvis Græciæ frequens. ☉.

94 TETRANDRIA—MONOGYNIA.

*** *Fructu (sæpius) hispido.*

330. *G. Aparine. Sp. Pl. 157.*

Aparine vulgaris. Tourn. Inst. 114.

Κολλητζίδα hodiè.

Icon. Curt. Lond. fasc. 2. t. 9.

In agro Byzantino. ☉.

331. *G. floribundum, foliis suboctonis linearibus deflexis scabriusculis, caule divaricato lævi, pedicellis capillaribus, corollâ aristatâ.*

Icon. Fl. Græc. t. 134.

In insulâ Cypro. ☉.

Flores fusco-purpurei. Variat fructu piloso et glaberrimo. Confer G. setaceum, Lamarck.

Encycl. v. 2. 584. Desfont. Atlant. v. 1. 129.

332. *G. capillare, foliis octonis linearibus revolutis sessilibus scabris; infimis obovatis, caule lævi, pedicellis capillaribus.*

G. creticum annuum tenuifolium, flore albido.

Tourn. Cor. 4.

Icon nulla.

In collibus sterilibus insularum Græcarum. ☉.

Flores luteoli, mutici? Fructus pilosissimus. Confer G. setaceum et G. microspermum, Desfont.

Atlant. v. 1. 130.

333. *G. brevifolium*, foliis septenis obovatis aristatis scabris, caule villosa, pedunculis trichotomis terminalibus, corollâ aristatâ.

Icon. *Fl. Græc. t.* 135.

Ad littora Caramaniæ. *Sibth. in Herb. Banks.* ☉.

Confer *G. album.* *Willden. Sp. Pl. v.* 1. 598.

334. *G. græcum.* *Mant.* 38.

Aparine græca saxatilis incana tenuifolia.
Tourn. Cor. 4.

Icon. *Fl. Græc. t.* 136.

In Cretæ et montis Parnassi rupibus. ♀.

VALANTIA.

G. Pl. 343. *Juss.* 197.

Cor. monopetala, plana, supera. *Germen* triflorum, monocarpum. *Fl. laterales* masculi, trifidi. *Semen* solitarium, tectum.

335. *V. muralis*, fructu lobato angulis dentato-fimbriatis, verticillis confertis.

V. muralis. *Sp. Pl.* 1490.

Icon. *Fl. Græc. t.* 137.

In monte Hymetto prope Athenas, et in montibus Argolicis. ☉.

336. *V. hispida*, fructu hispido, verticillis remotiusculis.

V. hispida. *Sp. Pl.* 1490.

Icon. *Fl. Græc. t.* 138.

In Cretæ montibus. ☉.

CRUCIANELLA.

G. Pl. 52. *Juss.* 197. *Gærtn. t.* 24.

337. *C. angustifolia*. *Sp. Pl.* 157.

Rubeola angustiore folio. *Tourn. Inst.* 130.

Icon. *Exot. Bot. t.* 109.

In monte Athone. *Sibth. MSS.* ☉.

338. *C. latifolia*. *Sp. Pl.* 158.

Rubeola latiore folio. *Tourn. Inst.* 130.

Icon. *Fl. Græc. t.* 139.

In Cretæ umbrosis frequens, et in Laconiâ. ☉.

339. *C. monspeliaca*. *Sp. Pl.* 158.

Rubeola supina, spicâ longissimâ. *Tourn. Inst.* 130.

Icon. *Fl. Græc. t.* 140.

In collibus insularum Græcarum non rara. ☉.

RUBIA.

G. Pl. 52. Juss. 197.

340. *R. tinctorum*. Sp. Pl. 158.*R. tinctorum sativa*. Tourn. Inst. 114.Ερυθροδανον *Diosc.*Ριζάρι, ἡ λιζάρι, *hodiè*.

Icon. Fl. Græc. t. 141.

In insulis Græcis, etiam in Asiâ minori.

Circa Athenas copiosè colitur. 4.

341. *R. peregrina*. Sp. Pl. 158.*R. sylvestris monspessulana major*. Tourn.

Inst. 114.

Αγριοριζάρι *hodiè*.

Icon. Engl. Bot. t. 851.

In agro Eliensi, et in sylvis circa Byzantium. 4.

342. *R. lucida*. Syst. Nat. ed. 12. v. 2. 732.*R. quadrifolia asperrima lucida peregrina*.

Tourn. Inst. 114.

Ριζάρι *Zacynth*.

Icon. Fl. Græc. t. 142.

In Zacyntho et Cypro insulis. 4.

VOL. I.

H

ERNODEA.

Swartz. Prodr. 29.

Cor. monopetala, hypocrateriformis. *Cal.* quadripartitus. *Stylus* simplex. *Bacca* bilocularis. *Sem.* solitaria.

343. *E. montana*, caule tereti pubescente, foliis petiolatis obtusis muticis.

Asperula calabrica. *Suppl.* 120.

Rubeola cretica foetidissima frutescens myrtifolia, flore magno suaverubente. *Tourn. Cor.* 5.

Icon. Fl. Græc. t. 143.

In montibus Sphacioticis Cretæ. ♀.

Suadente eruditissimo Dryandro hùc retuli.

EXACUM.

G. Pl. 57. *Juss.* 142. *Gærtn. t.* 114.

344. *E. filiforme.* *Fl. Brit.* 182.

Gentiana filiformis. *Sp. Pl.* 335.

Centaurium palustre luteum minimum. *Tourn.*

Inst. 123.

Icon. Engl. Bot. t. 235.

In paludosis Eliensibus. ☉.

PLANTAGO.

G. Pl. 57. *Juss.* 90. *Gærtn. t.* 51.

Psyllium. *Juss.* 90.

* *Scapo nudo.*

345. *P. major.* *Sp. Pl.* 163.

P. latifolia sinuata. *Tourn. Inst.* 126.

Ἀργογλωσσον *Diosc.*

Πεντάνευρον *hodiè.*

Icon. *Curt. Lond. fasc.* 2. *t.* 11.

In umbrosis et pratis Peloponnesi, et insularum.

Prope Cydoniam, Cretæ, et circa Byzantium. 4.

346. *P. media.* *Sp. Pl.* 163.

P. latifolia incana. *Tourn. Inst.* 126.

Icon. *Curt. Lond. fasc.* 4. *t.* 14.

In pascuis circa Byzantium. 4.

347. *P. lanceolata.* *Sp. Pl.* 164.

P. angustifolia major. *Tourn. Inst.* 127.

Πεντάνευρον *hodiè.*

Icon. *Curt. Lond. fasc.* 2. *t.* 10.

In umbrosis insularum Archipelagi, et per totam

Græciam, copiosissimè. 4.

348. *P. Lagopus*. *Sp. Pl.* 165.

P. angustifolia, paniculis lagopi. *Tourn. Inst.* 127.

Αρνογλωσσον μικρον *Diosc.*

Icon. *Fl. Græc. t.* 144.

In Peloponnesi, et insularum Græcarum, apricis aridis vulgatissima. ♀.

349. *P. albicans*. *Sp. Pl.* 165.

P. angustifolia albida hispanica. *Tourn. Inst.* 127, Icon. *Fl. Græc. t.* 145.

In Samo, aliisque Archipelagi insulis, sed rariùs. In Peloponneso. ♀.

350. *P. alpina*. *Sp. Pl.* 165.

P. alpina, folio angusto longo et nigricante. *Tourn. Inst.* 127.

Icon. *Jacq. Hort. Vind. t.* 125.

In monte Olympo Bithyno, summitatem versùs. ♀.

351. *P. Bellardi*. *Willd. Sp. Pl. v.* 1. 646.

Icon. *Fl. Græc. t.* 146.

In cacumine montis Olympi Bithyni, nive peractâ. ♀.

352. *P. cretica*. *Sp. Pl.* 165.

P. cretica minima tomentosa, caule adunco. *Tourn. Cor.* 5.

Icon. *Fl. Græc. t.* 147.

In Cretâ et Cypro insulis. ☉.

353. *P. maritima*. *Sp. Pl.* 165.

P. maritima major tenuifolia. *Tourn. Inst.* 127.

Icon. *Fl. Græc. t.* 148.

In maritimis cœnosis insulæ Cypri. 4.

354. *P. subulata*. *Sp. Pl.* 166.

P. gramineo folio major. *Tourn. Inst.* 127.

Icon. *Lob. Ic.* 439. f. 2.

In monte Olympe Bithyno. 4.

355. *P. gentianoides*, glaberrima, foliis ovatis trinerviis subrepandis, scapo tereti, bracteis ovatis nudis calyce brevioribus.

Icon *nulla*.

In Olympe Bithyno cum præcedente. 4.

Radix crassa. Folia ferè Gentianæ acaulis. Scapi palmares, nudi atque glaberrimi. Spica cylindracea, gracilis, vix uncialis, undique glabra. Bracteæ, ut et calyx, obtusæ, muticæ.

356. *P. Serraria*. *Sp. Pl.* 166.

P. pilosa bulbosa. *Tourn. Inst.* 127.

Πεντάνευρον *Zacynth.*

Icon. *Column. Ecphr.* 259. f. 1.

In insulâ Zacyntho, et alibi. 4.

357. *P. Coronopus*. *Sp. Pl.* 166.

Coronopus hortensis. *Tourn. Inst.* 128.

Κυπαρισσόχορτον *hodiè*.

Icon. *Engl. Bot. t. 892.*

In maritimis Græciæ et Archipelagi frequens. ☉.

**** *Caule ramoso folioso.***

358. *P. Psyllium. Sp. Pl. 167.*

Psyllium majus erectum. Tourn. Inst. 128.

Ψυλλιον *Diosc.*

Ψυλλόχορτον *hodiè*.

Icon. *Fl. Græc. t. 149.*

In vineis Græciæ et Archipelagi frequens. ☉.

359. *P. afra. Sp. Pl. 168.*

Psyllium Dioscoridis, vel indicum, foliis crenatis. Tourn. Inst. 128.

Βουτυρόχορτον *Zacynth.*

Icon. *Bocc. Sic. t. 4. f. A, B.*

In insulâ Zacyntho. ☉.

Forte præcedentis varietas.

360. *P. squarrosa. Willden. Sp. Pl. v. 1. 650.*

Icon. *Jacq. Ic. Rar. v. 1. t. 28. P. ægyptiaca.*

In arenosis maritimis insulæ Meli. ☉.

361. *P. pumila. Suppl. 125.*

Icon. *Murray Comm. Goett. ann. 1778. t. 5.*

P. exigua. Ex auctoritate Willd.

In Peloponneso haud rara. ☉.

362. *P. Cynops.* *Sp. Pl.* 167.

Psyllium majus supinum. *Tourn. Inst.* 128.

Icon. *Bauh. Hist.* v. 3. 513. Malè.

In Bithyniâ. ☉.

Dignoscitur bracteis orbiculatis; superioribus retusis.

SANGUISORBA.

G. Pl. 58. *Juss.* 336.

363. *S. officinalis.* *Sp. Pl.* 169.

Pimpinella sanguisorba major. *Tourn. Inst.* 156.

Icon. *Engl. Bot.* t. 1312.

In Laconiâ. ♀.

EPIMEDIUM.

G. Pl. 59. *Juss.* 287.

364. *E. alpinum.* *Sp. Pl.* 171.

Epimedium. *Tourn. Inst.* 232.

Icon. *Fl. Græc.* t. 150.

In sylvis ad pagum Belgrad. ♀.

CORNUS.

G. Pl. 59. *Juss.* 214. *Gærtn.* t. 26.

365. *C. mascula.* *Sp. Pl.* 171.

C. sylvestris mas. *Tourn. Inst.* 641.

Kpavia Diosc.

Icon. *Fl. Græc. t.* 151.

In sylvis inter Smyrnam et Bursam copiosè provenit; etiam in Arcadiæ nemoribus, et circa Byzantium. η .

366. *C. sanguinea. Sp. Pl.* 171.

C. fœmina. Tourn. Inst. 641.

Μαυροβεργιά Eliens.

Icon. *Engl. Bot. t.* 249.

In Bithyniæ sylvis et dumetis circa Olympum frequens; etiam in agro Eliensi et Byzantino. η .

ISNARDIA.

G. Pl. 61. *Juss.* 333.

367. *I. palustris. Sp. Pl.* 175.

Glaux palustris, flore striato clauso, foliis portulacæ. *Tourn. Inst.* 88? *Sm.*

Icon. *Bocc. Mus. t.* 84.

In agro Eliensi. $\odot$.

TRAPA.

G. Pl. 62. *Juss.* 68. *Gærtn. t.* 26.

368. *T. natans. Sp. Pl.* 175.

Tribuloides vulgare, aquis innascens. *Tourn. Inst.* 655.

Τριβόλος ενυδρος Diosc.

Icon. *Camer. Epit.* 715. Opt.

In aquis Græciæ boreali confinibus. ☉.

ELÆAGNUS.

G. Pl. 62. *Juss.* 75.

369. *E. angustifolia.* *Sp. Pl.* 176.

E. orientalis angustifolius, fructu parvo olivæ-
formi subdulci. *Tourn. Cor.* 53.

Ελαία αιθιοπική *Diosc.*

Icon. *Fl. Græc. t.* 152.

In insulâ Samo, et inter Bursam et Smyrnam η.

CAMPHOROSMA.

G. Pl. 64. *Juss.* 84.

370. *C. Pteranthus.* *Mant.* 41. *Willd. Sp. Pl.*
v. 1. 697.

Icon. *Fl. Græc. t.* 153.

In insulæ Cypri campestribus. ☉.

PARIETARIA.

G. Pl. 544. *Juss.* 404. *Gærtn. t.* 119.

371. *P. officinalis.* *Sp. Pl.* 1492.

P. officinarum et Dioscoridis. *Tourn. Inst.* 509.

Ἐλξίνη *Diosc.*

Ανεμόκλειτι, ἡ περδικαίη, hodiè.

Ya pu can *Turc.*

106 TETRANDRIA—MONOGYNIA.

Icon. *Curt. Lond. fasc. 4. t. 63.*

In rupibus et muris per totam Græciam, et in
Archipelagi insulis, vulgaris. ۲.

372. *P. judaica. Sp. Pl. 1492.*

P. minor, ocymi folio. Tourn. Inst. 509.

Icon *nulla.*

In Archipelagi insulis, et in Laconiâ. ۲.

373. *P. cretica. Sp. Pl. 1492.*

P. cretica minor, capsulis seminum alatis.

Tourn. Cor. 35.

Icon. *Fl. Græc. t. 154.*

In Cretæ et Cimoli rupibus. ۲.

ALCHEMILLA.

G. Pl. 64. Juss. 937. Gærtn. t. 73.

374. *A. vulgaris. Sp. Pl. 178. Tourn. Inst. 508.*

Icon. *Engl. Bot. t. 597.*

Ad rivulorum margines in monte Olympo Bi-
thyno, et in Laconiâ. ۲.

375. *A. alpina. Sp. Pl. 179.*

A. alpina, quinquefolii folio, subtùs argenteo.

Tourn. Inst. 508.

Δευροπόδιον hodiè in Laconiâ.

Icon. *Engl. Bot. t. 244.*

In Olympi Bithyni rupibus excelsis, et in **La-**
coniâ. ☿.

376. *A. arcensis.* *Fl. Brit.* 190.

A. montana minima. *Tourn. Inst.* 508.

Icon. *Engl. Bot. t. 1011.*

In Peloponnesi arvis, et circa Byzantium. ☉.

II. Digynia.

HYPECOUM.

G. Pl. 66. *Juss.* 236. *Gærtn. t.* 115.

377. *H. procumbens.* *Sp. Pl.* 181.

H. latiore folio. *Tourn. Inst.* 230.

Ἰππικου *Diosc.*

Icon. *Fl. Græc. t.* 155.

In arenosis maritimis insularum Græcarum. ☉.

378. *H. imberbe*, siliquis arcuatis compressis articu-
latis, petalis omnibus imberbibus.

Icon. *Fl. Græc. t.* 156.

In insulâ Cypro. ☉.

III. Tetragynia.

I L E X.

G. Pl. 67. Juss. 379.

379. *I. Aquifolium. Sp. Pl. 181.*

Aquifolium, sive Agrifolium vulgò. Tourn. Inst. 600.

Λεῶπετρα hodiè *in monte Pelio. D. Hawkins. Icon. Engl. Bot. t. 496.*

In sylvis circa pagum Belgrad. In Pelio, Pindo, Athone, montibus. D. Hawkins. η.

POTAMOGETON.

G. Pl. 67. Juss. 19. Gærtn. t. 84.

380. *P. natans. Sp. Pl. 182.*

P. rotundifolium. Tourn. Inst. 233.

Ποταμογειτων Diosc.

Icon. Fl. Dan. t. 1025.

In Peloponnesi et Cretæ fluviis. υ.

381. *P. perfoliatum. Sp. Pl. 182.*

Icon. Engl. Bot. t. 168.

In aquosis Thessalonicæ. υ.

382. *P. densum*. *Sp. Pl.* 182.

Icon. *Engl. Bot. t.* 397.

In rivulis Argolicis. 4.

383. *P. lucens*. *Sp. Pl.* 183.

P. foliis latis splendentibus. *Tourn. Inst.* 233.

Icon. *Engl. Bot. t.* 376.

In aquis Eliensibus et Byzantinis. 4.

384. *P. crispum*. *Sp. Pl.* 183.

P. foliis crispis, sive lactuca ranarum. *Tourn. Inst.* 233.

Icon. *Curt. Lond. fasc.* 5. *t.* 15.

In aquis Byzantinis. 4.

385. *P. pectinatum*. *Sp. Pl.* 183.

Icon. *Engl. Bot. t.* 323.

In fossis Messenæ. 4.

386. *P. gramineum*. *Sp. Pl.* 184.

Icon. *Raii Syn. ed.* 3. *t.* 4. *f.* 3.

In Arcadiæ rivulis. *Sibth. MSS.* 4.

RUPPIA.

G. Pl. 68. *Juss.* 19. *Gærtn. t.* 84.

387. *R. maritima*. *Sp. Pl.* 184.

Corallina fœniculi folio longiore. *Tourn. Inst.* 571.

110 TETRANDRIA—TETRAGYNIA.

Icon. *Engl. Bot. t.* 136.

In insulâ Cypri, et in maritimis Argolicis. ☉.

SAGINA.

G. Pl. 68. *Juss.* 300. *Gærtn. t.* 129.

388. *S. procumbens.* *Sp. Pl.* 185.

Alsine minima, flore fugaci. *Tburn. Inst.* 243.

Icon. *Curt. Lond. fasc. 3. t.* 12.

In herbidis umbrosis insularum Græcarum vulgaris. ☉.

RADIOLA. *Fl. Brit.* 201.

Linum. *G. Pl.* 153. *Juss.* 303.

389. *R. millegrana.* *Fl. Brit.* 202.

Linum Radiola. *Sp. Pl.* 402.

Icon. *Engl. Bot. t.* 893.

In herbidis uliginosis montis Olympi Bithyni. ☉.

V. PENTANDRIA.

I. Monogynia.

HELIOTROPIUM.

G. Pl. 73. *Juss.* 130. *Gærtn. t.* 68.

390. *H. europæum.* *Sp. Pl.* 187.

H. majus Dioscoridi. *Tourn. Inst.* 139.

Ἡλιοτροπιον μεγα *Diosc.*

Ἡλιοτρόπιον, ἡ βρομόχορτον, *hodiè.*

Bambal Otu. *Turc.*

Icon. *Jacq. Austr. t.* 207.

In arvis vineisque in Archipelagi insulis, et circa
Athenas, frequentissimè. ☉.

391. *H. supinum.* *Sp. Pl.* 187.

H. minus, supinum. *Tourn. Inst.* 139.

H. humifusum, flore minimo, semine magno.

Tourn. Cor. 7. *It. v.* 1. 85, *cum icone.*

Icon. *Fl. Græc. t.* 157.

In Archipelagi insulis rariùs. In Amorgi campis
maritimis. ☉.

MYOSOTIS.

G. Pl. 73. *Juss.* 131. *Gærtn. t.* 68.

392. *M. scorpioides.* *Sp. Pl.* 188.

α. *Lithospermum arvense minus.* *Tourn. Inst.* 137.

Icon. *Engl. Bot. t.* 480.

β. *L. palustre minus, flore cæruleo.* *Tourn.*

Inst. 137.

Icon. *Curt. Lond. fasc.* 3. *t.* 13.

α. In arvis Græciæ haud infrequens. ☉.

β. Ad rivulos in locis alpinis rariùs. ♀.

393. *M. nana.* *Willd. Sp. Pl. v.* 1. 747.

Lithospermum alpinum tomentosum minimum.

Tourn. Inst. 137.

Icon. *Bocc. Mus. t.* 107, *post t.* 128.

In summitate montis Olympi Bithyni, et in Argolide et Arcadiâ. ♀.

394. *M. Lappula.* *Sp. Pl.* 189.

Buglossum angustifolium, semine echinato.

Tourn. Inst. 134.

Icon. *Column. Ecphr.* 179.

In agro Argolico. ☉.

LITHOSPERMUM.

G. Pl. 74. *Juss.* 130. *Gærtn. t.* 67.

395. *L. apulum.* *Willd. Sp. Pl. v.* 1. 752.

Myosotis apula. *Sp. Pl.* 189.

Buglossum luteum annuum minimum. *Tourn. Inst.* 134.

Σκορπιοειδές *Diosc?* *Sibth.*

Icon. Fl. Græc. t. 158.

In Samo aliisque Archipelagi insulis. ☉.

396. *L. tenuiflorum.* *Suppl.* 130.

Buglossum chium arvense annuum, lithospermi folio, flore cæruleo. *Tourn. Cor.* 6.

Icon. Fl. Græc. t. 159.

In insulâ Cypro. ☉.

397. *L. officinale.* *Sp. Pl.* 189.

L. majus erectum. *Tourn. Inst.* 137.

Icon. Engl. Bot. t. 134.

In agro Byzantino. ♀.

398. *L. arvense.* *Sp. Pl.* 190.

Buglossum arvense annuum, lithospermi folio. *Tourn. Inst.* 134.

Icon. Engl. Bot. t. 123.

In arvis Græciæ frequens. ☉.

VOL. I.

I

399. *L. orientale*. Willd. *Sp. Pl.* v. 1. 753.

Anchusa orientalis. *Sp. Pl.* 191.

Buglossum orientale, flore luteo. *Tourn.*
Cor. 6.

Icon. *Fl. Græc. t.* 160.

In insulis Græcis. 4.

400. *L. purpureo-cæruleum*. *Sp. Pl.* 190.

L. minus repens latifolium. *Tourn. Inst.* 137.

Μυρωσπη *Diosc.*

Σκυλόγλωσσον *hodiè*.

Icon. *Jacq. Austr. t.* 14.

In dumetis umbrosis Græciæ haud infrequens. 4.

401. *L. fruticosum*. *Sp. Pl.* 190.

Buglossum fruticosum, rorismarini folio. *Tourn.*

Inst. 134.

Δαδάκι *hodiè*.

Icon. *Fl. Græc. t.* 161.

In montosis Græciæ, et in Archipelagi insulis. 2.

402. *L. hispidulum*, fruticosum diffusum, foliis
elliptico-oblongis obtusis hispidis, ramis
incanis.

Icon. *Fl. Græc. t.* 162.

In insulâ Rhodo. 2.

Confer *Lithospermum callosum*. *Vahl. Symb.*
v. 1. 14.

403. *L. dispernum*. *Sp. Pl.* 191.

Icon. *Linn. fl. Dec.* 1. t. 7.

In monte Ossâ, Thessaliæ, legit D. Hawkins.

Ex horto Oxoniensi communicavit amicissimus D. Williams, Botanices Professor. ☉.

ANCHUSA.

G. Pl. 74. *Juss.* 131.

Buglossum. *Gærtn. t.* 67.

404. *A. paniculata*. *Ait. Hort. Kew.* v. 1. 177.

A. italica. *Retz. Obs. fasc.* 1. 12.

Buglossum angustifolium majus, flore cæruleo. *Tourn. Inst.* 134.

Βεγλωσσον *Diosc.*

Βεδόγλωσσον *hodiè.*

Icon. *Fl. Græc. t.* 163.

In Græciâ vulgaris. ♂.

405. *A. angustifolia*. *Willd. Sp. Pl.* v. 1. 757.

A. officinalis. *Sp. Pl. ed.* 1. 133?

Buglossum angustifolium minus. *Tourn. Inst.* 134.

Icon. *Fl. Græc. t.* 164.

In arvis vineisque insularum Græcarum vulgarissima. ♀.

A. officinali proxima.

116 PENTANDRIA—MONOGYNIA.

406. *A. undulata*. *Sp. Pl.* 191.

Buglossum lusitanicum, echii folio undulato.
Tourn. Inst. 134.

Icon. *Fl. Græc. t.* 165.

In Melo, aliisque Archipelagi insulis. μ .

407. *A. amplexicaulis*, foliis caulinis cordato-oblongis amplexicaulibus repandis, spicis dichotomis diphyllis, calyce quinquefido.

Icon *nulla*.

In agro Byzantino. *Sibth.* Ex horto Oxoniensi benevolè communicavit D. Williams. μ .

408. *A. tinctoria*, foliis oblongis, bracteis calycem quinquepartitum superantibus, valvulis corollæ staminibus brevioribus.

Buglossum radice rubrâ, sive Anchusa vulgarior, floribus cæruleis. *Tourn. Inst.* 134.

Αγγύρα Diosc.

Icon. *Fl. Græc. t.* 166.

In Peloponneso, et in insulâ Cypro. μ .

Planta Linnæo haud benè nota. Diversa omninè a Lithospermo tinctorio, *Sp. Pl. ed.* 1. Synonymon Dioscoridis ex descriptione huc retuli.

409. *A. parviflora.* Willd. *Sp. Pl.* v. 1. 759.

Buglossum orientale angustifolium, flore parvo
cæruleo. *Tourn. Cor.* 6.

Icon. *Fl. Græc. t.* 167.

Prope Athenas. ☉.

410. *A. ventricosa*, foliis lanceolatis obtusis piloso-scabris, caulibus procumbentibus, calycibus fructiferis inflatis pendulis.

Lycopsis echiioides β. *Herb. Linn.*

Icon. *Fl. Græc. t.* 168.

In Græciæ campestribus, et in insulâ Cypro. ☉.

411. *A. cæspitosa.* Willd. *Sp. Pl.* v. 1. 759.

Buglossum creticum humifusum acaulon perenne, echii folio angustissimo. *Tourn. Cor.* 6.

Icon. *Fl. Græc. t.* 169.

In Cretæ montibus Sphacioticis. ♀.

CYNOGLOSSUM.

G. Pl. 75. *Juss.* 131. *Gærtn. t.* 67.

412. *C. officinale.* *Sp. Pl.* 192.

C. majus vulgare. *Tourn. Inst.* 139.

Κυνογλωσσον *Diosc.*

Σχελόγλωσσον, ἡ Γεργυγιαῖνης *hodiè.*

118 PENTANDRIA—MONOGYNIA.

Icon. *Curt. Lond. fasc. 4. t. 16.*

In provinciis et insulis Græciæ frequens. ♂.

413. *C. apenninum. Sp. Pl. 193.*

C. montanum maximum. Tourn. Inst. 139.

Σχελόγλωσσον hodiè apud Cypros.

Γεργεγιάνης *Zacynth.*

Icon. *Column. Ecphr. 170.*

In Græciæ campestribus, et in *Zacyntho* et
Cypro. ♂.

414. *C. myosotoides. Willd. Sp. Pl. v. 1. 767.*

Icon. *Billard. Pl. Syr. fasc. 2. t. 2.*

In *Cretæ* montibus *Sphacioticis.* *D. Hawkins. 4.*

PULMONARIA.

G. Pl. 75. Juss. 130.

415. *P. officinalis. Sp. Pl. 194.*

P. italorum, ad buglossum accedens. Tourn.
Inst. 136.

Icon. *Engl. Bot. t. 118.*

In nemorosis Græciæ. 4.

SYMPHYTUM.

G. Pl. 76. *Juss.* 131. *Gærtn. t.* 67.

416. *S. officinale.* *Sp. Pl.* 195.

S. Consolida major, flore purpureo, quæ mas.
Tourn. Inst. 138.

Ἐκάλι hodiè.

Icon. *Curt. Lond. fasc.* 4. *t.* 18.

In Græciæ provinciis et insulis. 4.

417. *S. tuberosum.* *Sp. Pl.* 195.

S. majus, tuberosâ radice. *Tourn. Inst.* 138.

Ἐκάλι hodiè.

Icon. *Jacq. Austr. t.* 225.

In insulâ Zacyntho ; et in Peloponneso. 4.

CERINTHE.

G. Pl. 76. *Juss.* 130. *Gærtn. t.* 67.

418. *C. aspera.* *Willd. Sp. Pl. v.* 1. 772. *Roth. Catal. v.* 1. 33.

C. major β. *Sp. Pl.* 196.

C. quorundam major, spinoso folio, flavo flore.
Tourn. Inst. 80.

Σκαλιζονάκι hodiè.

Παλαδρακέλια Zacynth.

120 PENTANDRIA—MONOGYNIA.

Icon. *Fl. Græc. t.* 170.

In Peloponneso, in monte Athone, et in insulâ
Zacyntho. ☉.

419. *C. retorta*, corollis clavato-cylindraceis re-
tortis apice constrictis: limbo patentissimo,
staminibus corollam æquantibus.

Icon. *Fl. Græc. t.* 171.

In Peloponneso; etiam in Cariæ cultis submon-
tosis. ☉.

420. *C. minor. Sp. Pl.* 196.

C. quorundam minor, flavo flore. Tourn.
Inst. 80.

Τηλεφίον *Diosc.*

Icon. *Jacq. Austr. t.* 124.

In cultis; præcipuè inter vites tempore vernali,
ut a Dioscoride memoratur. *Sibth.* ☉.

ONOSMA.

G. Pl. 76. *Juss.* 130. *Gærtn. t.* 67.

421. *O. orientalis. Sp. Pl.* 196.

Symphytum orientale, echii foliominori, flore
nunc albo nunc flavescente. *Tourn. Cor.* 6.

Ευλοβρόμος *hodiè.*

Icon *nulla.*

In insulæ Cypri campestribus *Sibth. MSS.* 4.

422. *O. montana*, foliis lineari-oblongis obtusis sessilibus, pilis basi stellatis, caulibus diffusis, fructibus erectis.

O. echioides α . *Sp. Pl.* 196. *Sm. Tour*, v. 2. 308.

Symphytum echii folio angustiore, radice rubrâ, flore luteo. *Tourn. Inst.* 138.

Μελίχορτον *hodiè*.

Icon. *Column. Ecphr.* 183. *f.* 2

In insulâ Cretâ, et in Peloponneso. γ .

423. *O. echioides*, foliis spatulato-oblongis, pilis simplicissimis, caulibus ramosis diffusis, floribus pendulis, fructu erecto.

O. echioides β . *Sp. Pl.* 197.

Cerinthe echioides. *Sp. Pl. ed.* 1. 137.

Symphytum echii folio ampliore, radice rubrâ, flore luteo. *Tourn. Inst.* 138.

Icon: *Fl. Græc. t.* 172.

Ad Ponti Euxini littora. γ .

424. *O. erecta*, foliis linearibus, pilis basi stellatis intertextis, caulibus simplicibus floribusque erectis.

Symphytum creticum, echii folio angustiore longissimis villis horrido, flore croceo. *Tourn. Cor.* 6; ex sententiâ Sibthorpii.

122 PENTANDRIA—MONOGYNIA.

Icon. *Fl. Græc. t. 173.*

In montibus Cretæ elatioribus. ۲.

425. *O. fruticosa*, foliis ellipticis revolutis, pilis subsimplicibus, caulibus fruticosis ramosis, floribus solitariis terminalibus cernuis.

Icon. *Fl. Græc. t. 174.*

In insulâ Cypro. ۲.

BORAGO.

G. Pl. 77. Juss. 131. Gærtn. t. 67.

426. *B. officinalis. Sp. Pl. 197.*

B. floribus cæruleis. Tourn. Inst. 133.

Ἀρμπέτα hodiè.

Icon. *Engl. Bot. t. 36.*

In Peloponnesi et insulæ Cypri ruderalis. ☉.

427. *B. orientalis. Sp. Pl. 197.*

B. constantinopolitana, flore reflexo cæruleo, calyce vesicario. *Tourn. Cor. 6. It. v. 2. 13, cum icone.*

Icon. *Fl. Græc. t. 175.*

In sylvâ ad pagum *Belgrad*, et circa *Byzantium*. ۲.

428. *B. cretica*. Willd. *Sp. Pl.* v. 1. 778.

B. cretica, flore reflexo elegantissimo suaverubente. *Tourn. Cor.* 6.

Icon. *Fl. Græc. t.* 176.

In Cretâ et Zacyntho insulis, et in monte Athone. ☿.

ASPERUGO.

G. Pl. 77. *Juss.* 131.

429. *A. procumbens*. *Sp. Pl.* 198.

A. vulgaris. *Tourn. Inst.* 135.

Καλλιζίδα hodiè.

Icon. *Fl. Græc. t.* 177.

In ruderatis insulæ Cypri, et in agro Argolico. ☉.

LYCOPSIS.

G. Pl. 78. *Juss.* 131. *Gærtn. t.* 67.

430. *L. variegata*. *Sp. Pl.* 198.

Buglossum creticum, verrucosum, perlatum quibusdam. *Tourn. Inst.* 134.

Σκαρδαλίνα hodiè.

Icon. *Fl. Græc. t.* 178.

In insulâ Cretâ. In Archipelago et in Peloponneso rariùs occurrit. ☉.

124 PENTANDRIA—MONOGYNIA.

431. *L. orientalis*. *Sp. Pl.* 199.

Buglossum orientale angustifolium, flore parvo
cæruleo. *Tourn. Cor.* 6.

Icon *nulla*.

In Cariâ. ☉.

ECHIU M.

G. Pl. 78. *Juss.* 130. *Gærtn. t.* 67.

432. *E. plantagineum*. *Mant.* 202.

E. orientale, folio oblongo molli et cinericio.
Tourn. Cor. 6 ?

Βέγλωσσον, ἡ βεδέγλωσσον *hodiè*.

Icon. *Fl. Græc. t.* 179.

In insulis Græcis, solo fertiliori, haud infrequens. ☉.

433. *E. italicum*. *Sp. Pl.* 200.

E. majus et asperius, flore albo. *Tourn.*
Inst. 135.

Λυκοῖς *Diosc.*

Μανένι *hodiè*.

Icon. *Jacq. Austr. append. t.* 16.

In Græciæ campestribus vulgaris. ♂.

434. *E. vulgare*. *Sp. Pl.* 200. *Tourn. Inst.* 135.

Εχλον Diosc ?

Icon. *Engl. Bot. t.* 181.

Circa Byzantium, et in Laconiâ. ♂.

435. *E. pustulatum*, foliis lineari-oblongis repandis tuberculatis hispidis, caule erecto, spicis lateralibus, staminibus exsertis.

E. pustulatum. Sibth. Cat. Iconum.

Icon. *Fl. Græc. t.* 180.

In Siciliâ. ♂.

436. *E. hispidum*, foliis lineari-oblongis hispidis subtuberculatis, caule erecto pilosissimo, spicis lateralibus, staminibus exsertis.

E. hispidum. Sibth. Cat. Iconum.

Icon. *Fl. Græc. t.* 181.

In agro Neapolitano novam hanc speciem invenit Sibthorp. *Herb. Banks.* ♂.

Flores punicei.

437. *E. diffusum*, foliis lineari-spatulatis tuberculatis hispidis, caule diffuso, spicis terminalibus solitariis, staminibus inclusis.

Icon. *Fl. Græc. t.* 182.

In insulâ Cretâ. ☉.

Flores punicei. Stamina corollâ breviora.

126 PENTANDRIA—MONOGYNIA.

438. *E. creticum*. *Sp. Pl.* 200.

E. creticum angustifolium rubrum. *Tourn. Inst.* 136.

Αγχρσα ετερα *Diosc. Sibth.*

Icon. Fl. Græc. t. 183.

In arenosis maritimis Cretæ, et per totam Græciam vulgarissimè occurrit. ☉.

Flores rubro-violacei. Magnitudine variat.

ANDROSACE.

G. Pl. 80. *Juss.* 96. *Gærtn. t.* 50.

439. *A. villosa*. *Sp. Pl.* 203.

A. alpina perennis angustifolia, villosa et multiflora. *Tourn. Inst.* 123.

Icon. Jacq. Coll. v. 1. t. 12. f. 3.

In summitate montis Olympi Bithyni, nive peractâ florens. ♀.

PRIMULA.

G. Pl. 80. *Juss.* 96. *Gærtn. t.* 50.

440. *P. veris α.* *Sp. Pl.* 204.

P. veris odorata, flore luteo simplici. *Tourn. Inst.* 124.

Tauschian Kulaghe *Turc.*

Icon. *Curt. Lond. fasc. 6. t. 15. P. officinalis.*
In sylvis circa pagum *Belgrad*, et in Olympi
Bithyni nemorosis. $\mathcal{U}$.

441. *P. vulgaris. Fl. Brit. 222.*

P. veris γ . *Sp. Pl. 205.*

P. veris, floribus ex singularibus pediculis,
pallidis majoribus simplicibus. *Tourn.*
Inst. 125.

Icon. *Curt. Lond. fasc. 6. t. 16. P. acaulis.*

β . *P. veris constantinopolitana*, flore dilutè pur-
pureo. *Tourn. Inst. 125.*

Icon. *Fl. Græc. t. 184.*

α . Ad ripas Alpei prope Olympiam, et in Ar-
cadiæ montibus. *D. Hawkins.*

β . In agro Byzantino. $\mathcal{U}$.

CYCLAMEN.

G. Pl. 82. Juss. 97.

442. *C. europæum. Sp. Pl. 207.*

C. orbiculato folio infernè purpurascente.
Tourn. Inst. 154.

Τρήμερα, ἡ τρικλαμιά, hodiè.

Domus Togani *Turc.*

Icon. *Jacq. Austr. t. 401.*

In montibus umbrosis Cretæ. $\mathcal{U}$.

128 PENTANDRIA—MONOGYNIA.

443. *C. persicum*. *Ait. Hort. Kew.* v. 1. 196.

C. pyrolæfolium. *Salisb. Prodr.* 119.

Κυκλαμίδα *hodiè*.

Icon. *Curt. Mag.* t. 44.

In montibus Græciæ. Circa Athenas frequens. 4.

Radix contusa ad Sepiam Octopodiam e latebris
arcendam usurpatur.

444. *C. hederifolium*. *Ait. Hort. Kew.* v. 1. 196.

Κυκλαμινος *Diosc.*

Icon. *Fl. Græc.* t. 185.

In umbrosis Græciæ vulgaris. 4.

445. *C. repandum*, foliis cordatis repandis.

C. radice castaneæ magnitudinis. *Tourn.*

Inst. 155.

Icon. *Fl. Græc.* t. 186.

In agro Byzantino. 4.

MENYANTHES.

G. Pl. 82. *Juss.* 98. *Gærtn.* t. 114.

446. *M. nymphæoides*. *Sp. Pl.* 207.

Nymphoides aquis innatans. *Tourn. Inst.* 153.

Icon. *Engl. Bot.* t. 217.

In aquis Græciæ, et circa Byzantium. 4.

LYSIMACHIA.

G. Pl. 83. *Juss.* 95. *Gærtn. t.* 50.

* *Pedunculis multifloris.*

447. *L. vulgaris.* *Sp. Pl.* 209.

L. lutea major. *Tourn. Inst.* 141.

Λυσιμαχίων *Diosc.*

Icon. *Curt. Lond. fasc.* 5. *t.* 19.

In Olympi Bithyni sylvis umbrosis, et circa Byzantium. ♀.

448. *L. atro-purpurea.* *Sp. Pl.* 209.

L. orientalis angustifolia, flore purpureo.

Tourn. Cor. 7.

Icon. *Fl. Græc. t.* 187.

In uliginosis Parnassum versùs. ☉.

449. *L. dubia.* *Ait. Hort. Kew. v.* 1. 199. *Willd.*

Sp. Pl. v. 1. 817.

L. spicata purpurea minor. *Buxb. Cent.* 1. 22.

t. 33.

Icon. *Fl. Græc. t.* 188.

In uliginosis ad lacum Nicææ. ♂.

* * *Pedunculis unifloris.*

450. *L. punctata.* *Sp. Pl.* 210.

L. lutea minor, foliis nigris punctis notatis.

Tourn. Inst. 141.

Icon. *Jacq. Austr. t.* 366.

In Bithyniæ paludosis. 4.

451. *L. Linum-stellatum.* *Sp. Pl.* 211.

L. annua minima, polygoni folio. *Tourn.*

Inst. 142.

Icon. *Fl. Græc. t.* 189.

In Peloponnesi collibus, et in insulâ Cypro. ☉.

452. *L. anagalloides*, foliis ovatis obtusis, floribus solitariis, caule ramosissimo diffuso, staminibus lævibus.

Anagallis cretica, vulgari simillima, flore luteo. *Tourn. Cor.* 7.

Icon. *Fl. Græc. t.* 190.

In montibus Cretæ, Junio florens. 4.

453. *L. Nummularia.* *Sp. Pl.* 211.

L. humifusa, folio rotundiore, flore luteo.

Tourn. Inst. 141.

Icon. *Curt. Lond. fasc. 3. t.* 14.

In uliginosis circa pagum *Belgrad.* 4.

ANAGALLIS.

G. Pl. 83. *Juss.* 95. *Gærtn. t.* 50.

454. *A. arvensis.* *Sp. Pl.* 211.

Αναγαλλίς Diosc.

α. A. phæniceo flore. *Tourn. Inst.* 142.

Περδικέλη Zacynth.

Icon. Curt. Lond. fasc. 1. t. 12.

β. A. cæruleo flore. *Tourn. Inst.* 142.

Icon. Camer. Epit. 395.

*In vineis et arvis insularum Græcarum frequens,
imprimis var. α.*

455. *A. tenella.* *Syst. Veg. ed.* 14. 196.

*Lysimachia humifusa, folio rotundiore, flore
purpurascente.* *Tourn. Inst.* 141.

Icon. Curt. Lond. fasc. 3. t. 15.

*In herbidis uliginosis Cretæ rariùs. In loco quo
flumen oritur, Platania. γ.*

PLUMBAGO.

G. Pl. 86. *Juss.* 92. *Gærtn. t.* 50.

456. *P. europæa.* *Sp. Pl.* 215.

P. quorundam. *Tourn. Inst.* 141.

Λεπιδόχορτον hodiè.

Icon. *Fl. Græc. t.* 191.

Ad vias in Archipelagi insulis frequens; etiam
in Laconiâ, et inter Smyrnam et Bursam. 4.

CONVOLVULUS.

G. Pl. 86. *Juss.* 133. *Gærtn. t.* 134.

* *Caule volubili.*

457. *C. arvensis. Sp. Pl.* 218.

C. minor arvensis, flore roseo. Tourn. Inst. 83.

Περικλυμενον *Diosc. ? Sibth.*

Περιπλοκάδι *hodiè.*

Icon. *Curt. Lond. fasc. 2. t.* 13.

In arvis Græciæ vulgaris. 4.

458. *C. sepium. Sp. Pl.* 218.

C. major albus. Tourn. Inst. 82.

Κλυμενον *Diosc. ? Sibth.*

Περιπλοκάδι *hodiè.*

Icon. *Curt. Lond. fasc. 1. t.* 13.

In sepibus Græciæ ubique. 4.

459. *C. Scammonia. Sp. Pl.* 218.

*C. syriacus, et Scammonia syriaca. Tourn.
Inst.* 83.

Icon. *Fl. Græc. t. 192.*

Ad sepes in insulâ Rhodo. 4.

Ex hâc specie Scammonia Aleppica comparatur. *Sibth.*

460. *C. farinosus. Mant. 2. 203.*

Σκαμμωνία Diosc. Sibth.

Icon. *Jacq. Hort. Vind. v. 1. t. 35.*

In arvis et sepibus Mysiæ, Livadiæ et Peloponnesi frequens. 4.

461. *C. sagittifolius, foliis cordato-hastatis pilosis basi angulatis, pedunculis subunifloris, capsulâ hirsutâ.*

C. græcus, sagittæ foliis, flore albo. Tourn. Cor. 1. Sibth. at vix Bocc. Mus. t. 33.

Icon. *Fl. Græc. t. 193.*

In vineis et arvis Sæmi, aliarumque Archipelagi insularum. 4.

462. *C. althæoides. Sp. Pl. 222.*

C. peregrinus pulcher, folio betonicæ. Tourn. Inst. 85.

Άγριο περιπλοκάδι Zacynth.

Icon. *Fl. Græc. t. 194.*

Ad sepes insularum Græcarum non rara. 4.

134 PENTANDRIA—MONOGYNIA.

463. *C. tenuissimus*, foliis pedatis sericeis nitidissimis: lobis linearibus obtusis; radicalibus cordatis serratis, pedunculis unifloris.

C. althæoides β. *Sp. Pl.* 222.

C. argenteus elegantissimus, foliis tenuitè incisis. *Tourn. Inst.* 85.

Τὰ Καλογερὰ τὸ χόρτον *Zacynth.*

Icon. *Fl. Græc. t.* 195.

In Cretâ, et circa Athenas, collibus elatioribus siccis; etiam in Zacyntho. γ.

* * *Caule non volubili.*

464. *C. siculus*. *Sp. Pl.* 223.

C. siculus minor, flore parvo auriculato.
Tourn. Inst. 83.

Icon. *Fl. Græc. t.* 196.

In Peloponneso, et in montibus umbrosis Cretæ. δ.

465. *C. pentapetaloides*. *Syst. Nat. ed.* 12.v. 3. 229.

C. africanus minimus. *Tourn. Inst.* 83.

Icon. *Fl. Græc. t.* 197.

In insulis Græciæ. ε.

466. *C. evolvuloides*, foliis spatulatis obtusis pilosis: superioribus amplexicaulibus, caule declinato, floribus solitariis sessilibus.

C. evolvuloides. *Desfont. Atlant. v.* 1. 176.
t. 49.

Icon. *Fl. Græc. t.* 198.

In insulâ Cypro. ☉.

467. *C. lineatus. Sp. Pl.* 224.

C. argenteus angustifolius umbellatus, partim erectus, partim supinus. *Tourn. Cor.* 1.

Icon. *Fl. Græc. t.* 199.

In scopulo *Caloyero* dicto. ♀.

468. *C. Cneorum. Sp. Pl.* 224.

C. argenteus umbellatus erectus. Tourn. Inst. 84.

Icon. *Fl. Græc. t.* 200.

In scopulis Samo vicinis. ♀.

469. *C. Cantabrica. Sp. Pl.* 225.

C. linariæ folio assurgens. Tourn. Inst. 83;
et humilior. *Ibid.* 84.

Icon. *Jacq. Austr. t.* 296.

In collibus insularum Græciæ siccioribus. ♀.

470. *C. suffruticosus*, foliis lineari-lanceolatis, caule adscendente villosa, pedunculis axillaribus unifloris folio triplo longioribus.

C. suffruticosus. Desfont. Atlant. v. 1. 175.

Icon. *Desfont. Atlant. t.* 48.

In Græciâ, ex herb. Sibth. ♀.

471. *C. Dorycnium*. *Sp. Pl.* 224.

C. ramosus incanus, foliis pilosellæ. Tourn.
Inst. 84.

Icon. Fl. Græc. t. 201.

Prope Caneam in insulâ Cretâ, et ad vias circa
Corinthum. η .

472. *C. lanatus*. *Vahl. Symb. v.* 1. 16. *Willd.*
Sp. Pl. v. 1. 871.

C. orientalis humilis argenteus latifolius erectus
et villosus. Tourn. Cor. 1.

Icon. Fl. Græc. t. 202.

In Cretæ collibus siccis. η .

473. *C. persicus*. *Sp. Pl.* 225.

Icon. Gmel. It. v. 3. 36. *t.* 7.

In arenosis maritimis Ponti Euxini prope
Fanar. μ .

474. *C. Soldanella*. *Sp. Pl.* 226.

C. maritimus nostras rotundifolius. Tourn.
Inst. 83.

Κραμβη Θαλασσια *Diosc.*

Icon. Engl. Bot. t. 314.

In arenosis maritimis Thessalonicæ, Bithyniæ,
Zacynthi et alibi, haud copiosè. μ .

CAMPANULA.

G. Pl. 88. *Juss.* 164. *Gærtn. t.* 31.

* *Foliis lævioribus.*

475. *C. rotundifolia.* *Sp. Pl.* 232.

C. minor rotundifolia vulgaris. *Tourn. Inst.* 111.

Icon. Curt. Lond. fasc. 4. *t.* 21.

In Laconiâ, et in monte Athone. ♀,

476. *C. spatulata*, pubescens, foliis inferioribus spatulatis crenatis; superioribus lanceolatis, caule unifloro, calyce dentato.

Icon. Fl. Græc. t. 203.

In Olympo Bithyno, et Parnasso, montibus. ♀?

477. *C. patula.* *Sp. Pl.* 232.

C. minor rotundifolia, flore in summis cauliculis. *Tourn. Inst.* 112.

Icon. Engl. Bot. t. 42.

In variis Peloponnesi locis. ♂.

478. *C. ramosissima*, glabriuscula, foliis serratis lanceolatis; infimis obovatis, caule ramosissimo multifloro erecto pentagono.

Αγρία Γελαῖα *Zacynth.*

Icon. Fl. Græc. t. 204.

In Olympo Bithyno, et Parnasso, montibus; etiam in insulâ Zacyntho, ☉.

138 PENTANDRIA—MONOGYNIA.

479. *C. persicifolia*. *Sp. Pl.* 232.

C. persicæ folio. *Tourn. Inst.* 111.

Icon. *Fl. Græc. t.* 205.

In sylvis umbrosis Bithyniæ Olympum versùs;
etiam in monte Athone, et prope Byzantium. 4.

480. *C. graminifolia*. *Sp. Pl.* 234.

C. alpina, tragopogi folio. *Tourn. Inst.* 110.

Icon. *Fl. Græc. t.* 206.

In insulâ Zacyntho. 4.

481. *C. versicolor*, foliis cordatis serratis lævibus, thyrso terminali, laciniis calycinis subulatis, corollâ rotato-patulâ.

C. versicolor. *Andr. Repos. t.* 396.

Χαρίτζια ἡodie.

Icon. *Fl. Græc. t.* 207.

Prope Thessalonicam. 4.

482. *C. lilifolia*. *Sp. Pl.* 233.

Icon. *Gmel. Sib. v.* 3. *t.* 26.

In Cretæ montibus elatioribus nive obductis.
Sibth. MSS. ♂.

483. *C. heterophylla*. *Sp. Pl.* 240.

C. saxatilis, foliis inferioribus bellidis, cæteris nummulariæ. *Tourn. Cor.* 3. *It. v.* 1. 93, *cum ic.*

Icon. *Fl. Græc. t.* 208.

In insulâ Chéro, rarissimè. *¶*.

484. *C. saxatilis*. *Sp. Pl.* 237.

C. cretica saxatilis, bellidis folio, magno flore. *Tourn. Inst.* 111.

Icon. *Barrel. Ic. t.* 813.

In Cretæ rupibus maritimis borealibus. *¶*.

485. *C. cymbalaria*, foliis reniformibus incisis glaberrimis nitidis, caulibus diffusis.

C. foliis cymbalariae crispis, montis Olympi. *Tourn. Cor.* 3.

Icon *nulla*.

In umbrosis humidis montis Olympi Bithyni. *¶*.

* * *Foliis scabris.*

486. *C. Trachelium*. *Sp. Pl.* 235.

*C. vulgati*or, foliis urticæ, vel major et asperior. *Tourn. Inst.* 109.

Icon. *Engl. Bot. t.* 12.

In monte Athone. *¶*.

140 PENTANDRIA—MONOGYNIA.

487. *C. glomerata*. *Sp. Pl.* 235.

C. pratensis, flore conglomerato. *Tourn.*
Inst. 110.

Icon. *Engl. Bot.* t. 90.

In monte Athone. ♀.

488. *C. stricta*. *Sp. Pl.* 238.

C. orientalis, folio longo rigido aspero, flore
sursùm spectante. *Tourn. Cor.* 3.

Icon *nulla*.

In Græciâ, ex herb. Sibth. at locus non memo-
ratur. ♂.

489. *C. cichoracea*, capsulis obtectis, foliis ob-
longis undulatis hispidis; radicalibus sinua-
tis, floribus glomeratis sessilibus termina-
libus.

C. capitata. *Sims in Curt. Mag.* t. 811?

Icon. *Fl. Græc.* t. 209.

In Thessaliâ. ♂.

490. *C. Medium*. *Sp. Pl.* 236.

C. hortensis, folio et flore oblongo, cæruleo.
Tourn. Inst. 109.

Icon. *Dod. Pempt.* 163.

In Olympi Bithyni sylvis umbrosis, et circa
Byzantium. ♂.

491. *C. betonicifolia*, capsulis obtectis reticulato-venosis, foliis elliptico-oblongis serratis pilosis, pedunculis terminalibus subternis.

Icon. *Fl. Græc. t.* 210.

In monte Olympo Bithyno. ♂.

492. *C. dichotoma*. *Sp. Pl.* 237.

C. mollis β. *Willd. Sp. Pl. v.* 1. 910.

C. hirsuta, ocymi folio caulem ambiente, flore pendulo. *Tourn. Inst.* 112.

Icon. *Fl. Græc. t.* 211.

In rupibus prope Athenas. ☉.

A *C. molli* toto cælo diversa.

493. *C. laciniata*. *Sp. Pl.* 237.

C. græca saxatilis, jacobææ folio. *Tourn.*

Cor. 3? *It. v.* 1. 99, *cum icone*?

Μηδίων *Diosc.?* *Sibth.*

Icon. *Andr. Repos. t.* 385.

In rupibus umbrosis Græciæ rariùs. ♂.

494. *C. anchusiflora*, tomentosa, foliis radicalibus lyratis serratis, caule erecto paniculato multifloro, corollæ limbo hypocrateriformi.

Icon. *Fl. Græc. t. 212.*

In insulâ Polycandro, et in scopulis maritimis
insulæ Hydræ. ♂.

Nomen specificum optimè suggestit D. Salis-
bury.

495. *C. rupestris*, tomentosa, foliis crenatis; ra-
dicalibus lyratis; caulinis obovato-rôtun-
datis, caulibus diffusis.

Icon. *Fl. Græc. t. 213.*

In Bœotiæ et Peloponnesi rupibus. ♂?

496. *C. Erinus. Sp. Pl. 240.*

C. minor annua, foliis incis. *Tourn. Inst. 112.*

Icon. *Fl. Græc. t. 214.*

In rupibus insulæ Cypri, et in agro Argolico. ☉.

497. *C. drabifolia*, caule dichotomo, foliis sessi-
libus dentatis; floralibus oppositis, corollæ
tubo ventricoso.

C. drabæ minoris foliis. *Tourn. Inst. 112.*

Icon. *Fl. Græc. t. 215.*

In vineis, et inter Gossypia, insulæ Sami, et prope
Athenas. ☉.

498. *C. Speculum. Sp. Pl. 238.*

C. arvensis erecta. Tourn. Inst. 112.

Ἀγρία Γελαία *Zacynth.*

Icon. *Fl. Græc. t. 216.*

In arvis, vineis, et inter Gossypia, in insulis
Græciæ frequens. ☉.

499. *C. hybrida. Sp. Pl. 239.*

*C. arvensis minor, siliquâ ampliori. Tourn.
Inst. 112.*

Icon. *Engl. Bot. t. 375.*

In Peloponnesi arvis. ☉.

Præcedenti nimis affinis.

PHYTEUMA.

G Pl. 89. Juss. 165. Gærtn. t. 30.

500. *Ph. repandum*, spicâ laxiusculâ, foliis el-
liptico-oblongis petiola tisrepandis glabris,
caule simplicissimo nudiusculo.

Icon *nulla.*

In monte Olympo Bithyno. 4.

501. *Ph. ellipticum*, spicâ laxiusculâ, foliis el-
lipticis petiolatis crenatis scabris, caule sim-
plicissimo folioso hirtio.

Icon. *Fl. Græc. t. 217.*

In monte Olympo Bithyno. 4.

502. Ph. *limonifolium*, foliis lanceolatis dentato-repandis retrorsum scabriusculis, caule paniculato, floribus sessilibus subternis.

Campanula limonifolia. *Sp. Pl.* 239.

C. orientalis, limonii minimi facie; flore patulo. *Tourn. Cor.* 3.

Icon. *Fl. Græc. t.* 218.

In herbidis Olympi Bithyni, summitatem versum. 4.

503. Ph. *amplexicaule*. *Willd. Sp. Pl. v.* 1. 925.

Rapunculus orientalis, campanulæ pratensis folio. *Tourn. Cor.* 4.

Icon. *Fl. Græc. t.* 219.

In herbidis Olympi Bithyni, cacumen versum. 4.

504. Ph. *pinnatum*. *Sp. Pl.* 242.

Rapunculus creticus, seu Pyramidalis altera. *Tourn. Inst.* 113.

Icon. *Fl. Græc. t.* 220.

In Cretæ montosis atque scopulis maritimis copiosè. 4.

J A S I O N E.

G. Pl. 455. *Juss.* 166. *Gærtn. t.* 30.

505. *J. montana.* *Sp. Pl.* 1317.

Rapunculus scabiosæ capitulo cæruleo. *Tourn. Inst.* 113.

Icon. Curt. Lond. fasc. 4. t. 58.

In Olympo Bithyno. ☉.

L O B E L I A.

G. Pl. 456. *Juss.* 165.

Rapuntium. *Gærtn. t.* 30.

506. *L. setacea*, foliis radicalibus spatulatis repandis; caulinis setaceis, caulibus simplicissimis unifloris erectis.

L. Laurentia β. *Willd. Sp. Pl. v.* 1. 1321.

Rapuntium creticum minimum, bellidis folio, flore maculato. *Tourn. Inst.* 9.

Icon. Fl. Græc. t. 221.

In Cretæ et Cypri uliginosis. ☉.

V I O L A.

G. Pl. 457. *Juss.* 294. *Gærtn. t.* 112.

507. *V. hirta.* *Sp. Pl.* 1324.

Icon. Curt. Lond. fasc. 1. t. 64.

In monte Athone. ♀.

VOL. I,

L

146 PENTANDRIA—MONOGYNIA.

508. *V. odorata*. *Sp. Pl.* 1324.

V. martia purpurea, flore simplici odoro.

Tourn. Inst. 419.

Ἰὸν πορφύρου *Diosc.*

Βιολέτα *hodiè*.

Icon. Curt. Lond. fasc. 1. t. 63.

In umbrosis humidis ad montium radices, ut Parnassi et Athonis, et in Arcadiâ. 4.

509. *V. canina*. *Sp. Pl.* 1324.

V. martia inodora sylvestris. *Tourn. Inst.* 419.

Βιολέτα *hodiè*.

Icon. Curt. Lond. fasc. 2. t. 61.

In insulâ Cypro, et in Olympo Bithyno et Athone montibus. Etiam in Peloponneso haud rara. 4.

510. *V. tricolor*. *Sp. Pl.* 1326.

V. bicolor arvensis. *Tourn. Inst.* 421.

Icon. Curt. Lond. fasc. 1. t. 65.

In insulis Archipelagi, et in Peloponneso. ☉.

511. *V. gracilis*, caule ramoso angulato diffuso, foliis lanceolatis subcrenatis, stipulis tripartitis, radice repente.

Icon. Fl. Græc. t. 222.

In Olympi Bithyni cacumine. 4.

512. *V. calcarata*. *Sp. Pl.* 1325.

V. montana cærulea grandiflora. *Tourn. Inst.* 420.

Icon. *Dalech. Hist.* 1204. *Melanium montanum*.

In Olympo Bithyno cum præcedente. 4.

513. *V. cenisia*. *Sp. Pl.* 1325.

Icon. *Allion. Specim. Pedem. t. 3. f. 4.*

In monte Olympo Bithyno. 4.

SAMOLUS.

G. Pl. 89. *Juss.* 97. *Gærtn. t.* 30.

514. *S. Valerandi*. *Sp. Pl.* 243. *Tourn. Inst.* 143.

Icon. *Curt. Lond. fasc. 4. t.* 20.

Ad rivulos in humidis umbrosis Cretæ frequens;
etiam in Athone et Olympo Bithyno montibus. 4.

LONICERA.

G. Pl. 93.

Caprifolium. *Juss.* 212. *Gærtn. t.* 27.

* *Periclymena*. *Caule volubili*.

515. *L. Caprifolium*. *Sp. Pl.* 246.

Caprifolium italicum. *Tourn. Inst.* 608.

Αγρίόκλημα hodiè.

148 PENTANDRIA—MONOGYNIA.

Icon. *Jacq. Austr. t. 357.*

Ad sepes in Archipelagi insulis frequens; etiam
in agro Argolico. ʒ.

516. *L. Periclymenum. Sp. Pl. 247.*

Caprifolium germanicum. Tourn. Inst. 608.

Icon. *Curt. Lond. fasc. 1. t. 15.*

In insulâ Cypri, et ad sepes Argolicas. In monte
Hymetto prope Athenas, sed rariùs. ʒ.

** *Chamæcerasa. Pedunculis bifloris.*

517. *L. nigra. Sp. Pl. 247.*

Chamæcerasus alpina, fructu nigro gemino.
Tourn. Inst. 609.

Icon. *Jacq. Austr. t. 314.*

In monte Athone. ʒ.

518. *L. Xylosteum. Sp. Pl. 248.*

Chamæcerasus dumetorum, fructu gemino ru-
bro. Tourn. Inst. 609.

Icon. *Fl. Græc. t. 223.*

In monte Parnasso. ʒ.

519. *L. alpigena. Sp. Pl. 248.*

Chamæcerasus alpina, fructu gemino rubro,
duobus punctis notato. Tourn. Inst. 609.

Icon. *Jacq. Austr. t. 274.*

In monte Athone. ʒ.

C O R I S.

G. Pl. 97. *Juss.* 96.

520. *C. monspeliensis.* *Sp. Pl.* 252.

C. cærulea maritima. *Tourn. Inst.* 652.

Icon. Camer. Epit. 699.

In arenosis maritimis Græciæ. ☉.

V E R B A S C U M.

G. Pl. 97. *Juss.* 124. *Gært. t.* 55.

521. *V. Thapsus.* *Sp. Pl.* 252.

V. mas latifolium luteum. *Tourn. Inst.* 146.

Φλομος λευκη ἀρρήν *Diosc.*

Φλόμος *hodiè.*

Icon. Engl. Bot. t. 549.

In Græciæ provinciis et insulis frequens. ♂.

522. *V. phlomoides.* *Sp. Pl.* 253.

V. fœmina, flore luteo magno. *Tourn. Inst.* 147.

Icon. Fl. Græc. t. 224.

Circa Byzantium. ♂.

523. *V. auriculatum, foliis elliptico-oblongis utrinque tomentosis basi auriculatis, racemis paniculatis flexuosis.*

V. orientale maximum candidissimum, ramis candelabrum æmulantibus. *Tourn. Cor.* 8.

Icon. *Fl. Græc. t. 225.*

In insulâ Samo. ♂.

524. *V. plicatum*, foliis lyrato-sinuatis crispis subcrenatis utrinque tomentosis, spicâ simplici interruptâ foliolosâ.

V. sinuatum β. *Sp. Pl. 255.*

V. græcum fruticosum, folio sinuato candidissimo. *Tourn. Cor. 8. It. v. 1. 128, cum icone.*

Φλομος λευκη Σηλη *Diosc.*

Φλόμος *hodiè.*

Icon. *Fl. Græc. t. 226.*

In insulâ Hydrâ. Circa Athenas copiosè. ♂.

525. *V. sinuatum*, foliis serratis pulverulentis; radicalibus pinnatifido-repandis; caulinis integris, caule paniculato multifloro.

V. sinuatum. *Sp. Pl. 254.*

V. nigrum, folio papaveris corniculati. *Tourn. Inst. 147.*

Φλομος μελας *Diosc.*

Φλόμος *hodiè.*

Icon. *Fl. Græc. t. 227.*

In Græciæ provinciis et insulis hujusce generis omnium vulgatissima species. ♂.

526. *V. pinnatifidum*, foliis planis pinnatifidis incisus pulverulentis suprâ denudatis; radicalibus petiolatis, caule paniculato multifloro.

V. pinnatifidum. Vahl. Symb. v. 2. 39. Willd. Sp. Pl. v. 1. 1006, excluso syn. Tournefortii.

Icon. *Fl. Græc. t. 228.*

In arenosis maritimis prope *Yalvam*, Bithyniæ. ♀.

527. *V. spinosum. Sp. Pl. 254.*

V. creticum spinosum frutescens. Tourn. Cor. 8.

Icon. *Fl. Græc. t. 229.*

In montibus Cretæ elatioribus. ♀.

528. *V. Blattaria. Sp. Pl. 254.*

Blattaria lutea, folio longo laciniato. Tourn.

Inst. 147.

Σπυρί *Zacynth.*

Icon. *Engl. Bot. t. 393.*

In Peloponneso, et in insulâ *Zacyntho*. ♂.

529. *V. triste*, foliis ellipticis dentato-repandis nudiusculis; radicalibus petiolatis, caule racemoso folioso.

Icon. *Andr. Repos. t. 162. V. ferrugineum.*

In monte Athone. 4.

Flores tristè ferruginei. A V. ferrugineo *Att.*

H. Kew. diversum.

D A T U R A.

G. Pl. 98. *Juss.* 125,

Stramonium. Gærtn. t. 132.

530. *D. Stramonium. Sp. Pl.* 255.

Stramonium fructu spinoso oblongo, flore albo.

Tourn. Inst. 119.

Τάτουλα *hodiè.*

Icon. Curt. Lond. fasc. 6. *t.* 17.

In agro Messeniaco et Arcadiensi. Ad viam inter Smyrnam et Bursam copiosè. ☉.

H Y O S C Y A M U S.

G. Pl. 98. *Juss.* 124. *Gærtn. t.* 76.

531. *H. niger. Sp. Pl.* 257.

H. vulgaris vel niger. Tourn. Inst. 118.

Ώσκναμος μελας *Diosc.*

Icon. Engl. Bot. t. 591.

In Græciæ ruderatis rariùs. Circa Lupadium Bithyniæ. ♂.

532. *H. albus. Sp. Pl. 257.*

H. albus major, vel tertius Dioscoridis et quartus Plinii. Tourn. Inst. 118.

‘Τοσκυαμος λευκος *Diosc.*

‘Τοσκύαμος, ἡ γερούλι, *hodiè.*

Ben tochunni Turc.

Icon. Fl. Græc. t. 230.

In ruderatis, muris, maritimis, et ad vias Græciæ ubique. ☉.

533. *H. aureus. Sp. Pl. 257.*

H. creticus luteus major et minor. Tourn. Inst. 118.

‘Τοσκυαμος μηλοειδης *Diosc.*

Icon. Fl. Græc. t. 231.

In muris et ruderatis Græciæ copiosè. ♂.

ATROPA.

G. Pl. 99. Juss. 125. Gærtn. t. 131.

Mandragora. Juss. 125. Gærtn. t. 131.

534. *A. Mandragora. Sp. Pl. 259.*

Mandragora fructu rotundo. Tourn. Inst. 76.

Μανδραγορας Diosc.

Μανδραγούρα hodiè.

Icon. Fl. Græc. t. 232.

In agro Eliensi, et prope Athenas. In insulis Græcis non rara. ♀.

154 PENTANDRIA—MONOGYNIA.

535. A. *Belladonna*. *Sp. Pl.* 260.

Belladonna majoribus foliis et floribus. Tourn.
Inst. 77.

Icon. Curt. Lond. fasc. 5. t. 16.

In monte Athone. 4.

PHYSALIS.

G. Pl. 99. *Juss.* 126. *Gærtn. t.* 131.

536. Ph. *somnifera*. *Sp. Pl.* 261.

Alkekengi fructu parvo verticillato. Tourn.
Inst. 151.

Στρυχνος ὑπνωτικός *Diosc.*

Icon. Fl. Græc. t. 233.

In Cypri et Eubææ petrosis maritimis. 4.

537. Ph. *Alkekengi*. *Sp. Pl.* 262.

Alkekengi officinarum. Tourn. Inst. 151.

Στρυχνος ἀλικάναξος *Diosc.*

Κερασούλια *Bæotic.*

Icon. Fl. Græc. t. 234.

In Parnassi et Olympi Bithyni umbrosis, et circa
Byzantium. 4.

SOLANUM.

G. Pl. 100. *Juss.* 126. *Gærtn. t.* 131.

538. S. *Dulcamara*. *Sp. Pl.* 264.

S. scandens, seu Dulcamara. Tourn. Inst. 149.

Icon. *Curt. Lond. fasc. 1. t. 14.*

In insularum Græcarum umbrosis humidis rariùs.
Ad viam inter Smyrnam et Bursam. η .

539. *S. nigrum. Sp. Pl. 266.*

S. officinarum acinis nigricantibus, et acinis
luteis. *Tourn. Inst. 148.*

Στρογγυλὸς μανικός Diosc.

Icon. *Curt. Lond. fasc. 2. t. 14.*

In ruderatis Græciæ vulgaris. $\odot$.

540. *S. sodomeum. Sp. Pl. 268.*

S. pomiferum frutescens africanum spinosum
nigricans, borraginis flore, foliis profundè
laciniatis. *Tourn. Inst. 149.*

Icon. *Fl. Græc. t. 235.*

In Siciliâ. η .

LYCIUM.

G. Pl. 103. Juss. 126. Gærtn. t. 132.

541. *L. barbarum. Sp. Pl. 277.*

Icon. *Trew. Ehret. t. 68.*

In insulâ Naxo. η .

542. *L. europæum. Mant. 47.*

Ῥάμνος Diosc.

Ῥάμνος hodiè.

Icon. *Fl. Græc. t.* 236.

In sepibus Græciæ vulgaris, at vix indigena.

D. Hawkins. h.

CHIRONIA.

G. Pl. 101. *Juss.* 142. *Gærtn. t.* 114.

543. Ch. *Centaurium. Willd. Sp. Pl. v.* 1. 1068.

Gentiana Centaurium. Sp. Pl. 332.

Centaurium minus. Tourn. Inst. 122.

Κενταύριον μικρον *Diosc.*

Θερμόχορτον *hodiè.*

Icon. *Curt. Lond. fasc. 4. t.* 22.

In campestribus per totam Græciam. ☉.

544. Ch. *maritima. Willd. Sp. Pl. v.* 1. 1069.

Gentiana maritima. Mant. 55.

Centaurium luteum pusillum. Tourn. Inst. 123.

Icon. *Fl. Græc. t.* 237.

In littore Messeniaco, et in insulâ Zacyntho. ☉.

545. Ch. *spicata. Willd. Sp. Pl. v.* 1. 1069.

Gentiana spicata. Sp. Pl. 333.

Centaurium minus, spicatum, flore rubro.

Tourn. Inst. 122.

Icon. *Fl. Græc. t.* 238.

In uliginosis inter Athenas et maris littora ; etiam
in insulâ Zacyntho. ☉.

RHAMNUS.

G. Pl. 105. Juss. 380. Gærtn. t. 106.

* *Spinosi.*

546. *R. catharticus.* Sp. Pl. 279. Tourn. Inst. 593.

Λευκάγκαθα *hodiè.*

Icon. Engl. Bot. t. 1629.

In Laconiâ. *h*.

547. *R. infectorius.* Mant. 49.

R. catharticus minor. Tourn. Inst. 593.

Λυκιον *Diosc.*

Λαδζιχέρ *hodiè.*

Απειλίρας *in insulâ Paro. D. Hawkins.*

Icon. Clus. Hist. v. 1. 111.

In Græciæ asperis et petrosis frequens. *h*.

Baccæ immaturæ tinctoriæ corium Turcicum colore flavo inficiunt. In Angliam copiosè deportantur. *D. Hawkins.*

548. *R. oleoides.* Sp. Pl. 279.

R. hispanicus, oleæ folio. Tourn. Inst. 593.

Icon. Clus. Hist. v. 1. 110. f. 1. ?

In Græciâ australiori, et in insulâ Melo. *h*.

549. *R. prunifolius, spinis terminalibus, floribus quadrifidis planiusculis dioicis, foliis obovatis obtusis crenatis nudis.*

R. creticus, amygdali folio minori. Tourn. Cor. 41.

Icon *nulla*.

In montibus Cretæ elatioribus. η .

Habitus R. oleoidis, sed folia crenata vel subserata, nec integerrima. *Caulis* depressus, rigidus, ramosissimus, implexus. *Flores* dioici, staminibus in fœmineo obsoletis, vel omninò nullis. *Stylus* semibifidus.

550. R. *saxatilis*. *Sp. Pl.* 1671.

R. catharticus minor, folio longiori. *Tourn. Inst.* 593.

Icon. *Jacq. Austr. t.* 53.

In montibus circa Athenas. η .

**** Inermes.**

551. R. *alpinus*. *Sp. Pl.* 280.

Frangula rugosiore et ampliore folio. *Tourn. Inst.* 612.

Icon. *Hall. Helvet. t.* 40.

In monte Parnasso. *Sibth. MSS.* η .

552. R. *pubescens*, inermis, floribus dioicis semidigynis, foliis subintegerrimis villosis lineatis obovato-rhombeis.

Icon. *Fl. Græc. t.* 239.

In monte Parnasso. η .

553. R. *Frangula*. *Sp. Pl.* 280.

Frangula. *Tourn. Inst.* 612.

Icon. *Engl. Bot. t.* 250.

Circa Byzantium. *η*.

554. R. *Alaternus*. *Sp. Pl.* 281.

Alaternus. *Tourn. Inst.* 595

Κιτρινόξυλον *hodiè*.

Icon. *Clus. Hist. v.* 1. 50.

In agro Messeniaco, et in insulâ Zacyntho. *η*.

ZIZIPHUS.

Juss. 380. *Gærtn. t.* 43.

Paliurus. *Juss.* 380. *Gærtn. t.* 43.

Rhamnus. *G. Pl.* 105.

555. Z. *Paliurus*. *Willd. Sp. Pl. v.* 1. 1103.

Rhamnus Paliurus. *Sp. Pl.* 281.

Paliurus. *Tourn. Inst.* 616.

Ῥαμνος τρισσος *Diosc.*

Παλιούρι *hodiè*.

Icon. *Fl. Græc. t.* 240.

In sepibus et dumetis per totam Græciam. *η*.

556. Z. *vulgaris*. *Willd. Sp. Pl. v.* 1. 1105.

Ziziphus. *Tourn. Inst.* 627.

Rhamnus Zizyphus. *Sp. Pl.* 282.

Παλιουρος *Diosc. ? Sibth.*

Τζιντζιφον ἢ Ζίζιφι *hodiè.*

Icon. *Fl. Græc. t. 241.*

Circa Megaram, et in monte Parnasso. *η.*

EUONYMUS.

G. Pl. 107. Juss. 377. Gærtn. t. 113.

557. *E. latifolius. Willd. Sp. Pl. v. 1. 1131.*

Tourn. Inst. 617.

E. europæus β. Sp. Pl. 286.

Icon. *Jacq. Austr. t. 289.*

In Olympi Bithyni et Athonis sylvis. *η.*

RIBES.

G. Pl. 111. Juss. 310.

558. *R. Grossularia. Sp. Pl. 291.*

Grossularia spinosa sativa. Tourn. Inst. 639.

Icon. *Engl. Bot. t. 1292.*

In montibus Sphacioticis Cretæ. *η.*

559. *R. Uva-crispa. Sp. Pl. 292.*

Grossularia simplici acino vel spinosa, sylvestris, Tourn. Inst. 639.

Λαγοκρεασιά hodiè.

Icon. *Schmidel. Ic. t. 1.*

In Helicone, Cylleni Arcadiæ, et Taygeto Laco-
niæ, montibus. *D. Hawkins.* η .

Fructus flavus, glaber.

H E D E R A.

G. Pl. 111. *Juss.* 214. *Gærtn. t.* 26.

560. *H. Helix.* *Sp. Pl.* 292.

H. arborea. *Tourn. Inst.* 613.

Κισσος *Diosc.*

Κισσὸς ἢ Κισσὸν *hodiè.*

Icon. *Curt. Lond. fasc.* 1. *t.* 16.

In sylvis et umbrosis Græciæ. η .

V I T I S.

G. Pl. 112. *Juss.* 267. *Gærtn. t.* 106.

561. *V. vinifera.* *Sp. Pl.* 293.

V. sylvestris, Labrusca. *Tourn. Inst.* 613.

Αμπελος αγρια *Diosc.*

Αμπελος οينوφορος, planta sativa, *ejusdem.*

Κλῆμα ἢ Αγριάμπελος *hodiè.*

Σταφίδα ἢ Αμπελόνα *Zacynth.*

Icon. *Fl. Græc. t.* 242.

Ad fluviorum margines Græciæ, omninò indigena.

D. Hawkins. η .

CERATONIA.

G. Pl. 554. *Juss.* 347. *Gærtn. t.* 146.

562. *C. Siliqua. Sp. Pl.* 1513.

Siliqua edulis. Tourn. Inst. 578.

Κερατία Diosc.

Ξυλοκερατιά hodiè.

Icon. Cavan. Ic. t. 113.

In insulis Archipelagi, et Græciæ provinciis australioribus. η .

LAGOECIA.

G. Pl. 112. *Juss.* 227. *Gærtn. t.* 23.

563. *L. Cuminoides. Sp. Pl.* 294.

Cuminoides vulgare. Tourn. Inst. 301.

Κυμινον αγριον Diosc.

Αγριοριγανι hodiè.

Icon. Fl. Græc. t. 243.

In arvis et vineis Græciæ frequens. $\odot$.

ACHYRANTHES.

G. Pl. 113. *Juss.* 88. *Gærtn. t.* 128.

564. *A. argentea. Willd. Sp. Pl. v.* 1. 1191.

A. aspera α , sicula. Sp. Pl. 295.

Amaranthus sículus spicatus, radice perenni.

Tourn. Inst. 235.

Icon. *Fl. Græc. t.* 244.

In Siciliâ. ۷.

ILLECEBRUM.

G. Pl. 114. *Juss.* 89.

565. I. *cymosum.* *Sp. Pl.* 299.

Paronychia lusitanica, polygoni folio, capitulis echinatis. *Tourn. Inst.* 508.

Icon. *Fl. Græc. t.* 245.

In Cretæ arenosis maritimis. *D. Ferd. Bauer.* ☉.

566. I. *Paronychia.* *Sp. Pl.* 299.

Paronychia hispanica. *Tourn. Inst.* 507.

Παρωνυχία *Diosc.?* *Sibth.*

Icon. *Fl. Græc. t.* 246.

In arenosis siccis insularum Græcarum, frequens. ۷.

567. I. *capitatum.* *Sp. Pl.* 299.

Paronychia narbonensis erecta. *Tourn. Inst.* 508.

Icon. *Fl. Græc. t.* 247.

In insulâ Rhodo. ۷.

THESIUM.

G. Pl. 114. *Juss.* 75. *Gærtn. t.* 86.

568. *T. linophyllum. Sp. Pl.* 301.

Alchimilla linariæ folio, calyce florum albo.

Tourn. Inst. 509.

Icon. Engl. Bot. t. 247.

In collibus insularum Græcarum. 4.

VINCA.

G. Pl. 115. *Juss.* 144. *Gærtn. t.* 117.

569. *V. minor. Sp. Pl.* 304.

Pervinca vulgaris angustifolia, flore cæruleo.

Tourn. Inst. 120.

Κληματις Diosc.

Αγριολίτζα hodiè.

Icon. Curt. Lond. fasc. 3. t. 16.

In Arcadiâ, et in agro Eliensi et Argolico. 4.

NERIUM.

G. Pl. 116. *Juss.* 145. *Gærtn. t.* 117.

570. *N. Oleander. Sp. Pl.* 305.

N. floribus rubescentibus. Tourn. Inst. 605.

Νηριον ἢ Ῥοδοδενδρον Diosc.

Πικροδάφνη ἢ Ῥοδοδάφνη hodiè.

Icon. Fl. Græc. t. 248.

In humidis umbrosis Græciæ, frequens. 4.

II. Digynia.

PERIPLOCA.

G. Pl. 119. *Juss.* 146.

571. *P. græca.* *Sp. Pl.* 309.

P. foliis oblongis. *Tourn. Inst.* 93.

Γαλαξίδα *hodiè.*

Icon. *Fl. Græc. t.* 249.

In sepibus Bithyniæ circa Bursam, et in monte
Athone. *γ.*

CYNANCHUM.

G. Pl. 119. *Juss.* 147. *Gærtn. t.* 117.

572. *C. acutum.* *Sp. Pl.* 310.

Periploca monspeliaca, foliis acutioribus. *Tourn.*
Inst. 93.

Σαρμάσικι *hodiè.*

Icon. *Fl. Græc. t.* 250.

Ubique in Achipelagi insulis. *γ.*

573. *C. monspeliacum.* *Sp. Pl.* 311.

Periploca monspeliaca, foliis rotundioribus.
Tourn. Inst. 93.

Icon. *Fl. Græc. t. 251.*

Frequens ad vias in insulis Græcis. *υ*.

574. *C. erectum. Sp. Pl. 311.*

Apocynum folio subrotundo. *Tourn. Inst. 92.*

Αποκυνον Diosc.

Icon. *Jacq. Hort. Vind. t. 38.*

In Græciâ haud infrequens. *υ*.

APOCYNUM.

G. Pl. 120. Juss. 146.

575. *A. venetum. Sp. Pl. 311.*

A. maritimum venetum, salicis folio, flore purpureo. Tourn. Inst. 92.

Icon. *Lob. Ic. 372. f. 1, 2.*

In arenosis maritimis Ponti Euxini prope Byzantium. *υ*.

ASCLEPIAS.

G. Pl. 120. Juss. 147. Gært. t. 117.

576. *A. Vincetoxicum. Sp. Pl. 314.*

A. albo flore. Tourn. Inst. 94.

Ασκληπιας Diosc. ? Sibth.

Icon. *Fl. Dan. t. 849.*

In Parnasso, aliisque Græciæ montibus. *υ*.

HERNIARIA.

G. Pl. 121. *Juss.* 89.

577. *H. glabra.* *Sp. Pl.* 317. *Tourn. Inst.* 507.

Icon. *Engl. Bot. t.* 206.

In insulis Archipelagi frequens. 4.

578. *H. hirsuta.* *Sp. Pl.* 317. *Tourn. Inst.* 507.

Icon. *Engl. Bot. t.* 1379.

In insulis Archipelagi frequens. 4.

579. *H. macrocarpa*, foliis obovato-lanceolatis
utrinque calycibusque hirsutis, caulibus re-
trorsum pubescentibus.

Icon. *Fl. Græc. t.* 252.

Ad viam inter Smyrnam et Bursam, et in Laco-
niâ. 4.

CHENOPODIUM.

G. Pl. 121. *Juss.* 85. *Gærtn. t.* 75.

* *Foliis angulosis.*

580. *Ch. Bonus Henricus.* *Sp. Pl.* 318.

Ch. folio triangulo. *Tourn. Inst.* 506.

Ατραφαξίς *Diosc.*

Αγριοσπανάκια *hodiè.*

Icon. *Curt. Lond. fasc. 3. t.* 17.

In montosis Græciæ vulgaris. 4.

581. Ch. *urbicum*. *Sp. Pl.* 318.

Icon. *Engl. Bot.* t. 717.

In vineis circa Byzantium. *Sibth. MSS.* ☉.

582. Ch. *rubrum*. *Sp. Pl.* 318.

Ch. pes anserinus primus. *Tourn. Inst.* 506.

Icon. *Curt. Lond. fasc.* 6. t. 21.

In ruderatis circa Byzantium. ☉.

583. Ch. *murale*. *Sp. Pl.* 318.

Ch. pes anserinus secundus. *Tourn. Inst.* 506.

Icon. *Curt. Lond. fasc.* 6. t. 20.

Ad muros circa Byzantium. ☉.

584. Ch. *album*. *Sp. Pl.* 319.

Ch. folio sinuato candicante. *Tourn. Inst.* 506.

Icon. *Curt. Lond. fasc.* 2. t. 15.

In vineis Græciæ. ☉.

585. Ch. *ficifolium*. *Fl. Brit.* 276.

Icon. *Curt. Lond. fasc.* 2. t. 16. Ch. viride.

In ruderatis circa Byzantium. *Sibth. MSS.* ☉.

586. Ch. *Botrys*. *Sp. Pl.* 320.

Ch. ambrosioides, folio sinuato. *Tourn. Inst.* 506.

Βοτρυς *Diosc.*

Icon. *Fl. Græc.* t. 253.

Ad rivulorum ripas inter Smyrnam et Bursam. ☉.

** *Foliis integris.*

587. *Ch. olidum.* *Fl. Brit.* 277.

Ch. Vulvaria. *Sp. Pl.* 321.

Ch. fœtidum. *Tourn. Inst.* 506.

Icon. *Curt. Lond. fasc.* 5. *t.* 20.

In cultis circa Byzantium, et in Zacyntho insulâ. ☉.

588. *Ch. polyspermum.* *Sp. Pl.* 321.

Ch. betæ folio. *Tourn. Inst.* 506.

Icon. *Engl. Bot.* *t.* 1480.

In ruderatis Byzantii. ☉.

589. *Ch. Scoparia.* *Sp. Pl.* 321.

Ch. lini folio villosa. *Tourn. Inst.* 506.

Icon. *Dod. Pempt.* 101. *Osyris.*

In agro Byzantino. ☉.

B E T A.

G. Pl. 122. *Juss.* 85. *Gærtn.* *t.* 75.

590. *B. maritima.* *Sp. Pl.* 322.

B. sylvestris maritima. *Tourn. Inst.* 502.

Icon. *Fl. Græc.* *t.* 254.

In Ponti Euxini et insulæ Zacynthi littoribus
cœnosis. ♀.

SALSOLA.

G. Pl. 122. *Juss.* 85. *Gærtn. t.* 75.

591. *S. Kali. Sp. Pl.* 322.

Kali spinosum, foliis crassioribus et brevioribus. *Tourn. Inst.* 247.

Icon. *Engl. Bot. t.* 634.

In arenosis maritimis Græciæ frequens. ☉.

592. *S. Tragus. Sp. Pl.* 322.

Kali spinosum, foliis longioribus et angustioribus. *Tourn. Inst.* 247.

Icon. *Lob. Ic.* 797. *f.* 2.

In arenosis maritimis insularum Græcarum frequens. ☉.

593. *S. rosacea. Sp. Pl.* 323.

Icon. *Cavan. Ic. t.* 286.

In Ponti Euxini arenosis maritimis circa *Fanar.* ☉.

594. *S. hirsuta. Sp. Pl.* 323.

Icon. *Bauh. Hist. v.* 3. 702.

In insulæ Cypri maritimis. ☉.

595. *S. salsa. Sp. Pl.* 324.

Icon. *Jacq. Hort. Vind. v.* 3. *t.* 83.

In maritimis prope Athenas. ☉.

596. *S. fruticosa*. *Sp. Pl.* 324.

Icon. *Fl. Græc. t.* 255.

In maritimis prope Athenas. η .

ANABASIS.

G. Pl. 122. *Juss.* 84. *Gærtn. t.* 77.

597. *A. aphylla*. *Sp. Pl.* 325.

Icon. *Buxb. Cent. 1. t.* 18.

In Asiâ minori, haud longè a Thyatirâ, hodiè
Akhissar, borealem versùs. η .

CRESSA.

G. Pl. 122. *Juss.* 134.

598. *C. cretica*. *Sp. Pl.* 325.

Quamoclit minima humifusa palustris, hernia-
riæ folio. *Tourn. Cor.* 4.

Icon. *Fl. Græc. t.* 256.

In littoribus salsis Archipelagi frequens. $\odot$?

ULMUS.

G. Pl. 123. *Juss.* 408. *Gærtn. t.* 49.

599. *U. campestris*. *Sp. Pl.* 327. *Tourn. Inst.* 601.

Πτελεα *Diosc.*

Φτελιά ἡ βευσὸς hodiè.

Icon. *Woodv. Med. Bot. t.* 197.

In sepibus Cretæ, et per totam ferè Græciam. η .

600. U? *Abelicea*, foliis ellipticis æqualitèr serratis basi inæqualibus subtùs tomentosis discoloribus, fructu inflato gibbo.

Abelicea di Candia. *Pon. Bald.* 112.

Pseudosantalum Creticum. *Bauh. Pin.* 393.

Icon. *Pon. Bald.* 112.

In Cretâ, ut ex herbario videtur, legit Sibthorp. η .
Arbor a botanicis systematicis prorsùs neglecta, cujus proculdubiò congener est *Ulmus nemoralis*, *Ait. Hort. Kew.* v. 1. 320, quæ *Rhamnus carpinifolius*, *Pall. Ross.* v. 1. t. 60; at character genericus, ab Ulmo forsitan alienus, adhuc in obscuris latet.

CELTIS.

G. Pl. 539. *Juss.* 408. *Gærtn. t.* 77.

601. *C. australis.* *Sp. Pl.* 1478.

C. fructu nigricante. *Tourn. Inst.* 612.

Λωτος δένδρον *Diosc.*

Γλυκοκόκκα, ἡ Μικροκέκλι hodiè; hinc nomen gallicum *Microcouli.* *Sibth.*

Κεράδα *Zacynth.*

Κρετζίδια *Lacon.*

Icon. *Camer. Epit.* 155.

In Græciâ frequens. In Zacyntho et Cretâ insulis, et circa Byzantium. η .

CUSCUTA.

G. Pl. 66. *Juss.* 135. *Gærtn. t.* 62.

602. *C. Epithymum.* *Syst. Veg. ed.* 13. 140.
Fl. Brit. 283.

C. minor. *Tourn. Inst.* 652.

Επιθυμον *Diosc.*

Τῆς ἀλεπῆ τοῦ μεταξὺ hodiè.

Icon. Engl. Bot. t. 55. *C. europæa.*

Parasitica in variis plantis, per insulas Græcas,
et in monte Olympe Bithyno, invenitur. 4 ?

603. *C. monogyna*, floribus monogynis, stigmate
obtusio, corollâ fauce nudâ.

C. monogyna. *Willd. Sp. Pl.* 703. *Vahl. Symb.*
v. 2. 32.

C. orientalis, viticulis crassissimis, convolvuli
fructu. *Tourn. Cor.* 45. *Herb. Tourn.*

Icon. Fl. Græc. t. 257.

Parasitica in Tamarice gallicâ, ad ripas fluvii
inter Smyrnam et Bursam. 4 .

GENTIANA.

G. Pl. 126. *Juss.* 141. *Gærtn. t.* 114.

604. *G. asclepiadea.* *Sp. Pl.* 329.

G. asclepiadis folio. *Tourn. Inst.* 80.

Icon. Jacq. Austr. t. 328.

In Olympi Bithyni sylvis umbrosis. 4 .

605. *G. verna*. *Sp. Pl.* 331.

G. alpina pumila verna major. *Tourn. Inst.* 80.

Icon. *Engl. Bot. t.* 493.

In Olympi Bithyni cacumine. 4.

606. *G. Amarella*. *Sp. Pl.* 334.

G. pratensis, flore lanuginoso. *Tourn. Inst.* 81.

Icon. *Engl. Bot. t.* 236.

In herbidis montis Olympi Bithyni. ☉.

ERYNGIUM.

G. Pl. 127. *Juss.* 226. *Gærtn. t.* 20.

607. *E. maritimum*. *Sp. Pl.* 337. *Tourn. Inst.* 327.

Icon. *Engl. Bot. t.* 718.

In arenosis maritimis insularum Græcarum frequens. 4.

608. *E. tricuspidatum*. *Sp. Pl.* 337.

E. capitulis psyllii. *Tourn. Inst.* 327.

Παπαδίτζα *Messan.*

Icon. *Bocc. Sic. t.* 47.

In Peloponneso ; etiam in campo Trojano. 4.

609. *E. campestre*. *Sp. Pl.* 337.

E. vulgare. *Tourn. Inst.* 327.

Ηρυγγιον *Diosc.*

Αγγαβία *hodiè.*

Φιδάγγαθον *Lacon.*

Icon. *Jacq. Austr. t. 155.*

In vineis Græciæ et Archipelagi, vulgaris. 4.

610. *E. cyaneum*, foliis radicalibus quinquepartitis pinnatifidis, caule ramosissimo divaricato, involucris subpentaphyllis.

Σφαλᾶγγαθος *Zacynth.*

Icon. *Fl. Græc. t. 258.*

In provinciis et insulis Græcis haud infrequens. 4.

611. *E. multifidum*, foliis bipinnatifidis sublyratis apice radiatis, caule corymboso, involucris pinnatifidis.

E. creticum erectum, folio multifido, caule et ramis amethystinis. *Tourn. Cor. 23 ?*

Icon. *Fl. Græc. t. 259.*

In Peloponneso. 4.

612. *E. parviflorum*, foliis bipinnatifidis, caule corymboso, involucris trifidis simplicibusve capitulo quadruplò longioribus.

E. foliis laciniatis, capitulis florum exiguis et densè congestis. *Tourn. Cor. 23. Ex descr.*

Icon *nulla.*

In herbario Sibthorpiano, sine loco memorato. 4.

Herba albida. Caulis densè foliosus, apice multiflorus. *Folia* bi- vel tri-pinnatifida, laciniis

angustatis, divaricatis. *Florum* capitula exigua, involucris magnis, subpentaphyllis, integris trifidisve.

HYDROCOTYLE.

G. Pl. 127. *Juss.* 226. *Gærtn. t.* 22.

613. *H. vulgaris. Sp. Pl.* 338. *Tourn. Inst.* 328.

Icon. Curt. Lond. fasc. 6. *t.* 19.

In Cretæ et Zacynthi Paludibus. γ .

SANICULA.

G. Pl. 128. *Juss.* 225. *Gærtn. t.* 20.

614. *S. europæa. Sp. Pl.* 339.

S. officinarum. Tourn. Inst. 326.

Icon. Engl. Bot. t. 98.

In monte Athone. γ .

BUPLEURUM.

G. Pl. 129. *Juss.* 224. *Gærtn. t.* 22.

* *Herbacea.*

615. *B. rotundifolium. Sp. Pl.* 340.

B. perfoliatum rotundifolium annuum. Tourn. Inst. 310.

Icon. Engl. Bot. t. 99.

In insulæ Cypri arvis, et in agro Argolico et Byzantino. $\odot$.

616. *B. odontites*. *Sp. Pl.* 342.

B. annuum minimum angustifolium. *Tourn.*
Inst. 310.

Icon. *Jacq. Hort. Vind.* v. 3. t. 91.

In insulæ Cypri arvis. ☉.

617. *B. nodiflorum*, involucellis pentaphyllis
ovatis acuminatis trinervibus, umbellis late-
ralibus sessilibus, caule dichotomo.

Icon. *Fl. Græc.* t. 260.

In arvis insulæ Cypri cum præcedente. ☉.

618. *B. glumaceum*, involucellis pentaphyllis el-
lipticis acuminatis trinervibus margine mem-
branaceis, umbellis terminalibus, caule pa-
niculato.

Βαλοκμικὸν *Zacynth.*

Icon *nulla*.

In insulâ Cypro cum præcedentibus, et in Za-
cyntho. ☉.

Caulis pedalis aut sesquipedalis, erectus, panicu-
latus, ramosissimus, gracilis, lævis. *Folia* li-
neari-lanceolata; superiora subulata. *Umbel-
læ* multifloræ, radiis longitudine inæqualibus.
Involucra pentaphylla, lanceolata, angustata,
acuminata. *Involucella* breviora et latiora, mar-
gine dilatato, scarioso, albo.

619. *B. semicompositum*. *Sp. Pl.* 342.

Icon. *Fl. Græc.* t. 261.

In insulâ Cypro. ☉.

620. *B. ranunculoides*. *Sp. Pl.* 342.

B. montanum gramineo folio. *Tourn. Inst.* 310.

Icon. *Bauh. Hist.* v. 3. 299. f. 2 ?

In Olympi Bithyni cacumine. ☿.

Species haud benè definita.

621. *B. tenuissimum*. *Sp. Pl.* 343.

B. angustissimo folio. *Tourn. Inst.* 310.

Icon. *Engl. Bot.* t. 478.

In maritimis insulæ Sami, inter Juncos. ☉.

622. *B. Gerardi*. *Syst. Veg. ed.* 14. 274.

B. n. 7. Gerard. Gallopr. 233. t. 9. Ex ipso auctore habui.

Icon. *Fl. Græc.* t. 262.

Ad viam inter Smyrnam et Bursam frequens. ☉.

623. *B. junceum*. *Sp. Pl.* 343.

B. annuum angustifolium. *Tourn. Inst.* 310.

Icon. *Dod. Pempt.* 633. f. 1.

Inter Smyrnam et Bursam cum priore. ☉.

Caulis sesquipedalis, nec sexpedalis. *Involucri* foliola numero maximè varia.

** *Frutescentia.*

624. *B. fruticosum.* *Sp. Pl.* 343.

B. arborescens, salicis folio. *Tourn. Inst.* 310.

ΣΕΣΕΛΙ ΑΙΘΙΟΠΙΚΟΝ *Diosc.*

Icon. *Fl. Græc. t.* 263.

In Thessaliæ maritimis. η .

625. *B. Sibthorpium, suffrutescens, foliis linearibus margine lævissimis, involucris involucellis lanceolatis.*

Icon. *Fl. Græc. t.* 264.

In Peloponneso. η .

ECHINOPHORA.

G. Pl. 129. *Juss.* 225.

626. *E. spinosa.* *Sp. Pl.* 344.

E. maritima spinosa. *Tourn. Inst.* 656.

Icon. *Fl. Græc. t.* 265.

Ad viam inter Smyrnam et Bursam, et in Peloponneso. χ .

627. *E. tenuifolia.* *Sp. Pl.* 344.

E. pastinacæ folio. *Tourn. Inst.* 656.

ΣΕΣΕΛΙ ΜΑΣΣΕΥΛΕΩΤΙΚΟΝ *Diosc. ? Sibth.*

Icon. *Fl. Græc. t.* 266.

In Peloponneso copiosè; etiam ad viam inter Smyrnam et Bursam. χ .

HASSELQUISTIA.

G. Pl. 135. *Juss.* 224. *Gærtn. t.* 21.

628. *H. ægyptiaca. Sp. Pl.* 255.

Καυκαλῖς Diosc. ? Sib:h.

Icon. Jacq. Hort. Vind. v. 1. t. 87.

In Græciâ, ex herbario Sibthorpiano, at locus specialis non memoratur. ☉.

TORDYLIUM.

G. Pl. 130. *Juss.* 224. *Gærtn. t.* 21.

629. *T. syriacum. Sp. Pl.* 345.

T. minus, limbo granulato, syriacum. Tourn. Inst. 320.

Icon. Jacq. Hort. Vind. v. 1. t. 54.

In Cariâ. ☉.

630. *T. officinale. Sp. Pl.* 345.

T. narbonense minus. Tourn. Inst. 320.

Τορδυλίον Diosc. ? Sibth.

Καυκαλίδα hodiè.

Icon. Fl. Græc. t. 267.

In regione et insulis Græcis; etiam in Asiâ minori. ☉.

631. *T. apulum. Sp. Pl.* 345.

T. apulum minimum. Tourn. Inst. 320.

Icon. Column. Ecphr. 124. *f.* 1.

In regione et insulis Græcis. ☉.

632. *T. maximum.* *Sp. Pl.* 345. *Tourn. Inst.* 320.

Icon. *Jacq. Austr. t.* 142.

In campis circa Messenam, et in agro Byzantino. ☉.

633. *T. peregrinum.* *Mant.* 55.

T. lusitanicum, cicutæ folio, semine striato.

Tourn. Inst. 320.

Conium dichotomum. *Desfont. Atlant. v.* 1.

246. *t.* 66.

Icon. *Camer. Hort. t.* 11. opt.

In Cariâ. ☉.

CAUCALIS.

G. Pl. 130. *Juss.* 224. *Gærtn. t.* 20.

634. *C. grandiflora.* *Sp. Pl.* 346.

C. arvensis echinata magno flore. *Tourn. Inst.*

323.

Ἀγριοκαυκαλίδας hodiè.

Icon. *Jacq. Austr. t.* 54.

In arvis Græciæ. ☉.

635. *C. daucoides.* *Sp. Pl.* 346.

C. dauci sylvestris folio, echinato magno fructu. *Tourn. Inst.* 323.

Βελόνι hodiè.

Icon. *Jacq. Austr. t.* 157.

In arvis Græciæ haud rara, et circa Byzantium. ☉.

636. *C. latifolia*. *Syst. Veg. ed.* 12. 205.

C. arvensis echinata latifolia. *Tourn. Inst.* 323.

Icon. *Jacq. Hort. Vind. t.* 128.

In insulæ Cypri arvis. ☉.

637. *C. pumila*. *Willd. Sp. Pl. v.* 1. 1385. *Vahl.*

Symb. v. 2. 47.

C. pumila maritima. *Tourn. Inst.* 323.

Daucus muricatus β. *Sp. Pl.* 349.

Icon. *Gerard. Gallopr. t.* 10.

In arenosis maritimis insulæ Cimoli. ☉.

638. *C. leptophylla*. *Sp. Pl.* 347.

C. arvensis echinata, parvo flore et fructu.

Tourn. Inst. 323.

Icon. *Jacq. Hort. Vind. v.* 2. *t.* 195. *C. humilis*.

In agro Argolico, et in sylvis ad pagum *Belgrad*
prope Byzantium. ☉.

639. *C. Anthriscus*. *Willd. Sp. Pl. v.* 1. 1388.

Fl. Brit. 298.

Tordylium Anthriscus. *Sp. Pl.* 346.

Daucus annuus minor, floribus rubentibus.

Tourn. Inst. 308.

Icon. *Jacq. Austr. t.* 261. *Tordylium Anthriscus*.

In agro Messeniaco et Byzantino, ad sepes. ☉.

640. *C. nodosa*. Willd. *Sp. Pl.* v. 1. 1388. *Fl. Brit.* 299.

Tordylium nodosum. *Sp. Pl.* 346.

Daucus annuus, ad nodos floridus. *Tourn. Inst.* 308.

Icon. *Jacq. Austr. Append. t.* 24. *Tordylium nodosum*.

In arvis insulæ Cypri, et in agro Peloponnesiaco, et Byzantino. ☉.

ARTEDIA.

G. Pl. 131. *Juss.* 224. *Gærtn. t.* 85.

641. *A. squamata*. *Sp. Pl.* 347.

Thapsia orientalis, anethi folio, semine elegantè crenato. *Tourn. Cor.* 22.

Icon. *Fl. Græc. t.* 268.

In Peloponneso, et ad Limyrum fluvium Lyciæ. ☉.

DAUCUS.

G. Pl. 131. *Juss.* 224. *Gærtn. t.* 20.

642. *D. Carota*. *Sp. Pl.* 348.

D. vulgaris. *Tourn. Inst.* 307.

Σταφυλινος *Diosc.*

Σταφυλόνα *hodiè*.

Icon. *Engl. Bot. t.* 1174.

Ad agrorum margines circa Byzantium. ☉.

643. *D. guttatus*, pilis caulinis patentibus, involucro umbellâ breviori, involucellis membranaceis, flosculis centralibus abortivis discoloribus.

Σταφυλινος αγριος *Diosc. Sibth.*

Icon. *Fl. Græc. t. 269.*

In insulis Græciæ frequens ; etiam in Asiâ minore. ☉.

Involucri foliola integra, trifida, vel pinnatifida.

Flosculi centrales in umbellulis omnibus, ut et tota umbellula centralis, atro-sanguinei et abortivi.

644. *D. bicolor*, pilis patentibus, involucro trifido umbellâ longiore, involucellis hinc membranaceis, umbellulâ centrali discolore.

Icon. *Fl. Græc. t. 270.*

In Asiâ minore. ☉.

Involucri foliola omnia trifida. *Umbella* centralis tota purpurea, fertilis ; reliquæ albæ.

645. *D. involucratus*, pilis patentibus, involucro pinnatifido umbellâ longiore, umbellulis paucifloris uniformibus, involucellis angustatis.

Icon. *Fl. Græc. t. 271.*

In maritimis insulæ Cypri. ☉.

646. *D. littoralis*, pilis caulinis deflexis, involu-
cro subtrifido umbellâ triplò breviorè, invo-
lucellis membranaceis.

Icon. *Fl. Græc. t. 271.*

In insulæ Cypri maritimis. ☉.

647. *D. aureus*, pilis caulinis deflexis, involu-
cro decomposito umbellâ duplò breviorè, invo-
lucellis membranaceis.

D. aureus. Desfont. Atlant. v. 1. 242.

Icon. *Desfont. Atlant. t. 61.*

Ad Limyrum fluvium Lyciæ. ☉.

Præcedentibus major. *Umbella* multiradiata. *Flo-
res* flavi. *Involucra* pinnatifida, angusta, lobis
infimis sæpiùs tripartitis.

A M M I.

G. Pl. 132. Juss. 224. Gærtn. t. 22.

Visnaga. Gærtn. t. 21.

648. *A. majus. Sp. Pl. 349. Tourn. Inst. 304.*

Ασπροκέφαλος hodiè.

Icon. *Fl. Græc. t. 273.*

In vineis et arvis insularum Græcarum ubique. ☉.

649. *A. glaucifolium. Sp. Pl. 349. Villars.*

Dauph. v. 2. 592 ?

A. n. 77. *Guettard. Obs. v. 2. 433 ; synonymis fortè alienis.*

Icon nulla.

In Græciâ e MSS. Sibth. at in herbario desideratur. ☉.

Plantam a Guettardo optimè descriptam, e Lachenalio missam, in herbario Davallii possideo.

Confer Willd. Sp. Pl. v. 1. 1393.

Vix præcedentis varietas.

650. A. Visnaga, foliorum omnium laciniis linearibus integerrimis.

A. Visnaga, Desfont. Atlant. v. 1. 245.

Daucus Visnaga. Sp. Pl. 348. Jacq. Hort. Vind. v. 3. 17.

Visnaga daucoïdes. Gærtn. v. 1. 92. t. 21. f. 12.

Fœniculum annuum, umbellâ contractâ oblongâ. Tburn. Inst. 311.

Icon. Jacq. Hort. Vind. v. 3. t. 26.

In Samo et Lemno insulis copiosissimè. ☉.

BUNIUM.

G. Pl. 132. Juss. 223.

651. B. ferulaceum, involucri submonophyllo, foliis supradecompositis glabris : laciniis linearibus obtusis, fructu ovato-oblongo.

Bulbocastanum creticum, ferulæ folio, semine oblongo. *Tourn. Cor.* 21.

Topana Turc. Nomen a Græcis hodiè usurpatum.

Icon *nulla*.

In insulæ Cypri arvis. γ .

Radix cocta esculenta,

652. **B. pumilum**, involucro submonophyllo, foliis bipinnatis pilosis incisis : laciniis acutis, fructu ovato-oblongo.

Icon. *Fl. Græc. t.* 274.

In monte Parnasso. γ .

CONIUM.

G. Pl. 132.

Cicuta. *Juss.* 223. *Gærtn. t.* 22.

653. **C. maculatum.** *Sp. Pl.* 349.

Cicuta major. *Tourn. Inst.* 306.

Κωνιιον *Diosc.*

Βρομόχορτον *hodiè.*

Icon. *Curt. Lond. fasc.* 1. *t.* 17.

In ruderatis circa Byzantium. In Peloponneso haud infrequens. Copiosissimè inter Athenas et Megaram. δ .

ATHAMANTA.

G. Pl. 133. *Juss.* 223.

Libanotis. Gærtn. t. 21.

654. *A. verticillata*, foliolis multipartitis verticillato-divaricatis glabris, seminibus oblongis nudis.

Icon. Fl. Græc. t. 275.

In monte Parnasso. 4.

655. *A. multiflora*, foliis tripinnatis incisibus obtusiusculis glabris, seminibus ovatis nudis, caule ramosissimo paniculato.

Icon. Fl. Græc. t. 276.

In insulâ Cypro. 4.

656. *A. annua. Sp. Pl.* 353.

Myrrhis annua, semine striato villosa, incana.

Tourn. Inst. 315.

Icon. Fuchs. Hist. 231. *Daucus creticus.*

In insulâ Melo, ad agrorum margines. ☉.

PEUCEDANUM.

G. Pl. 134. *Juss.* 223. *Gærtn. t.* 21.

657. *P. officinale. Sp. Pl.* 353.

P. germanicum. Tourn. Inst. 318.

Icon. *Rivin. Pent. Irr. t. 11.*

In Laconiaë maritimis. *Sibth. MSS. 4.*

658. *P. alsaticum. Sp. Pl. 354.*

Oreoselinum pratense, cicutæ folio. Tourn.

Inst. 318.

Icon. *Jacq. Austr. t. 70.*

In monte Athone. 4.

Involucris foliola latitudine variant.

659. *P. obtusifolium, foliolis pinnatifidis coriaceis: lacinulis oppositis obovatis obtusis.*

Icon. *Fl. Græc. t. 277.*

In Bœotiâ, et ad Ponti Euxini littora. 4.

CRITHMUM.

G. Pl. 134. Juss. 223.

660. *C. maritimum. Sp. Pl. 354.*

C. sive fœniculum maritimum, minus. Tourn.

Inst. 317.

Κριθμον *Diosc.*

Κρήταμον *hodiè.*

Icon. *Jacq. Hort. Vind. v. 2. t. 187.*

In petrosis maritimis Græciæ frequens. 4.

CACHRYS.

G. Pl. 135. *Juss.* 223. *Gærtn. t.* 140.

661. *C. sicula. Sp. Pl.* 355.

C. semine fungoso sulcato aspero, foliis peucedani latiusculis. Tourn. Inst. 325.

Περσανάθηκας *Cypr. hodiè.*

Icon. Fl. Græc. t. 278.

In petrosis Bæotiæ et insulæ Cypri. 4.

FERULA.

G. Pl. 136. *Juss.* 222. *Gærtn. t.* 85.

662. *F. communis. Sp. Pl.* 355.

F. fœmina Plinii. Tourn. Inst. 321.

Ναρθήξ *Diosc.*

Ανάθηκας *Cypr. hodiè.*

Icon. Dod. Pempt. 321. *f.* 1.

In insulâ Cypro vulgatissima. 4.

663. *F. nodiflora. Sp. Pl.* 356.

F. sibirica. Willd. Sp. Pl. v. 1. 1411?

F. minor, ad singulos nodos umbellifera. Tourn. Inst. 321.

Icon. Fl. Græc. t. 279.

In insulâ Cypro. 4.

664. *F. thyrsiflora*, foliolis linearibus simplicibus scabriusculis, ramis floriferis terminalibus aggregatis compositis.

Icon. *Fl. Græc. t.* 280.

In insulæ Cretæ rupibus. *γ*.

665. *F. Ferulago*, foliolis lineari-oblongis planis trifidis, ramis floriferis subternis, bracteis reflexis obtusis.

F. Ferulago. Sp. Pl. 356.

F. nodiflora. Willd. Sp. Pl. v. 1. 1413. *Jacq. Austr. append.* 28.

F. galbanifera. Tourn. Inst. 321.

Icon. *Jacq. Austr. append. t.* 5.

In rupibus insulæ Cretæ. *γ*.

LASERPITIUM.

G. Pl. 136. *Juss.* 222. *Gærtn. t.* 85.

666. *L. aquilegifolium. Willd. Sp. Pl. v. 1.* 1415. *Jacq. Austr. v. 2.* 29.

Icon. *Jacq. Austr. t.* 147.

In Olympi Bithyni sylvis umbrosis. *Sibth. MSS.* *γ*.

667. *L. Siler. Sp. Pl.* 357.

Ligusticum quod Seseli officinarum. Tourn. Inst. 323.

Icon. *Jacq. Austr. t.* 145.

In Delphi, aliisque elatioribus Græciæ montibus. $\mathcal{U}$.

Semina non minùs quam in reliquis Laserpitii speciebus alata, gustu valdè amara.

HERACLEUM.

G. Pl. 137. *Juss.* 222.

Sphondylium. Gærtn. t. 21.

668. *H. Sphondylium. Sp. Pl.* 358.

Sphondylium vulgare hirsutum. Tourn. Inst.
320.

Σφονδυλιον Diosc.

Icon. Engl. Bot. t. 939.

Prope Patras, Peloponnesi, locis humidis, et in monte Athone. ♂.

669. *H. tomentosum*, foliis supradecompositis tomentosis incisis: laciniis lanceolatis acutis, umbellâ multiradiatâ.

Icon. Fl. Græc. t. 281.

In Græciâ ex herb. Sibth. at locus non memoratur. $\mathcal{U}$?

670. *H. aureum*, foliis pinnatis lobatis incisis pubescentibus; radicalibus rotundatis, umbellâ subtriradiatâ, caule ramosissimo.

Icon. *Fl. Græc. t.* 282.

In monte Parnasso. ♂.

671. *H. humile*, foliis subbipinnatis incisis pubescentibus, caule simpliciusculo, seminibus superne quadrilineatis.

Icon *nulla*.

In monte Olympo Bithyno. ♀.

Radix longissima. *Caulis* vix spithamæus. *Umbellæ* radii 4—7. *Flores* albidii. *Semina* pallida, glabriuscula, lineis 4 oblongis, rubris, ex apice ad medium usque pulcherrimè picta.

LIGUSTICUM.

G. Pl. 137. *Juss.* 222. *Gærtn. t.* 85.

672. *L. cornubiense*. *Sp. Pl.* 359. *Fl. Brit.* 310.

L. alterum belgarum. *Lob. Ic.* 786.

Smyrnum lusitanicum minus, apii foliis. *Tourn. Inst.* 316.

Icon. *Sm. Ic. Pict. t.* 11.

In monte Athone. ♀.

Ab hac vix differt *Danaa aquilegifolia*, *Allion.*

Ped. v. 2. 34. *t.* 63, ab ipso auctore missa.

ANGELICA.

G. Pl. 138. *Juss.* 222. *Gærtn. t.* 85.

673. *A. sylvestris*. *Sp. Pl.* 361.

Imperatoria pratensis major. Tourn. Inst. 317.

Σεσελι πελοποννησιακον Diosc. ? Sibth.

Icon. Engl. Bot. t. 1128.

**In Peloponneso copiosè. In Olympo Bithyno et
Athone montibus. 4.**

S I U M.

G. Pl. 138. Juss. 222. Gærtn. t. 23.

674. *S. angustifolium. Sp. Pl. 1672.*

*S. sive apium palustre, foliis oblongis. Tourn.
Inst. 308.*

Icon. Jacq. Austr. t. 67.

In aquosis agri Eliensis. 4.

675. *S. nodiflorum. Sp. Pl. 361.*

S. aquaticum ad alas floridum. Tourn. Inst. 308.

Σιον Diosc. Sibth.

Νεροσέλιον hodiè.

Icon. Engl. Bot. t. 639.

In aquis per totam Græciam frequens. 4.

676. *S. Falcaria. Sp. Pl. 362.*

Ammi perenne. Tourn. Inst. 305.

Icon. Jacq. Austr. t. 257.

**In campestribus inter Smyrnam et Bursam, et in
agro Messeniaco. 4.**

S I S O N.

G. Pl. 139. *Juss.* 221.

677. *S. Amomum.* *Sp. Pl.* 362.

Sium aromaticum, *Sison officinarum.* *Tourn. Inst.* 308.

Icon. *Jacq. Hort. Vind. v. 3. t. 17.*

In umbrosis humidis ad montem Olympum Bithynum, et circa Bursam. ☉.

ŒNANTHE.

G. Pl. 140. *Juss.* 221. *Gærtn. t. 22.*

678. *Œ. fistulosa.* *Sp. Pl.* 365.

Œ. aquatica. *Tourn. Inst.* 313.

Icon. *Engl. Bot. t. 363.*

In paludibus circa Byzantium. ♀.

679. *Œ. prolifera.* *Sp. Pl.* 365.

Œ. prolifera apula. *Tourn. Inst.* 313.

Icon. *Jacq. Hort. Vind. v. 3. t. 62.*

In paludibus Lyciæ prope Myram. ♀.

680. *Œ. pimpinelloides.* *Sp. Pl.* 366.

Œ. apii folio. *Tourn. Inst.* 312.

Σγαπάντζι hodiè.

Icon. *Jacq. Austr. t. 394.*

In paludibus Lyciæ cum præcedente, etiam in agro Eliensi, et circa pagum *Belgrad* ad Bosphorum. 4.

681. *Æ. peucedanifolia*. *Pollich. Palat. v. 1. 289.*

t. 3. Willd. Sp. Pl. v. 1. 1442.

Icon. *Engl. Bot. t. 348.*

In paludibus agri Eliensis. 4.

CORIANDRUM.

G. Pl. 142. Juss. 220. Gærtn. t. 22.

682. *C. sativum*. *Sp. Pl. 367.*

C. majus. Tourn. Inst. 316.

Κοριον, η κοριαννον *Diosc.*

Κορίανδρον, η κοινσ-εραξ hodiè.

Icon. *Fl. Græc. t. 283.*

Inter segetes Peloponnesi, et insulæ Cypri. ☉.

683. *C. testiculatum*. *Sp. Pl. 367.*

C. minus, testiculatum. Tourn. Inst. 316.

Icon. *Lob. Ic. 706. f. 1.*

In arvis circa Byzantium. ☉.

SCANDIX.

G. Pl. 142. Juss. 220. Gærtn. t. 85.

Myrrhis. *Gærtn. t. 23.*

684. *S. odorata*. *Sp. Pl. 368.*

Myrrhis major, vel *Cicutaria odorata*. *Tourn. Inst.* 315.

Icon. *Jacq. Austr. append. t.* 37.

In sylvis umbrosis Asiæ minoris. 4.

685. *S. latifolia*, seminibus ellipticis hispidis, foliis biternatis ovatis incis; vaginis cauleque glabris.

Cachrys cretica. *Lamarck. Encycl. v.* 1. 259.
Willd. Sp. Pl. v. 1. 1410.

C. cretica, angelicæ folio, asphodeli radice.
Tourn. Cor. 23.

Icon. *Fl. Græc. t.* 284.

In insulâ Cypri, etiam in Græciâ, locis, ni fallor, palustribus. 4.

686. *S. Pecten Veneris*. *Sp. Pl.* 368.

S. semine rostrato vulgaris, *Tourn. Inst.* 326.

Σκινδιξ *Diosc.*

Σανδύκι *hodiè*.

Icon. *Curt. Lond. fasc.* 5. *t.* 21.

In arvis Græciæ et insulæ Cypri, tum in agro Byzantino. ☉.

687. *S. australis*. *Sp. Pl.* 369.

S. cretica minor. *Tourn. Inst.* 326.

Icon. *Fl. Græc. t.* 285.

In arvis Græciæ, Cariæ, et insulæ Cypri. ☉.
Longitudine pedunculorum variat.

688. *S. Anthriscus*. *Sp. Pl.* 368.

Chærophyllum sylvestre, seminibus brevibus
hirsutis. *Tourn. Inst.* 314.

Icon. *Curt. Lond. fasc. 1. t. 19.*

In agro Eliensi, et insulâ Cypri. ☉.

CHÆROPHYLLUM.

G. Pl. 143. *Juss.* 220.

Myrrhis. *Gærtn. t.* 23.

689. *Ch. sylvestre*. *Sp. Pl.* 369.

Ch. sylvestre perenne, cicutæ folio. *Tourn.*
Inst. 314.

Icon. *Curt. Lond. fasc. 4. t. 24.*

In Laconiâ. ۷.

690. *Ch. hirsutum*. *Sp. Pl.* 371.

Myrrhis palustris latifolia rubra. *Tourn. Inst.*
315.

Icon. *Jacq. Austr. t.* 148.

In Laconiâ. *Sibth. MSS.* ۷.

691. *Ch. aromaticum*. *Sp. Pl.* 371.

Icon. *Jacq. Austr. t.* 150.

In Olympi Bithyni umbrosis. ۷.

IMPERATORIA.

G. Pl. 143. *Juss.* 220. *Gærtn. t.* 21.

692. *I. Ostruthium. Sp. Pl.* 371.

I. major. Tourn. Inst. 317.

Icon. Engl. Bot. t. 1380. .

In insulæ Cypri ruderatis. Sibth. MSS. 4.

SESELI.

G. Pl. 143. *Juss.* 220.

693. *S. pimpinelloides. Sp. Pl.* 372.

Icon nulla.

Ad Limyrum fluvium Lyciæ, et in Græciâ. Sibth. MSS. 4.

694. *S. glaucum. Sp. Pl.* 372.

Fœniculum sylvestre glauco folio. Tourn. Inst. 311.

Icon. Jacq. Austr. t. 144.

In collibus circa Byzantium. 4.

695. *S. annuum. Sp. Pl.* 373.

Icon. Jacq. Austr. t. 55.

In insulæ Cypri montibus. Sibth. MSS. ☉.

696. *S. ammoides. Sp. Pl.* 373.

Fœniculum lusitanicum minimum acre. Tourn. Inst. 312.

Icon. *Jacq. Hort. Vind. v. 1. t. 52.*

In arvis Græciæ. ☉.

697. *S. tortuosum. Sp. Pl. 373.*

Fœniculum tortuosum. Tourn. Inst. 311.

Icon. *Bauh. Hist. v. 3. 16. f. 1.*

In monte Hymetto prope Athenas? ♀.

698. *S. junceum*, caule ramosissimo divaricato,
petiolis caulinis brevissimis patulis, umbel-
lulis solitariis paucifloris.

Icon *nulla*.

In herbario Græco Sibthorpiano, sine nomine aut
loco. ♀.

Planta spithamæa, rigida, glabra, subglaucæ. *Fo-
lia* radicalia biternata, foliolis carinatis trifur-
cis; caulina exigua. *Umbellulæ* parvæ, albæ.

699. *S. cæspitosum*, caule simplici nudiusculo,
foliis radicalibus cæspitosis planis pinnatis
incisis: foliolo terminali trifido decurrente.

Icon *nulla*.

In Olympi Bithyni cacumine. ♀.

Radix crassa, multiceps. *Caules* palmares aut spi-
thamæi, simplices, (vix unquam divisi,) erec-
ti, stricti, monophylli, læves. *Folia* radicalia
densè cæspitosa, glabra, rigida, magnitudine
varia. *Petioli* caulini margine membranacei.

Umbella subquinquefida. *Fructus* cylindraceus, obsoletè striatus, glaber.

THAPSIA.

G. Pl. 144. *Juss.* 220. *Gærtn. t.* 21.

700. *Th. villosa. Sp. Pl.* 375.

Th. latifolia villosa. Tourn. Inst. 322.

Ὅμοιοπλευρόν *hodiè.*

Icon. Clus. Hist. v. 2. 192.

In Patmo et Cypri insulis, ad campos. 4.

701. *Th. foetida. Sp. Pl.* 375.

Πολύκαρπος *Zacynth.*

Icon. Lob. Ic. 780.

In Zacynthi et Cypri campestribus. 4.

702. *Th. Ascleptum. Sp. Pl.* 375.

Th. tenuiore folio, apula. Tourn. Inst. 322.

Αγλήγορα *hodiè.*

Icon. Fl. Græc. t. 286.

In agro Eliensi, in insulâ Rhodo, et prope Byzantium. 4.

703. *Th. garganica. Mant.* 57.

Th. sive Turbith garganicum, semine latissimo. Tourn. Inst. 322.

Θαψία *Diosc.*

Πολύκαρπος *Zacynth.*

Icon. *Fl. Græc. t.* 287.

In Græciæ provinciis et insulis frequens. γ .

PASTINACA.

G. Pl. 144. *Juss.* 219. *Gærtn. t.* 21.

704. *P. sativa. Sp. Pl.* 376.

P. sylvestris latifolia. Tourn. Inst. 319.

Ελαφοβοσκον *Diosc.*

Icon. *Engl. Bot. t.* 556.

Ad agrorum margines in insulis Archipelagi ;
etiam in Peloponneso. δ .

705. *P. Opopanax. Sp. Pl.* 376.

P. sylvestris altissima. Tourn. Inst. 319.

Laserpitium Chironium. Sp. Pl. 358.

Πολύκαρπον, ἡ ἀμπελόνα *hodiè*.

Icon. *Fl. Græc. t.* 288.

In Peloponneso, Achaiâ et Bæotiâ copiosè. γ .

SMYRNIUM.

G. Pl. 144. *Juss.* 219. *Gærtn. t.* 22.

706. *S. perfoliatum. Sp. Pl.* 376.

S. peregrinum rotundo folio. Tourn. Inst. 316.

Σμυρνιον *Diosc.*

Icon. *Fl. Græc. t.* 289.

In montosis Græciæ, tum in Cretâ et Cypro in-
sulis, vulgaris. δ

707. *S. Olusatrum*. *Sp. Pl.* 376.

S. Matthioli. *Tourn. Inst.* 316.

Ἰπποσελίον *Diosc.*

Αγριοσέλιον *hodiè.*

Icon. Engl. Bot. t. 230.

In Cariæ littore, in insulâ Cypro, et in Peloponneso. ♂.

ANETHUM.

G. Pl. 145. *Juss.* 219.

Fœniculum. *Gærtn.* t. 23.

708. *A. graveolens*. *Sp. Pl.* 377.

A. hortense. *Tourn. Inst.* 318.

Ανηθον *Diosc.*

Icon. Lob. Ic. 776.

In Græciâ, tam sylvestris quam culta. ☉.

709. *A. segetum*. *Mant.* 219.

Fœniculum lusitanicum minus annuum, anethi
odore. *Tourn. Inst.* 312.

Icon. Jacq. Hort. Vind. t. 132.

In campestribus inter Smyrnam et Bursam. *Sibth.*
MSS. ☉.

710. *A. Fœniculum*. *Sp. Pl.* 377.

Fœniculum vulgare minus, acriori et nigriori
semine. *Tourn. Inst.* 311.

Μαραθρον Diosc.

Αγριομάλαθρον hodiè.

Icon. Engl. Bot. t. 1208.

Inter segetes Græciæ copiosè. ☉.

PIMPINELLA.

G. Pl. 145. Juss. 219.

Anisum. Gærtn. t. 23.

711. *P. Anisum. Sp. Pl. 379.*

Apium Anisum dictum, semine suaveolente.

Tourn. Inst. 305.

Ανισον Diosc.

Icon. Matth. Valgr. v. 2. 113.

In arvis Græciæ. ☉.

712. *P. dioica. Syst. Veg. ed. 13. 241. Mant. 357.*

Seseli pumilum. Sp. Pl. 373.

Fœniculum minimum patulum. Tourn. Inst. 312.

Icon. Jacq. Austr. t. 28. P. pumila.

In Athonis et Olympi Bithyni cacuminibus. ♀.

APIUM.

G. Pl. 146. Juss. 219. Gærtn. t. 22.

713. *A. Petroselinum. Sp. Pl. 379.*

A. hortense, seu *Petroselinum* vulgò. *Tourn. Inst.* 305.

Ορεοσελινον *Diosc.* ?

Μυροδια̃ *hodiè*.

Icon. *Dod. Pempt.* 694.

In monte Athone, aliisque Græciæ locis asperis declivis. ♂.

714. **A. graveolens.** *Sp. Pl.* 379.

A. palustre et **A. officinarum.** *Tourn. Inst.* 305.

Ελεοσελινον *Diosc.*

Αγριοσέλινον *hodiè*.

Icon. *Engl. Bot. t.* 1210.

In aquosis Græciæ non rara. ♂.

ÆGOPODIUM.

G. Pl. 146. *Juss.* 219. *Gærtn. t.* 140.

715. **Æ. Podagraria.** *Sp. Pl.* 379.

Angelica sylvestris minor, sive *erratica.* *Tourn. Inst.* 313.

Icon. *Engl. Bot. t.* 940.

In Laconiâ. ♀.

III. Trigynia.

RHUS.

G. Pl. 146. *Juss.* 369. *Gærtn. t.* 44.

716. *R. Coriaria. Sp. Pl.* 379.

R. folio ulmi. Tourn. Inst. 611.

Ῥους *Diosc.*

Sumach *Turc.*

Icon. *Fl. Græc. t.* 290.

Ad viam inter Smyrnam et Bursam ; tum in monte
Athone et circa Byzantium. η .

717. *R. Cotinus. Sp. Pl.* 383.

Cotinus coriaria. Tourn. Inst. 610.

Χρυσόξυλον hodiè.

Icon. *Jacq. Austr. t.* 210.

In Laconia et Attica montibus. η .

Lignum lanas tingit colore pulcherrimo, saturatè aureo, et Athenis multùm hodiè in usu est.
Sibth.

VIBURNUM.

G. Pl. 147. *Juss.* 213. *Gærtn. t.* 27.

718. *V. Lantana. Sp. Pl.* 384.

Viburnum. Tourn. Inst. 607.

Κλεμαξίδα *hodiè.*

Icon. *Jacq. Austr. t.* 341.

In Peloponneso. η .

719. *V. Opulus. Sp. Pl.* 384.

Opulus Ruellii. Tourn. Inst. 607.

Icon. *Engl. Bot. t.* 332.

In agro Byzantino. η .

SAMBUCUS.

G. Pl. 147. *Juss.* 214. *Gærtn. t.* 27.

720. *S. Ebulus. Sp. Pl.* 385.

S. humilis, sive Ebulus. Tourn. Inst. 606.

Χαμαιακτη *Diosc.*

Βουζιά *hodiè.*

Icon. *Curt. Lond. fasc.* 3. *t.* 18.

In sepibus et dumetis montosis Græciæ vulgaris. υ .

721. *S. nigra. Sp. Pl.* 385.

S. fructu in umbellâ nigro. Tourn. Inst. 606.

Ακτη *Diosc.*

Κουφοξυλιά *hodiè.*

Icon. *Engl. Bot. t.* 476.

In nemorosis et sepibus Græciæ frequens. η .

208 PENTANDRIA—TRIGYNIA.

722. *S. racemosa*. *Sp. Pl.* 386.

S. racemosa rubra. *Tourn. Inst.* 606.

Ανδράνος *hodiè*.

Icon. Jacq. Ic. Rar. v. 1. t. 59.

In Arcadiæ montibus. *h*.

STAPHYLEA.

G. Pl. 148. *Juss.* 377. *Gærtn. t.* 69.

723. *S. pinnata*. *Sp. Pl.* 386.

Staphylodendron. Tourn. Inst. 616.

Icon. Engl. Bot. t. 1560.

Ad sepes inter Smyrnam et Bursam. *h*.

TAMARIX.

G. Pl. 148. *Juss.* 313. *Gærtn. t.* 61.

724. *T. gallica*. *Sp. Pl.* 386.

Tamariscus narbonensis. Tourn. Inst. 661.

Μυρίκη *Diosc.*

Μυστιμα, ἡ ἀρμυρίκη *hodiè*.

Il Ghin *Turc.*

Icon. Fl. Græc. t. 291.

In humidiusculis Græciæ copiosè. *h*.

CORRIGIOLA.

G. Pl. 149. *Juss.* 313. *Gærtn. t.* 75.

725. *C. littoralis. Sp. Pl.* 388.

Icon. Fl. Græc. t. 292.

Circa Byzantium. ☉.

ALSINE.

G. Pl. 150. *Juss.* 300. *Gærtn. t.* 129.

726. *A. mucronata. Sp. Pl.* 389.

Icon. Fl. Græc. t. 293.

In Asiâ minore. ☉.

727. *A. segetalis. Sp. Pl.* 390.

Icon. Vaill. Paris. t. 3. *f.* 3.

In agro Byzantino. ☉.

DRYPIS.

G. Pl. 150. *Juss.* 303. *Gærtn. t.* 128.

728. *D. spinosa. Sp. Pl.* 390.

Icon. Jacq. Hort. Vind. v. 1. *t.* 49.

In monte Parnasso. ♂.

IV. Tetragynia.

PARNASSIA.

G. Pl. 151. *Juss.* 245. *Gærtn. t.* 60.

729. *P. palustris.* *Sp. Pl.* 391.

P. palustris et vulgaris. *Tourn. Inst.* 246.

Icon. Engl. Bot. t. 82.

In Olympi Bithyni uliginosis. 4.

V. Pentagynia.

STATICE.

G. Pl. 153. *Juss.* 92. *Gærtn. t.* 44.

730. *S. Armeria.* *Sp. Pl.* 394.

S. montana minor. *Tourn. Inst.* 341.

Χολαξροχόρον *Lacon.*

Icon. Engl. Bot. t. 226.

In monte Hymetto prope Athenas, et in Laconia
montibus. 4.

731. *S. alliacea*, scapo simplici capitato, foliis lineari-lanceolatis subtrinervibus, aristis calycinis rigidis scabris.

S. alliacea. *Cavan. Ic. t. 109. Willd. Sp. Pl. v. 1. 1523.*

Icon. *Fl. Græc. t. 294.*

In Athone et Hymetto montibus. *γ.*

Latitudine foliorum variat. *Flores albi.*

732. *S. Limonium*. *Sp. Pl. 394.*

Limonium maritimum majus. Tourn. Inst. 341.

Θάλασσωγαμβρός Zacynth.

Icon. *Engl. Bot. t. 102.*

In paludosis maritimis Græciæ ubique vulgaris. *γ.*

733. *S. bellidifolia*, scapo paniculato tereti, foliis obovato-spatulatis retusis lævibus, calyce mutico obtusiusculo.

Icon. *Fl. Græc. t. 295.*

Ad littora maris in Archipelagi insulis. In Rhodo. *γ.*

734. *S. globularifolia*, scapo paniculato tereti; ramulis fastigiatis, foliis obovato-spatulatis mucronulatis lævibus, calyce acuto.

S. globulariæfolia. Desfont. Atlant. v. 1. 274; ex descr.

212 PENTANDRIA—PENTAGYNIA.

Limonium medium globulariæ folio. *Barrel.*

Ic. t. 793, 794.

Icon. Fl. Græc. t. 296.

In Siciliæ maritimis. 4.

735. *S. oleifolia*, scapo paniculato tereti; ramis inferioribus sterilibus, foliis oblongo-spatulatis obtusis lævibus submuticis.

S. oleæifolia. Pourret in Herb. Linn. fil.

S. oleæifolia. Willd. Sp. Pl. v. 1. 1525? excluso Scopoli synonymo, quæ ad S. auriculæfoliam Pourretii, et forsitan Broteri Fl. Lusit. v. 1. 489, spectat.

Icon. Lob. Ic. 295. f. 2.

In maritimis Græciæ, ex herb. Sibth. 4.

736. *S. dichotoma*, scapo paniculato; ramis punctato-scabris: inferioribus sterilibus multifidis capillaribus, foliis obovatis lævibus.

S. dichotoma. Cavan. Ic. v. 1. 37.

Limonium minus oleæ folio, πολύκλαδον. Barrel. Ic. t. 790.

Icon. Cavan. Ic. t. 50.

In maritimis Græciæ, ex herb. Sibth. 4.

Calyx albus, nitidus, obtusiusculus, muticus.

737. *S. palmaris*, punctato-scabra pruinosa, scapo paniculato tereti strictiusculo, foliis spatulatis obtusis.

Icon. *Fl. Græc. t. 297.*

In Asiæ minoris littoribus maritimis. 4.

738. *S. echioides*, punctato-scabra pruinosa, scapo paniculato tereti articulado ramosissimo flexuoso divaricato, foliis spatulatis.

S. echioides. Sp. Pl. 394; excluso Magnoli syn.

Icon. *Fl. Græc. t. 298.*

In Cretæ, Cypri et Meli maritimis; etiam inter Scalam novam et Smyrnam. 4.

739. *S. aristata*, scapo paniculato tereti punctato; ramulis laxè racemosis, foliis obovatis scabris, calyce aristato.

Limonium minus annum, bullatis foliis, vel *echioides. Magn. Monsp. 157, cum icone. Tourn. Inst. 342.*

Icon. *Fl. Græc. t. 299.*

In insulæ Cypri maritimis. ☉.

740. *S. Echinus. Sp. Pl. 395.*

Limonium creticum juniperi folio. Tourn. Cor. 25.

Icon. *Fl. Græc. t. 300.*

214 PENTANDRIA — PENTAGYNIA.

In montibus Sphacioticis Cretæ, et in Olympi Bithyni cacumine. 4.

741. S. sinuata. Sp. Pl. 396.

**Limonium peregrinum, foliis asplenii. Tourn.
Inst. 342.**

Τριπολιον Diosc. ? Sibth.

Πρώφασις hodiè.

Icon. Fl. Græc. t. 301.

In littoribus maritimis inundatis insularum Græcarum frequens. 4.

LINUM.

G. Pl. 153. Juss. 303. Gærtn. t. 112.

*** Foliis alternis.**

742. L. usitatissimum. Sp. Pl. 397.

L. sativum. Tourn. Inst. 339.

Λινον Diosc.

Λινάρι hodiè.

Icon. Curt. Lond. fasc. 5. t. 22.

In campis circa Byzantium. In Græciâ copiosè colitur. ☉.

743. L. viscosum. Sp. Pl. 398.

Icon. Scop. Carn. ed. 2. t. 11. L. sylvestre.

In insulæ Cyprî campestribus. Sibth. MSS. 4.

744. *L. hirsutum*. *Sp. Pl.* 398.

L. sylvestre latifolium hirsutum cæruleum.
Tourn. Inst. 339.

Icon. *Fl. Græc. t.* 302.

In herbidis montis Olympi Bithyni, tum in insu-
læ Cypri campestribus, et in agro Eliensi. γ .

Invenitur flore cæruleo et rubro. Hanc varietatem, in Cypro lectam, pro *L. viscoso* ex errore forsitan sumpsit Cl. Sibthorp.

745. *L. angustifolium*. *Fl. Brit.* 344.

α . *L. sylvestre angustifolium*, floribus dilutè
purpurascentibus vel carneis. *Tourn. Inst.*
340.

Αγριολινάρι hodiè.

Icon. *Engl. Bot. t.* 381.

β . *L. angustifolium album*, ramusculis per
terram sparsis. *Tourn. Inst.* 340. *Sibth.*

Icon *nulla*.

In Peloponneso. β . In montibus Sphacioticis
Cretæ. γ .

β . Fortè species distincta, floribus duplè minori-
bus, foliis latioribus, quam in α .

746. *L. alpinum*. *Sp. Pl.* 1672.

L. sylvestre angustifolium, flore magno inten-
sè cæruleo. *Tourn. Inst.* 340.

Icon. *Jacq. Austr. t.* 321.

In montibus Cretæ elatioribus. 4 .

747. *L. gallicum*. *Sp. Pl.* 401.

L. sylvestre minus luteum annuum, folio latiore. Tourn. Inst. 340.

Λίον Lacon.

Icon. Fl. Græc. t. 303.

In Laconiâ, et in Archipelagi insulis. ☉.

748. *L. strictum*. *Sp. Pl.* 400.

L. foliis asperis umbellatum luteum. Tourn. Inst. 340.

Icon. Fl. Græc. t. 304.

In insulis Archipelagi frequens. ☉.

749. *L. arboreum*. *Sp. Pl.* 400.

L. sylvestre creticum arboreum luteum. Tourn. Inst. 340.

Icon. Fl. Græc. t. 305.

In montibus Sphacioticis elatioribus Cretæ. 2 .

750. *L. cæspitosum*, foliis obovatis acutis glaucis, caulibus fruticulosis cæspitosis.

L. creticum fruticosum, foliis globulariæ, flore luteo. Tourn. Inst. 24.

Icon. Fl. Græc. t. 306.

In Cretæ montibus elatioribus. 2 .

**** Foliis oppositis.**

751. *L. nodiflorum*. *Sp. Pl.* 401.

L. luteum, ad singula genicula floridum.

Tourn. Inst. 340.

Icon. *Fl. Græc. t.* 307.

In Cypro et Zacyntho insulis. ☉.

752. *L. catharticum*. *Sp. Pl.* 401.

L. pratense floribus exiguis. *Tourn. Inst.* 340.

Icon. *Curt. Lond. fasc. 3. t.* 19.

In agro Byzantino. ☉.

CRASSULA.

G. Pl. 154. *Juss.* 307

753. *C. rubens*. *Syst. Veg. ed.* 13. 253.

Sedum rubens. *Sp. Pl.* 619.

Icon. *Magn. Monsp.* 237.

In agro Argolico. — *Sibth. MSS.* ☉.

754. *C. microcarpa*, foliis oblongis, caule in-
crasato, capsulis angulatis punctatis muticis.

Icon *nulla*.

In insulæ Cypri rupibus. ☉.

VI. Polygynia.

MYOSURUS.

G. Pl. 155. *Juss.* 233. *Gærtn. t.* 74.

155. *M. minimus.* *Sp. Pl.* 407.

Ranunculus gramineo folio, flore caudato, seminibus in capitulum spicatum congestis.

Tourn. Inst. 293.

Icon. Curt. Lond. fasc. 4. *t.* 26.

In arvis circa Byzantium, ☉.

VI. HEXANDRIA.

I. Monogynia.

GALANTHUS.

G. Pl. 160. *Juss.* 55.

756. *G. nivalis.* *Sp. Pl.* 413.

Narcisso-leucoium trifolium minus. *Tourn.*

Inst. 387.

Icon. *Engl. Bot. t.* 19.

In agro Byzantino, prope pagum *Belgrad*, Febru-
uario florens. 4.

LEUCOJUM.

G. Pl. 160. *Juss.* 55.

757. *L. æstivum.* *Sp. Pl.* 414.

Narcisso-leucoium pratense multiflorum.

Tourn. Inst. 387.

Icon. *Curt. Lond. fasc.* 5. *t.* 23.

In agro Byzantino. 4.

VOL. I.

R

NARCISSUS.

G. Pl. 161. Juss. 55.

758. *N. poeticus*. Sp. Pl. 414.*N. albus*, circulo purpureo. Tourn. Inst. 353.

Ναρκισσος ενδον πορφυρωδες Diosc. Sibth.

Icon. Engl. Bot. t. 275.

In Helicone, aliisque Græciæ montibus, ex auctoritate Wheelerianâ. Sibth. 4.

759. *N. Tazzetta*. Sp. Pl. 416.*N. medio luteus*, copioso flore, odore gravi.

Tourn. Inst. 354.

Ναρκισσος ενδον κροκωδες Diosc. Sibth.

Icon. Fl. Græc. t. 308.

In montibus Græciæ cum priore. Wheeler. In agro Eliensi. Sibth. 4.

PANCRATIUM.

G. Pl. 161. Juss. 55.

760. *P. maritimum*. Sp. Pl. 418.*Narcissus maritimus*. Tourn. Inst. 357.

Πανκρατιον Diosc.

Ἀγρια σκίλλα hodiè.

Icon. Fl. Græc. t. 309.

In maritimis arenosis Græciæ frequens, etiam ad Zacynthi et Cypri littora. 4.

AMARYLLIS.

G. Pl. 162. Juss. 55.

761. *A. lutea*. Sp. Pl. 420.Lilio-narcissus luteus autumnalis major. *Tourn.**Inst.* 386.

Ἀγριο κρίνα, ἢ ἀγριο λάλεις, hodiè.

Icon. *Fl. Græc.* t. 310.In Olono Peloponnesi, et Athô, montibus, sero
autumno florens. Circa Athenas frequens. 4.762. *A. citrina*, spathâ indivisâ obtusâ, corollâ
subcampanulatâ erectâ: laciniis linearibus
emarginatis, stigmatе trilobo.Icon. *Fl. Græc.* t. 311.In monte Olono Peloponnesi, sero autumno flo-
rens. 4.

ALLIUM.

G. Pl. 163. Juss. 53. Gærtn. t. 16.

* *Foliis caulinis planis.*763. *A. Ampeloprasum*. Sp. Pl. 423.*A. sphæriceo capite, folio latiore, sive scorod-
oprasum alterum.* *Tourn. Inst.* 383.Ἀμπελοπρασον *Diosc. Sibth.*Icon. *Fl. Græc.* t. 312.

In rupibus insulisque minoribus Archipelagi frequens. 4.

Ab *A. Porro* certè distinctum. Magnitudine variat.

764. *A. Dioscoridis. Sibth.*

Μωλυ Diosc.

Icon *nulla*.

In frutetis densis umbrosis Cariæ, Mysiæ, et insulæ Cypri. 4.

Caulis in solo fertiliori interdum tri- vel quadricubitalis. *Umbella* magna. *Flores* albi, *Peganum Harmalam* quodammodò referentes, ut *Dioscorides* de Πηγανῆς scribens memorat. *Sibth.*

Hæc tantum inter manuscripta Sibthorpiana inveni, nullâ differentiâ specificâ adjectâ, aut icone aut specimine, ex quibus de hac stirpe amplius judicare liceat.

Anne *A. orientale* latifolium, flore magno lacteo, *Tourn. Cor.* 26?

765. *A. rotundum. Sp. Pl.* 423.

A. montanum, capite rotundo. *Tourn. Inst.* 384.

Ἀγριο πρᾶσον *Cypr.*

Icon. *Clus. Hist.* v. 1. 195. f. 1.

In insulâ Cypri. *Herb. Sibth.* 4.

766. *A. Victorialis*. *Sp. Pl.* 424.

A. montanum latifolium maculatum. *Tourn. Inst.* 383.

Icon. Jacq. Austr. t. 216.

In agro Byzantino. D. Sestini. Sibth. 4.

767. *A. subhirsutum.* *Sp. Pl.* 424.

A. angustifolium umbellatum, flore albo, etiam flore carneo. *Tourn. Inst.* 385.

Ελαφοσκοροδον Diosc.? Sibth.

Λύκορδα hodiè.

Ἀγριο πράσον Zacynth.

Icon. Fl. Græc. t. 313.

In Græciâ frequens; etiam in Cretâ, Cypro et Zacyntho. 4.

768. *A. roseum.* *Sp. Pl.* 432.

A. sylvestre, sive moly minus, roseo amplo flore. *Tourn. Inst.* 385.

Ἀγριο κρεμμύδι Zacynth.

Icon. Fl. Græc. t. 314.

In Cretâ et Zacyntho insulis. 4.

769. *A. Scorodoprasum.* *Sp. Pl.* 425.

A. sativum alterum, sive allioprasum caulibus summo circumvoluto. *Tourn. Inst.* 383.

Οφιοσκοροδον Diosc.

Icon. *Clus. Hist. v. 1. 191. f. 1.*

In Cypro, insulisque variis Græciæ. ۷.

**** Foliis caulinis teretiusculis.**

770. *A. margaritaceum*, caule teretifolio umbellifero, foliis canaliculatis, staminibus tricuspidatis exsertis, petalis obovatis obtusis.

Icon. *Fl. Græc. t. 315.*

Circa Bursam Bithyniæ; etiam in monte Athô, insulisque Naxo, Cypro et Cimolo. ۷.

771. *A. descendens*. *Sp. Pl. 427.*

Σκοροδοπρασον Diosc.? Sibth.

Icon. *Fl. Græc. t. 316.*

In Cypro, insulisque variis Græciæ, copiosè; etiam ad littora Caramaniæ. ۷.

772. *A. flavum*. *Sp. Pl. 428.*

A. juncifolium bicornè luteum. Tourn. Inst. 384.

Icon. *Jacq. Austr. t. 141.*

In insulis Græciæ. ۷.

773. *A. pallens*. *Sp. Pl. 427.*

A. montanum bicornè, flore pallido odoro. Tourn. Inst. 384.

Icon. *Fl. Græc. t. 317.*

In insulis Græciæ frequens occurrit, Julio florens. γ .

774. *A. paniculatum*. *Sp. Pl.* 428.

A. montanum bicornè, flore obsoletiore. *Tourn. Inst.* 384.

Icon. *Fl. Græc. t.* 318.

Circa Bursam Bithyniæ, et in monte Athô. γ .

775. *A. montanum*, caule subteretifolio umbellifero, spathâ elongatâ deflexâ, staminibus simplicibus, pedunculis uniformibus.

A. montanum radice oblongâ. *Tourn. Inst.* 384. *Sibth.*

Icon. *Fl. Græc. t.* 319.

In herbidis Olympi Bithyni. γ .

776. *A. staticiforme*, caule subteretifolio umbellifero, staminibus simplicibus, germine tri-cocco, umbellâ multiflorâ subcapitatâ.

Icon. *Fl. Græc. t.* 320.

In insulâ Cimolo. γ .

777. *A. pilosum*, caule subteretifolio umbellifero, staminibus simplicibus, foliis vaginisque pilosissimis.

Icon. *Fl. Græc. t.* 321.

In insulâ Cimolo, et, ni fallor, in Achaiâ. γ .

778. *A. junceum*, caule teretifolio umbellifero, staminibus alternis quinquefidis, umbellâ capitatâ.

Icon. *Fl. Græc. t.* 322.

In insulâ Cypro. 4.

Pulchra species, *A. Ascalonico* proxima, sed diversa.

*** *Foliis radicalibus, scapo nudo.*

779. *A. nigrum*. *Sp. Pl.* 430.

A. latifolium hispanicum. *Tourn. Inst.* 384?

Icon. *Fl. Græc. t.* 323.

In insulâ Cypro. 4.

780. *A. triquetrum*. *Sp. Pl.* 431.

A. caule triangulo. *Tourn. Inst.* 385.

Icon. *Fl. Græc. t.* 324.

In agro Romano legit Cl. Sibthorp. *D. Ferd. Bauer.* 4.

781. *A. lacteum*, scapo nudo triquetro, foliis lanceolatis sessilibus, petalis obtusis.

Icon. *Fl. Græc. t.* 325.

In Italiâ. *D. Ferd. Bauer.* 4.

782. *A. Cepa*. *Sp. Pl.* 431.

Cepa vulgaris, floribus et tunicis candidis.
Tourn. Inst. 382.

Κρομμυον *Diosc.*

Κρομμύδι *hodiè.*

Icon. *Fl. Græc. t. 326.*

In Græciâ ubique culta. *Sibth.* Anne reverà spontanea occurrit non constat. 4.

783. *A. ambiguum*, scapo nudo, foliis semicylindraceis, staminibus simplicibus corollâ brevioribus, umbellâ bulbiferâ.

A. roseum β. *Gawler in Curt. Mag. t. 978.*

Icon. *Fl. Græc. t. 327.*

In Italiâ, nec in Græciâ, legit Cl. *Sibthorp.*
D. Ferd. Bauer. 4.

784. *A. Chamæ-Moly.* *Sp. Pl. 433.*

A. humilium, folio gramineo. *Tourn. Inst. 385.*

Καλαμολόγχη *Zacynth.*

Icon. *Column. Ecphr. 326.*

In insulâ *Zacyntho.* 4.

LILIUM.

G. Pl. 163. Juss. 49. Gært. t. 83.

785. *L. candidum.* *Sp. Pl. 433.*

L. album vulgare. *Tourn. Inst. 369.*

Κρινον *Diosc.*

Κρίνο *hodiè.*

Icon. *Curt. Mag. t.* 278.

In Tempis Thessaliæ. *D. Hawkins.* In hortis
Græciæ frequens. *Sibth. 4.*

786. *L. chalcædonicum.* *Sp. Pl.* 434.

L. Byzantinum miniatum. *Tourn. Inst.* 371.

Ἡμεροκαλλίς *Diosc. Sibth.*

Icon. *Curt. Mag. t.* 30.

In montis Parnassi sylvis, et in insulâ Za-
cyntho. *4.*

787. *L. Martagon.* *Sp. Pl.* 435.

L. floribus reflexis, montanum, flore rubente.
Tourn. Inst. 370.

Icon. *Jacq. Austr. t.* 351.

In montosis umbrosis Græciæ. *4.*

FRITILLARIA.

G. Pl. 164. *Juss.* 48 *Gærtn. t.* 17.

788. *F. pyrenaica.* *Sp. Pl. ed. 1.* 304, *excluso*
Hort. Cliff. (Upsal.) 81.

T. flore minore. *Tourn. Inst.* 377.

Icon. *Fl. Græc. t.* 328.

In monte Parnasso. *4.*

Caulis uniflorus.

TULIPA.

G. Pl. 165. *Juss.* 48. *Gærtn. t.* 17.

789. *T. Clusiana*, caule unifloro glabro, flore erecto, petalis acutis glabris, foliis lineari-lanceolatis.

T. Clusiana. *Redout. Liliac. v.* 1. *t.* 37.

T. præcox angustifolia. *Tourn. Inst.* 375.

Icon. Fl. Græc. t. 329.

In agro Florentino invenit Sibthorp. Floret Martio. 4.

790. *T. Sibthorpiana*, caule unifloro glabro, flore nutante, petalis obtusis, stigmatibus clavato, filamentis undique hirsutis.

Icon. Fl. Græc. t. 330.

Prope Cressam, hodiè *Porto Cavalieri*, Asiæ minoris, primùm invenit Sibthorp; et postea in monte humile saxoso prope Pilon Peloponnesi, hodiè *Navarin*. *D. Hawkins.* 4.

ORNITHOGALUM.

G. Pl. 166. *Juss.* 53. *Gærtn. t.* 17.

791. *O. spathaceum*, corymbo simplici paucifloro: pedicellis glabris, bracteis lanceolatis subciliatis, foliis linearibus.

230 HEXANDRIA—MONOGYNIA.

O. spathaceum. *Willd. Sp. Pl. v. 2. 112.*

Icon. *Fl. Græc. t. 331.*

In insulâ Cypro, etiam ad ripas Rhodii prope Abydum. γ .

792. *O. arvense*, corymbo composito multifloro pubescente, bracteis lanceolatis ciliatis, foliis linearibus.

O. arvense. *Persoon in Usteri Annal. fasc. 11. 8. t. 1. f. 2.*

O. angustifolium bulbiferum. *Tourn. Inst. 379.*

Icon. *Fl. Græc. t. 332.*

In Peloponneso haud infrequens; etiam in agro Cariensi, et insulâ Cypro. γ .

793. *O. nanum*, corymbo simplici paucifloro glabro scapo longiore, bracteis ventricosis scariosis, foliis linearibus numerosis.

O. humifusum, floribus umbellatis albis. *Burb. Cent. 2. 35. t. 37. f. 1.*

Icon. *Fl. Græc. t. 332.*

In Arcadiâ, et prope Abydum, Martio florens. γ .

794. *O. umbellatum.* *Sp. Pl. 441. Fl. Brit. 364.*

O. umbellatum medium angustifolium. *Tourn. Inst. 378.*

Ορειβογαλον *Diosc.*

Icon. *Jacq. Austr. t. 343.*

In arvis Græciæ frequens, primo vere. 4.

795. *O. stachyoides.* *Ait. Hort. Kew. v. 1. 441.*

Willd. Sp. Pl. v. 2. 116.

O. majus, spicatum alterum. *Tourn. Inst. 379.*

Βολβος εμετικός *Diosc.?* *Sibth.*

Ἀγριοσκίλλα *hodiè.*

Icon. *Renealm. Spec. 90. fig. media.*

In insulis Græciæ vulgaris; tum in agro Laconico et Byzantino. 4.

796. *O. pyrenaicum.* *Fl. Brit. 363.*

O. angustifolium majus, floribus ex albo virescentibus. *Tourn. Inst. 379.*

Icon. *Jacq. Austr. t. 103.*

In Cretæ montibus. 4.

SCILLA.

G. Pl. 166. Juss. 53.

797. *S. maritima.* *Sp. Pl. 442.*

Ornithogalum maritimum, seu Scilla radice rubrà, albâ, et esculentâ. *Tourn. Inst. 381.*

Σκίλλα *Diosc.*

Σκίλλα, ἡ Βόλκικος, *hodiè.*

Icon. *Redout. Liliac. v. 2. t. 116.*

232 HEXANDRIA—MONOGYNIA.

In insulis Archipelagi copiosè, etiam in agro Attico et Argolico. 4.

798. *S. amœna*. *Sp. Pl.* 443.

Ornithogalum cæruleum byzantinum. *Tourn. Inst.* 380.

Icon. *Jacq. Austr. t.* 218.

In agro Laconico. 4.

799. *S. bifolia*. *Sp. Pl.* 443.

Ornithogalum bifolium germanicum cæruleum. *Tourn. Inst.* 380.

Ῥακινθος *Diosc.?* *Sibth.*

Icon. *Jacq. Austr. t.* 117.

In Arcadiâ, et in agro Byzantino ad pagum *Belgrad*. *Sibth.* In Cretæ montibus. *D. Hawkins.* 4.

800. *S. autumnalis*. *Sp. Pl.* 443.

Ornithogalum autumnale minus, flore dilutè purpureo. *Tourn. Inst.* 381.

Icon. *Curt. Lond. fasc.* 6. *t.* 25.

In agro Argolico, et circa Byzantium. 4.

ASPHODELUS.

G. Pl. 167. *Juss.* 52. *Gærtn. t.* 17.

801. *A. luteus*. *Sp. Pl.* 443.

A. lutens et flore et radice. *Tourn. Inst.* 343.

Icon. *Jacq. Hort. Vind.* v. 1. t. 77.

In monte Parnasso. *ψ*.

802. *A. creticus*. *Willd. Sp. Pl.* v. 2. 133.

A. creticus luteus serotinus patulus, folio aspero. *Tourn. Cor.* 25.

Icon *nulla*.

In montibus Sphacioticis elatioribus Cretæ. *ψ*.

803. *A. ramosus*. *Sp. Pl.* 444.

A. albus ramosus mas. *Tourn. Inst.* 343.

Ασφόδελος *Diosc.*

Ασφόδελω *hodiè.*

Σπερδάκυλα *Lacon.*

Καραβέκι *Attic.*

Icon. *Fl. Græc.* t. 334.

In campestribus Græciæ, insulisque Archipelagi, ubique. *ψ*.

804. *A. fistulosus*. *Sp. Pl.* 444.

A. foliis fistulosis. *Tourn. Inst.* 344.

Icon. *Fl. Græc.* t. 335.

In Archipelagi insulis rariùs. Circa Athenas copiosè provenit. *ψ*.

ANTHERICUM.

G. Pl. 167. *Gærtn. t.* 16.

Phalangium. Juss. 52.

805. *A. græcum. Sp. Pl.* 444.

Bulbocodium græcum, myosotidis flore. Tourn.
Cor. 50.

Φαλαγγιον Diosc.? *Sibth.*

Icon. Fl. Græc. t. 336.

In Peloponnesi, tum in Cretæ et Cypri, montibus elatioribus. ۲.

LEONTICE.

G. Pl. 168. *Juss.* 287.

806. *L. Chrysogonum. Sp. Pl.* 447.

Leontopetalon foliis costæ simplici innascentibus. Tourn. Cor. 49.

Χρυσογονον Diosc.? *Sibth.*

Icon. Rauwolf. It. 119, ad calcem libr.

Inter segetes Græciæ. Prope Abydum legit Sibthorp. ۲.

807. *L. Leontopetalum. Sp. Pl.* 448.

Leontopetalon foliis costæ ramosæ innascentibus. Tourn. Cor. 49.

Λεοντοπεταλον Diosc.

Περδάλια *hodiè*.

Τζάκρω *Cypr*.

Icon. *Camer. Epit.* 565.

Inter segetes Græciæ vulgaris, vere ineunte flo-
rens. 4.

ASPARAGUS.

G. Pl. 168. *Juss.* 41. *Gærtn. t.* 16.

808. *A. acutifolius.* *Sp. Pl.* 449.

A. foliis acutis. *Tourn. Inst.* 300.

Ασπαραγος *Diosc.*

Σπαράγγι, ἡ σφαραγγιά, *hodiè*.

Icon. *Fl. Græc. t.* 337.

Circa Bithyniam; etiam in Peloponneso. 5.

809. *A. aphyllus.* *Sp. Pl.* 450.

A. aculeatus alter, tribus aut quatuor spinis ad
eundem exortum. *Tourn. Inst.* 300.

β. *A. creticus* fruticosus, crassioribus et breviori-
bus aculeis. *Tourn. Cor.* 21. *It. v.* 1. 88,
cum ic.

Icon. *Fl. Græc. t.* 338.

In Cretâ insulâ, et monte Athô. In Pelopon-
neso cum priore specie, cujus nomina haud
rarò usurpare visa est. 5.

236 HEXANDRIA—MONOGYNIA.

810. *A. horridus*. *Suppl.* 203. *Willd. Sp. Pl.*
v. 2. 154.

A. hispanicus, *aculeis crassioribus horridus*.
Tourn. Inst. 300.

Icon. *Fl. Græc. t.* 339.

In insulâ Cypro. η.

811. *A. verticillatus*. *Sp. Pl.* 450.

A. orientalis, *foliis gallii*. *Tourn. Cor.* 21.

Icon. *Buxb. Cent.* 5. *Append. f.* 37.

Ad viam inter Smyrnam et Bursam, et in agro
Laconico. η.

CONVALLARIA.

G. Pl. 169. *Juss.* 42. *Gærtn. t.* 16.

812. *C. majalis*. *Sp. Pl.* 451.

Lilium convallium album. *Tourn. Inst.* 77.

Κρίνος *Lacon.*

Icon. *Curt. Lond. fasc.* 5. *t.* 24.

In Laconiâ. υ.

813. *C. Polygonatum*. *Sp. Pl.* 451.

Polygonatum latifolium, *flore majore odore*.
Tourn. Inst. 78.

Πολυγονατον *Diosc.*

Icon. *Engl. Bot. t.* 280.

In montis Parnassi sylvis umbrosis. υ.

814. *C. multiflora*. *Sp. Pl.* 452.

Polygonatum latifolium vulgare. *Tourn. Inst.*
78.

Πολυγονάτον *Lacon*.

Icon. *Engl. Bot. t.* 279.

In Laconiâ. 4.

HYACINTHUS.

G. Pl. 170. *Juss.* 52. *Gærtn. t.* 12.

815. *H. romanus*. *Mant.* 224.

Muscari byzantinum, flore candicante. *Tourn.*
Inst. 347.

Scilla romana. *Gawl. in Curt. Mag. t.* 939.

Icon. *Fl. Græc. t.* 340.

In agro Argolico et insulâ Cypro. 4.

Muscari genus cum *Hyacintho*, ni fallor, con-
jungit.

816. *H. spicatus*, corollis campanulatis semisex-
fidis spicatis, staminibus membranaceis.

Βορβοί *Zacynth*.

Icon *nulla*.

In insulâ *Zacyntho*, et in agro Argolico. 4.

Folia lineari-lanceolata, angusta, spithamæa. *Sca-*
pus foliis paulò brevior. *Flores* densè spicati,
omnes omninò ferè sessiles, tristè cærulescentes,

magnitudine vix prioris. *Bractæ* parvæ, plùs minùs reflexæ.

817. *H. comosus*. *Sp. Pl.* 455.

Muscari arvense latifolium purpurascens.

Tourn. Inst. 347.

Βολβός ἐδωδιμός *Diosc.*

Βολβός, Βερβός, ἢ Βερβός, *hodiè.*

Βερβός *Patmicis.*

Icon. Jacq. Austr. t. 126.

In Patmo, Cypro et Zacyntho insulis; in montis Olympi Bithyni summitate; nec non in Peloponnesi arvis, primo vere florens. 4.

Radix esculenta.

818. *H. racemosus*. *Sp. Pl.* 455.

Muscari arvense juncifolium cæruleum minus.

Tourn. Inst. 348; synonymis perversis.

Βερβός *hodiè.*

Icon. Jacq. Austr. t. 187.

In Peloponneso; etiam in montibus Sphacioticis Cretæ. 4.

A L O E.

G. Pl. 171. *Juss.* 52. *Gærtn. t.* 17.

819. *A. vulgaris*, foliis lanceolatis acuminatis

erectis serrato-spinosis, caule suffruticoso,
pedunculo ramoso, floribus pendulis.

A. vulgaris. *Bauh. Pin.* 286. *Tourn. Inst.* 366.

Decandolle Pl. Grasses 27, cum ic.

A. perfoliata π, vera. *Sp. Pl.* 458.

A. barbadensis. *Haworth in Tr. of L. Soc.*
v. 7. 19.

Αλος *Diosc.*

Αλοῦ *Cypr.*

Icon. *Fl. Græc. t.* 341.

In Andro insulâ. *Diosc.* In Cypro. *Sibth.* η.

ACORUS.

G. Pl. 172. *Juss.* 25. *Gærtn. t.* 84.

820. *A. Calamus.* *Sp. Pl.* 462.

A. verus, sive *Calamus aromaticus officinarum.*

Bauh. Pin. 34.

Ακωρος *Diosc.*

Ἀκωρος hodiè.

Icon. *Engl. Bot. t.* 356.

In Laconiâ. γ.

JUNCUS.

G. Pl. 173. *Juss.* 44. *Gærtn. t.* 15.

* *Culmis nudis.*

821. *J. acutus.* *Sp. Pl.* 463.

J. acutus capitulis sorghi. *Tourn. Inst.* 246.

240 HEXANDRIA—MONOGYNIA.

Οξύσκεινος *Diosc.*

Βέρλα ἢ βέρλω *hodiè.*

Icon. *Engl. Bot. t.* 1614.

In littoribus maritimis Græciæ copiosè. 4.

822. *J. maritimus. Fl. Brit.* 375.

J. acutus β. Sp. Pl. 464.

Icon. *Engl. Bot. t.* 1725.

In Cretæ maritimis. *D. Hawkns.* 4.

823. *J. glaucus. Sibth. Oxon.* 113. *Fl. Brit.* 375.

J. acutus, paniculâ sparsâ. Tourn. Inst. 246.

Βέρλα *hodiè.*

Icon. *Engl. Bot. t.* 665.

In agro Byzantino, Argolico, Eliensi, Laconico
et Arcadiensi. 4.

824. *J. conglomeratus. Sp. Pl.* 464.

J. lævis, paniculâ non sparsâ. Tourn. Inst. 246.

Icon. *Engl. Bot. t.* 835.

Circa Byzantium. 4.

825. *J. effusus. Sp. Pl.* 464.

J. lævis, paniculâ sparsâ, major. Tourn.
Inst. 246.

Icon. *Engl. Bot. t.* 836.

Circa Byzantium, in uliginosis. 4.

826. *J. squarrosus*. *Sp. Pl.* 465.

J. montanus palustris. *Tourn. Inst.* 247.

Icon. *Engl. Bot. t.* 933.

In agro Byzantino. *D. Sestini.* 4.

**** *Culmis foliosis.***

827. *J. articulatus*. *Sp. Pl.* 465.

J. foliis articulosis, floribus umbellatis. *Tourn. Inst.* 247.

Icon. *Engl. Bot. t.* 238.

Ad ripas humidās in insulis Græciæ frequens. 4.

828. *J. uliginosus*. *Sibth. Oxon.* 115. *Fl. Brit.* 380.

J. foliis articulosis, floribus umbellatis cum utriculis. *Tourn. Inst.* 247.

Icon. *Engl. Bot. t.* 801.

In paludosis Græciæ frequens. 4.

829. *J. bufonius*. *Sp. Pl.* 466.

J. palustris humilior erectus, etiam repens. *Tourn. Inst.* 246.

Icon. *Engl. Bot. t.* 802.

In paludosis Græciæ frequens. 4.

830. *J. pilosus*. *Sp. Pl.* 468.

J. nemorosus latifolius major. *Tourn. Inst.* 246,

242 HEXANDRIA—MONOGYNIA.

Icon. *Curt. Lond. fasc. 5. t. 25.*

In agro Byzantino. 4.

831. *J. campestris. Sp. Pl. 468.*

J. villosus, capitulis psyllii. Tourn. Inst. 246.

Icon. *Curt. Lond. fasc. 2. t. 19.*

In Peloponneso, et in agro Byzantino. 4.

BERBERIS.

G. Pl. 175. Juss. 286. Gærtn. t. 42.

832. *B. vulgaris. Sp. Pl. 472.*

B. dumetorum. Tourn. Inst. 614.

Οξυακάνθα *Lacon.*

Icon. *Engl. Bot. t. 49.*

In Laconiâ. 4.

833. *B. cretica. Sp. Pl. 472.*

B. cretica, buxi folio. Tourn. Cor. 42.

Μυλκυνιά *Pariis.*

Icon. *Fl. Græc. t. 342.*

In montibus Sphacioticis Cretæ, et Delphi Eubææ; tum in Paro et Cypro insulis. 4.

LORANTHUS.

G. Pl. 175. Juss. 212.

834. *L. europæus. Sp. Pl. 1672.*

Οξος *hodiè.*

Icon. *Jacq. Austr. t. 30.*

In Delphi Eubœæ, et Athê, montibus; nec non
in agro Messeniaco. ʒ.

FRANKENIA.

G. Pl. 176. Juss. 303.

835. *F. lævis. Sp. Pl. 473.*

Alsine maritima supina, foliis quasi vermicu-
latis. *Tourn. Inst. 244.*

Icon. *Engl. Bot. t. 205.*

In maritimis Cypri, atque insularum Græcarum,
frequens. ʒ.

836. *F. hirsuta. Sp. Pl. 473.*

Alsine cretica maritima supina, caule hirsuto,
foliis quasi vermiculatis, flore candido.
Tourn. Cor. 45.

Icon. *Fl. Græc. t. 343.*

In maritimis Achaïæ, et insulæ Cypri. ʒ.

837. *F. pulverulenta. Sp. Pl. 474.*

Alsine maritima supina, foliis chamæsyces.
Tourn. Inst. 244.

Icon. *Fl. Græc. t. 344.*

In littoribus maritimis insularum Græcarum. ⊙.

PEPLIS.

G. Pl. 176. *Juss.* 333. *Gærtn. t.* 51.

838. *P. Portula. Sp. Pl.* 474.

Glaux palustris, flore striato clauso, foliis portulacæ. *Tourn. Inst.* 88.

Ἀνδρακλείδα, ἡ ἀνδράχνη hodiè.

Icon. *Curt. Lond. fasc.* 4. *t.* 27.

In cultis humidis circa Athenas copiosè provenit.

Sumitur in acetariis et jusculis. ☉.

II. Trigynia.

RUMEX.

G. Pl. 178. *Juss.* 82. *Gærtn. t.* 119.

* *Fl. hermaphroditicis.*

839. *R. Patientia. Sp. Pl.* 476.

Lapathum hortense, folio oblongo, sive secundum Dioscoridis. *Tourn. Inst.* 504.

Λαπαθον κηπαιον *Diosc.*

Icon. *Dod. Pempt.* 618. *Lapathum sativum.*
In agro Eliensi. 4.

840. *R. sanguineus.* *Sp. Pl.* 476.
Lapathum folio acuto rubente. *Tourn. Inst.*
504.
Icon. *Engl. Bot. t.* 1533.
In Laconiâ. 4.

841. *R. crispus.* *Sp. Pl.* 476.
Lapathum folio acuto crispo. *Tourn. Inst.* 504.
Λαπαθον οξυλαπαθον *Diosc.*
Λάπαθο *hodiè.*
Icon. *Curt. Lond. fasc.* 2. *t.* 20.
In Græciâ, locis humidioribus, vulgaris. 4.

842. *R. pulcher.* *Sp. Pl.* 477.
Lapathum pulchrum bononiense sinuatum.
Tourn. Inst. 504.
Λάπαθο *hodiè.*
Icon. *Engl. Bot. t.* 1576.
In Peloponneso; etiam in ruderatis circa Byzantium. 4.

843. *R. divaricatus.* *Sp. Pl.* 478.
Acetosa orientalis, pratensis, folio lanuginoso.
Tourn. Cor. 38 ?

Icon. *Till. Pis. t. 37. f. 2.*

In insulâ Lemno. ☉.

Planta mihi dubia.

844. *R. obtusifolius. Sp. Pl. 478.*

Lapathum folio minùs acuto. Tourn. Inst. 504.

Λάπαθο, ἢ λάπατο, hodiè.

Icon. *Curt. Lond. fasc. 3. t. 22.*

Circa Byzantium, ut et in Peloponneso, vulgaris. ♀.

845. *R. bucephalophorus. Sp. Pl. 479.*

Acetosa ocymi folio neapolitana. Tourn. Inst. 503.

Λαπαθον μικρον *Diosc. Sibth.*

Ἀτζετόζα *Zacynth.*

Icon. *Fl. Græc. t. 345.*

Inter segetes Græciæ, et Archipelagi insularum, primo vere, tum in Cypro et Zacyntho. ☉.

846. *R. aquaticus. Sp. Pl. 479.*

Lapathum aquaticum, folio cubitali. Tourn. Inst. 504.

Ἰππολαπαθον *Diosc.*

Ἀγριο λάπαθων *Zacynth.*

Icon. *Camer. Epit. 232.*

In agri Argolici palustribus, et in Cypro. ♀.

847. *R. tingitanus*. *Sp. Pl.* 479.

Lapathum maritimum foetidum. *Tourn. Inst.*
504.

Icon. *Bauh. Prodr.* 56. f. 1.

In insulâ Cypro. 4.

848. *R. roseus*. *Sp. Pl.* 480.

Icon. *Fl. Græc. t.* 346.

In insulâ Cypro. ☉.

849. *R. digynus*. *Sp. Pl.* 480.

Acetosa rotundifolia alpina; etiam *A. rotundifolia repens eboracensis*, folio in medio deliquium patiente. *Tourn. Inst.* 503.

Icon. *Engl. Bot. t.* 910.

In Olympo Bithyno 4.

* * *Fl. diclinibus.*

850. *R. alpinus*. *Sp. Pl.* 480.

Lapathum folio rotundo, alpinum. *Tourn. Inst.* 504.

Icon. *Blackwell Herb. t.* 262.

In Olympo Bithyno, nec non in Laconiaë montibus. 4.

851. *R. spinosus*. *Sp. Pl.* 481.

Beta cretica semine aculeato. *Bauh. Pin.* 118.
Prodr. 57, cum ic.

Ἄγριο σεῦκλον *Zacynth.*

Icon. *Fl. Græc. t. 347.*

Circa Athenas; etiam in insulâ Zacyntho. ☉.

852. *R. tuberosus. Sp. Pl. 481.*

Acetosa tuberosâ radice. *Tourn. Inst. 503.*

Ξινίτρα *Lemn.*

Icon. *Fl. Græc. t. 348.*

In Lemno et Cypro insulis, et in Asiâ minori. ♀.

853. *R. Acetosa. Sp. Pl. 481.*

Acetosa pratensis. *Tourn. Inst. 502.*

Οξάλις, ἡ λαπαθον οἶον, *Diosc.*

Οξυλίδι, ἡ ζινίτρα, *hodiè.*

Icon. *Engl. Bot. t. 127.*

In Peloponneso, et agro Byzantino. ♀.

854. *R. Acetosella. Sp. Pl. 481.*

Acetosa arvensis lanceolata. *Tourn. Inst. 503.*

Οξάλις, ἡ λαπαθον οἶον, *Diosc.*

Οξυλίδι *hodiè.*

Icon. *Curt. Lond. fasc. 5. t. 29.*

In Peloponneso, insulisque Græcis, et in monte
Olympo Bithyno. ♀.

855. *R. multifidus. Sp. Pl. 482.*

Acetosa minor erecta, lobis multifidis. *Tourn.*

Inst. 503.

Icon. *Fl. Græc. t. 349.*

In Peloponnesi montibus, et agro Byzantino.

In Sicilia etiam legit Sibthorp. *ψ.*

856. *R. aculeatus. Sp. Pl. 482.*

Acetosa cretica, semine aculeato. *Tourn.*

Inst. 503.

Icon. *Bauh. Prodr. 55.*

In agro Argolico et Byzantino. *ψ.*

VERATRUM.

G. Pl. 540. Juss. 47. Gærtn. t. 18.

857. *V. album. Sp. Pl. 1479.*

V. flore subviridi. Tourn. Inst. 273.

Ελλεβορος λευκος *Diosc.*

Icon. *Jacq. Austr. t. 335.*

In montis Pindi excelsis. *D. Hawkins. ψ.*

858. *V. nigrum. Sp. Pl. 1479.*

V. flore atro-rubente. Tourn. Inst. 273.

Σκάρφη *hodiè.*

Icon. *Jacq. Austr. t. 336.*

In Laconia montibus. *ψ.*

COLCHICUM.

G. Pl. 180. *Juss.* 47. *Gærtn. t.* 18.

859. *C. autumnale. Sp. Pl.* 485.

C. commune. Tourn. Inst. 348.

Κολχικόν *Diosc.*

Βέλχικον *hodiè, in Parnassi confinibus.*

Icon. Engl. Bot. t. 133.

In variis Græciæ locis, et in agro Byzantino. 4.

860. *C. montanum. Sp. Pl.* 485.

C. montanum angustifolium. Tourn. Inst. 350.

Icon. Clus. Hist. v. 1. 200, 201.

In monte Hymetto prope Athenas. 4.

861. *C. variegatum. Sp. Pl.* 485.

C. flore fritillariæ instar tessellato. Tourn.

Inst. 349.

Σπασσόχορτον *hodiè.*

Icon. Fl. Græc. t. 350.

In Helicone, Parnasso, aliisque Græciæ montibus. 4.

III. Polygynia.

ALISMA.

G. Pl. 181. *Juss.* 46. *Gærtn.* 1. 84.

862. *A. Plantago.* *Sp. Pl.* 486.

Ranunculus palustris, plantaginis folio ampliore et angustiore. *Tourn. Inst.* 292.

Αλισμα *Diosc. Sibth.*

Λάππα *hodiè.*

Πλεμονόχορτον *Zacynth.*

Icon. Curt. Lond. fasc. 5. *t.* 27.

In fossis aquosis, et ad ripas fluviorum, Græciæ, frequens. 4.

VII. HEPTANDRIA.

I. Monogynia.

ÆSCULUS.

G. Pl. 183. *Juss.* 251.

863. *Æ. Hippocastanum.* *Sp. Pl.* 488.

Hippocastanum vulgare. *Tourn. Inst.* 612.

Icon. Rivin. Irr. Pentap. t. 123. *Hippocastanum.*

In Pindo et Pelio montibus. *D. Hawkins.* 2.

VIII. OCTANDRIA.

I. Monogynia.

EPILOBIUM.

G. Pl. 188. *Juss.* 319. *Gærtn. t.* 31.

864. *E. angustifolium.* *Sp. Pl.* 493.

Chamænerion latifolium vulgare. *Tourn. Inst.*
302.

Icon. Curt. Lond. fasc. 2. t. 24.

In montis Olympi Bithyni umbrosis. 4.

865. *E. angustissimum.* *Willd. Sp. Pl. v. 2.* 313.

Chamænerion angustifolium alpinum, flore
purpureo. *Tourn. Inst.* 302. *Herb. Tourn.*

Icon. Curt. Mag. t. 76.

In monte Athô. 4.

866. *E. hirsutum.* *Sp. Pl.* 494.

Chamænerion villosum, magno flore purpureo,
Tourn. Inst. 303.

Icon. Curt. Lond. fasc. 2. t. 21.

In Olympi Bithyni umbrosis, et circa Byzantium. 4.

867. *E. parviflorum*. *Fl. Brit.* 410.

E. hirsutum β. *Sp. Pl.* 494.

Chamænerion villosum majus, parvo flore.
Tourn. Inst. 303.

Icon. *Curt. Lond. fasc.* 2. t. 22. *E. villosum*.

In agro Argolico, Eliensi, et Byzantino. 4.

868. *E. montanum*. *Sp. Pl.* 494.

Chamænerion glabrum majus. *Tourn. Inst.* 303.

Icon. *Curt. Lond. fasc.* 3. t. 24.

In Olympi Bithyni umbrosis, et circa Byzantium. 4.

869. *E. tetragonum*. *Sp. Pl.* 494.

Chamænerion glabrum minus. *Tourn. Inst.* 303.

Icon. *Curt. Lond. fasc.* 2. t. 23.

In agro Byzantino. *D. Sestini.* 4.

870. *E. palustre*. *Sp. Pl.* 495.

Chamænerion angustifolium glabrum. *Tourn. Inst.* 303.

Icon. *Engl. Bot.* t. 346.

In umbrosis humidis Olympi Bithyni. 4.

871. *E. alpinum*. *Sp. Pl.* 495.

Chamænerion alpinum minus, brunellæ foliis.

Tourn. Inst. 303.

Icon. Fl. Dan. t. 322.

In Olympi Bithyni summitate. 4.

CHLORA.

Syst. Nat. ed. 12. v. 2. 267. *Juss.* 142.

872. *C. perfoliata*. *Syst. Nat. ed.* 12. v. 2. 267.

Fl. Brit. 413.

Gentiana perfoliata. *Sp. Pl.* 335.

Centaureum luteum perfoliatum. *Tourn. Inst.*
123.

Icon. Engl. Bot. t. 60.

Frequens in insulis Græciæ; etiam in agro Argolico. ☉.

VACCINIUM.

G. Pl. 191. *Juss.* 162. *Gærtn. t.* 28.

873. *V. Myrtillus*. *Sp. Pl.* 498.

Vitis idæa foliis oblongis crenatis, fructu nigricante. *Tourn. Inst.* 608.

Icon. Engl. Bot. t. 456.

In Olympo Bithyno monte. 5.

ERICA.

G. Pl. 192. Juss. 160. Gærtn. t. 63.

* *Antheris aristatis.*

874. *E. vulgaris.* Sp. Pl. 501.

E. vulgaris glabra. Tourn. Inst. 602.

Funda *Turcorum.*

Icon. Curt. Lond. fasc. 5. t. 30.

In umbrosis circa Byzantium. h.

875. *E. arborea.* Sp. Pl. 502.

E. maxima alba. Tourn. Inst. 602.

Πίκυ Argol. hodiè.

Icon. Fl. Græc. t. 351.

In Archipelagi insulis frequens; nec non in agro
Argolico. h.

** *Antheris muticis.*

876. *E. multiflora.* Sp. Pl. 503.

E. foliis corios, multiflora. Tourn. Inst. 602.

Πήκη, ἡ πείτζη Attic. hodiè.

Icon. Clus. Hist. v. 1. 42. f. 1.

In montibus circa Athenas copiosissimè, hyeme
florens: etiam in agro Argolico. h.

Apes ex hâc specie pabulum brumale hauriunt;
unde mel, sub hoc cælo confectum, longè vi-

lioris pretii quam æstivale, e Thymo aut Satureiâ collectum, evadit. *Sibth.*

877. *E. manipuliflora.* *Salisb. Tr. of L. Soc.*
v. 6. 344.

E. verticillata. *Forsk. Ægyptiaco-Arab.* 210.
Icon. Fl. Græc. t. 352.

In sylvis ad pagum *Belgrad*, prope *Byzantium*,
et in insulâ *Cretâ.* ʒ.

878. *E. herbacea.* *Syst. Veg. ed.* 14. 370. *Sp.*
Pl. 501.

E. carnea. *Sp. Pl.* 504.

E. purpurascens. *Sp. Pl.* 503.

E. procumbens, ternis foliolis, *carnea.* *Tourn.*
Inst. 603.

E. procumbens herbacea; etiam dilutè pur-
purea. *Ibid.*

Επειξη Diosc. Sibth.

Επειξη, ρείξη, ἢ ρίξι hodiè.

Icon. Jacq. Austr. t. 32. *E. carnea.*

In Græciâ ubique vulgaris. ʒ.

879. *E. spiculifolia.* *Salisb. Tr. of L. Soc.*
v. 6. 324.

Icon. Fl. Græc. t. 353.

In Olympi *Bithyni* cacumine. ʒ.

DAPHNE.

G. Pl. 192. *Juss.* 77.

* *Floribus lateralibus.*

880. *D. Mezereum.* *Sp. Pl.* 509.

Thymelæa lauri folio deciduo. Tourn. Inst. 595.

Μεζαίρεον hodiè.

Icon. Engl. Bot. t. 1381.

In Laconiâ. η.

881. *D. dioica. Gouan. Illustr.* 27. *Linn. Suppl.*

223; exclusis Bauh. et Clusii synonymis,
monente Lamarck.

Ἡμέρο Θερόκαλλο hodiè.

Icon. Gouan. Illustr. t. 17. f. 1.

In montibus circa Athenas, et in agro Argolico. η.

Luteo tingit.

882. *D. Tartonraira. Sp. Pl.* 510.

*Thymelæa foliis candicantibus, serici instar
mollibus. Tourn. Inst.* 595.

Icon. Fl. Græc. t. 354.

Prope Sestum ad Pontum Euxinum. η.

883. *D. argentea, floribus sessilibus aggregatis
axillaribus, bracteis imbricatis numerosis,
foliis obovato-lanceolatis nervosis sericeis.*

Thymelæa, seu *Tartonraire*, lini foliis argenteis. *Tourn. Cor.* 41.

Icon. *Fl. Græc. t.* 355.

In Archipelagi insulis rariùs. In Salami et Samo legit Sibthorp; copiosiùs verò circa Corinthum. η .

Latitudine foliorum variat.

884. *D. Laureola. Sp. Pl.* 510.

Thymelæa lauri folio sempervirens. *Tourn. Inst.* 595.

Icon. *Jacq. Austr. t.* 183.

In montis Olympi Bithyni umbrosis. η .

885. *D. pontica. Sp. Pl.* 511.

Thymelæa pontica, citrei foliis. *Tourn. Cor.* 41. *It. v.* 2. 83, *cum ic.*

Icon. *Andr. Repos. t.* 73.

In sylvis prope pagum *Belgrad.* η .

**** Floribus terminalibus.**

886. *D. Gnidium. Sp. Pl.* 511.

Thymelæa foliis lini. *Tourn. Inst.* 594.

Θυμελαια Diosc.

Icon. *Fl. Græc. t.* 356.

In montosis et asperis Græciæ, ut etiam a *Dioscoride* traditur, frequens. η .

887. *D. buxifolia*, floribus sessilibus glomeratis terminalibus, foliis elliptico-lanceolatis pubescentibus, caule erecto ramosissimo.

Thymelæa orientalis, buxi folio subtùs villosa, flore albo. *Tourn. Cor.* 41.

Icon. *Fl. Græc.* t. 357.

In montibus Sphacioticis Cretæ. In Armeniâ invenit Tournefort. η .

888. *D. oleoides*. *Mant.* 66.

Thymelæa cretica, oleæ folio utrinque glabro. *Tourn. Cor.* 41.

Χαμελαία Diosc. Sibth.

Icon. *Schrch. Ic.* t. 7.

In montibus Sphacioticis elatioribus Cretæ, et in Olympi Bithyni cacumine. η .

889. *D. jasminea*, floribus geminis terminalibus sessilibus nudiusculis, foliis spatulatis glabris, caule ramosissimo depresso.

Thymelæa orientalis, salicis folio, flore albo odoratissimo. *Tourn. Cor.* 41?

Icon. *Fl. Græc.* t. 358.

In Parnasso et Delphi montibus. η .

Habitus *Salicis retusæ* Linnæi.

890. *D. sericea*. *Vahl. Symb. v. 1. 28. Willd. Sp. Pl. v. 2. 423.*

Thymelæa cretica, oleæ folio subtùs villosò.
Tourn. Cor. 41.

Icon *nulla*.

In Cretæ montibus Sphacioticis. $\frac{1}{2}$.

891. *D. alpina*. *Sp. Pl. 510*; exclusis synonymis Gesneri, Tournefortii, Bauhini et Lobelii.

Thymelæa alpina, folio utrinque incano, flore albo. *Tourn. Inst. 594.*

T. incana, mezerei folio et facie, surculis admodum fragilibus. *Pluk. Phyt. t. 229. f. 3.*

Icon. *Pallas Russ. t. 35. D. altaica.*

In Olympo Bithyno, et Parnasso, montibus; etiam in Sphacioticis Cretæ. $\frac{1}{2}$.

Flores reverà terminales, nec laterales, sunt. *Folia* decidua.

892. *D. collina*. *Spicil. Bot. 16. t. 18. Willd. Sp. Pl. v. 2. 423.*

Thymelæa saxatilis, oleæ folio. *Tourn. Inst. 594.*

Icon. *Fl. Græc. t. 359.*

In collibus Italiæ australis, et postea, ni fallor, in Græciâ, legit Sibthorp. $\frac{1}{2}$.

PASSERINA.

G. Pl. 193. Juss. 77.

893. *P. hirsuta*. Sp. Pl. 513.

Thymelæa tomentosa, foliis sedi minoris.

Tourn. Inst. 595.

Χαμαιπιτυς Diosc.? Sibth.

Αγριο Θερόκαλλο hodiè.

Icon. Fl. Græc. t. 360.

In montibus campisque circa Athenas copiosè,
nec non in Cretæ et Cypri maritimis, Novem-
bre florens. 2.

DIOSPYROS.

G. Pl. 550. Juss. 156. Gært. t. 179.

894. *D. Lotus*. Sp. Pl. 1510.

Guaicana. Tourn. Inst. 600.

Icon. Pallas Ross. t. 58.

Circa Byzantium. 2.

A C E R.

G. Pl. 546. Juss. 251. Gært. t. 116.

895. *A. campestre*. Sp. Pl. 1497.*A. campestre* et minus. Tourn. Inst. 615.

Icon. Engl. Bot. t. 304.

Circa Byzantium. 2.

896. *A. monspessulanum*. *Sp. Pl.* 1497 ; excl. syn. Pluk.

A. trifolia. *Tourn. Inst.* 615.

Icon. *Duhamel Arb. t.* 10. *f.* 8. *A. trifolia*.

In herbario Sibthorpiano, cum priore forsitan lectum. $\frac{1}{2}$.

897. *A. creticum*, foliis acutè trilobis subdenticulatis petiolo quadruplò longioribus.

A. creticum. *Sp. Pl.* 1497 ; excl. syn. Alpini.

A. orientalis hederæ folio. *Tourn. Cor.* 43.

Icon. *Duhamel Arb. t.* 10. *f.* 9. et *Pluk. Phyt. t.* 251. *f.* 3.

In montibus Cretæ. $\frac{1}{2}$.

898. *A. obtusifolium*, foliis rotundatis obtusè trilobis denticulato-crenatis longitudine ferè petiolorum.

A. cretica. *Tourn. Cor.* 43.

Icon. *Fl. Græc. t.* 361.

In montibus Sphacioticis Cretæ. $\frac{1}{2}$.

II. Digynia.

MÖHRINGIA.

G. Pl. 195. *Juss.* 300. *Gärtn. t.* 129.

899. *M. stricta*, foliis strictis; basi scariosis ciliatis: geniculo caulino brevioribus.

Icon. *Fl. Græc. t.* 362.

In insulâ Cretâ. 4.

III. Trigynia.

POLYGONUM.

G. Pl. 195. *Juss.* 82. *Gärtn. t.* 119.

* *Digyna. Flores spicati aut racemosi.*

900. *P. amphibium. Sp. Pl.* 517.

Persicaria salicis folio, potamogeton angustifolium dicta. Tourn. Inst. 509.

Icon. *Curt. Lond. fasc. 4. t.* 28.

In lacu Nicææ, Asiæ minoris, et circa Byzantium. 4.

901. *P. Persicaria*. *Sp. Pl.* 518.

Persicaria mitis maculosa; et non maculosa.

Tourn. Inst. 509.

Ἀγρία πιπέρια *hodiè*.

Pere oti *Turc.*

Icon. *Curt. Lond. fasc. 1. t. 23.*

Ad ripas fluviorum et in udis Cretæ, copiosè. ☉.

902. *P. lapathifolium*. *Sp. Pl.* 517.

Persicaria major, lapathi foliis, calyce floris purpureo. *Tourn. Inst.* 510.

Icon. *Curt. Lond. fasc. 1. t. 24, 25.* *P. pennsylvanicum*.

In ruderalis circa Athenas, alibique. ☉.

903. *P. Hydropiper*, *Sp. Pl.* 517.

Persicaria urens, seu *hydropiper*. *Tourn. Inst.* 509.

Ὑδροπεπερι *Diosc.*

Sú Biberi *Turc.*

Icon. *Curt. Lond. fasc. 1. t. 26.*

In aquis Græciæ stagnantibus lenitérve fluentibus, ut a Dioscoride memoratur, frequens. ☉.

266. OCTANDRIA—TRIGYNIA.

**** Trigyna.** *Fl. spicati aut racemosi.*

904. *P. Bistorta.* *Sp. Pl.* 516.

Bistorta major. *Tourn. Inst.* 511.

Icon. Curt. Lond. fasc. 1. t. 22.

In Olympo Bithyno monte, et in Laconiâ. 4.

905. *P. viviparum.* *Sp. Pl.* 516.

Bistorta alpina media et minor. *Tourn. Inst.*
511.

Icon. Engl. Bot. t. 669.

In Laconia montibus. 4.

***** Flores axillares.**

906. *P. maritimum*, floribus trigynis axillaribus,
foliis ellipticis, stipularum nervis numerosis
approximatis, caule suffruticoso procum-
bente.

P. maritimum. *Sp. Pl.* 519.

P. maritimum latifolium. *Tourn. Inst.* 510.

Argentina hodiè.

Icon. Fl. Græc. t. 363.

In arenosis maritimis Cretæ, Cypri et Rhodi;
nec non in littore Eliensi. 7.

907. *P. equisetiforme*, floribus digynis axillari-
bus, foliis oblongis, stipulis lacero-capilla-

ceis multinervosis, caule suffruticoso ascendente.

Icon. *Fl. Græc. t.* 364.

In sepibus insulæ Cretæ. η .

Confer *P. setosum. Jacq. Obs. fasc. 3. 8. t.* 57.

908. *P. aviculare. Sp. Pl.* 519.

P. latifolium. Tourn. Inst. 510.

Πολυγονον ἀρρῆν *Diosc.*

Icon. *Curt. Lond. fasc. 1. t.* 27.

In Græciâ, et Archipelagi insulis, ubique. $\odot$.

**** *Folia dilatata, subcordata.*

909. *P. Fagopyrum. Sp. Pl.* 522.

Fagopyrum vulgare erectum. Tourn. Inst. 511.

Icon. *Engl. Bot. t.* 1044.

In agro Byzantino. *D. Sestini.* $\odot$.

910. *P. Convolvulus. Sp. Pl.* 522.

Fagopyrum vulgare scandens. Tourn. Inst. 511.

Icon. *Curt. Lond. fasc. 4. t.* 29.

In arvis Græciæ. $\odot$.

911. *P. dumetorum. Sp. Pl.* 522.

Helxine cissampelos altera, atriplicis effigie.

Lob. Ic. 624. *Tourn. Inst.* 511; sub præcedente.

Icon. *Fl. Dan. t.* 756.

In Græciâ, ex herbario Sibth. $\odot$.

IX. ENNEANDRIA.

I. Monogynia.

LAURUS.

G. Pl. 200. *Juss.* 80. *Gærtn. t.* 92.

912. *L. nobilis.* *Sp. Pl.* 529.

L. vulgaris. *Tourn. Inst.* 597.

Δαφνη *Diosc.*

Δάφνη *hodiè.*

Icon. *Fl. Græc. t.* 365.

β. *Laurus latifolia.* *Tourn. Inst.* 597.

Δαφνη πλατυτερα *Diosc.*

Icon. *Tabern. Ic.* 951.

In Peloponneso haud infrequens. In monte
Athô, et insulâ Cretâ; copiosius verò circa
Byzantium. η.

II. Hexagynia.

BUTOMUS.

G. Pl. 201. *Juss.* 46. *Gærtn. t.* 19.

913. *B. umbellatus.* *Sp. Pl.* 532.

B. flore roseo. *Tourn. Inst.* 271.

Icon. Curt. Lond. fasc. 1. t. 29.

*Ad fluviorum ripas circa Lupadium, Bithyniæ,
et prope Byzantium. 4.*

X. DECANDRIA.

I. Monogynia.

SOPHORA.

G. Pl. 204. *Juss.* 352. *Gærtn. t.* 149.

914. *S. alopecuroides.* *Sp. Pl.* 533.

Ervum orientale alopecuroides perenne, fructu
longissimo. *Tourn. Cor.* 27.

Icon. Dill. Elth. t. 112.

Prope Thyatiram, hodiè *Akhissar*, in Asiâ minore. 4.

ANAGYRIS.

G. Pl. 204. *Juss.* 352.

915. *A. fætida.* *Sp. Pl.* 534. *Tourn. Inst.* 647.

Αναγυρίς Diosc.

Ανάγυρι, ἡ ἀνδράξανω, hodiè in Cretâ.

Ἀγριο Φασόλι Cypri.

Ἀζόγερα Argol.

Ἀζωγερὰς Zacynth.

Icon. *Fl. Græc. t.* 366.

In provinciis et insulis Græciæ frequens. η .

CERCIS.

G. Pl. 205. *Juss.* 351. *Gærtn. t.* 144.

916. *C. Siliquastrum. Sp. Pl.* 534.

Siliquastrum. Tourn. Inst. 647.

Ergavan Turc.

Icon. *Fl. Græc. t.* 367.

In agro Argolico, et insulâ Samo. Inter Smyrnam et Bursam copiosè. η .

DICTAMNUS.

G. Pl. 209. *Juss.* 297.

Fraxinella. Gærtn. t. 69.

917. *D. albus. Sp. Pl.* 548.

Fraxinella. Tourn. Inst. 430.

Icon. *Jacq. Austr. t.* 428.

In montis Hæmi sylvis umbrosis, et in Laconiâ. ψ .

RUTA.

G. Pl. 210. *Juss.* 297. *Gærtn. t.* 111.

918. *R. graveolens. Sp. Pl.* 548.

Ruta sylvestris major. Tourn. Inst. 257.

Πηγαρον Diosc.

Πήγανος, ἢ πέγανι, hodiè.

Icon. *Dod. Pempt.* 119. f. 2.

β. *Ruta hortensis latifolia.* *Tourn. Inst.* 257.

Πηγανον κηπαιον *Diosc.*

Jaban Sedef *Turc.*

Icon. *Bulliard. Herb. de la Fr.* t. 85.

In Archipelagi insulis frequens, tam sylvestris quam culta. *h*.

Foliorum laciniae in *β* rotundiores, in *α* magis oblongae sunt.

919. *R. montana.* *Ait. Hort. Kew.* v. 2. 57.

Willd. Sp. Pl. v. 2. 543.

R. sylvestris minor. *Tourn. Inst.* 257.

Πηγανον ορεινον *Diosc.*

Πέγανι hodiè.

Icon. *Jacq. Ic. Rar.* t. 76. *R. legitima.*

In montosis siccis Græciæ, et circa Byzantium; etiam in monte Sipylo. *h*.

920. *R. chalepensis.* *Mant.* 69. *Tourn. Inst.* 257.

Απήγανος hodiè.

Icon. *Fl. Græc.* t. 368.

In Zacyntho, nec non in Archipelagi insulis. *h*.

921. *R. patavina.* *Sp. Pl.* 549.

Icon. *Fl. Græc.* t. 369.

In monte Parnasso. *υ*.

922. *R. linifolia*. *Sp. Pl.* 549.

R. sylvestris linifolia hispanica. *Tourn. Inst.*
257.

Πέγχνι *hodiè*.

Icon. *Fl. Græc. t.* 370.

In insulâ Cypro, atque in variis Græciæ locis. 4.

ZYGOPHYLLUM.

G. Pl. 212. *Juss.* 296. *Gærtn. t.* 112.

923. *Z. album*. *Sp. Pl.* 551.

Icon. *Fl. Græc. t.* 371.

In insulâ Cypro. 5.

TRIBULUS.

G. Pl. 213. *Juss.* 296. *Gærtn. t.* 69.

924. *T. terrestris*. *Sp. Pl.* 554.

T. terrestris, ciceris folio, seminum integumento aculeato. *Tourn. Inst.* 266.

Τριβόλος χερσαῖος *Diosc.*

Τριβόλι *hodiè*.

Demio Dikièni *Turc.*

Icon. *Fl. Græc. t.* 372.

In arvis, vineis, ruderatis, et ad vias, Græciæ, vulgaris. ☉.

ARBUTUS.

G. Pl. 220. *Juss.* 160. *Gærtn. t.* 59.

925. *A. Unedo. Sp. Pl.* 566.

A. folio serrato. Tourn. Inst. 598.

Κεμαριά *hodiè.*

Chogia Jemischì *Turc.*

Icon. Fl. Græc. t. 373.

In sylvis Græciæ, ut et insularum, frequens. *h.*

926. *A. Andrachne. Sp. Pl.* 566.

A. folio non serrato. Tourn. Cor. 41.

Κομαρός *Diosc. certè Sibth.*

Ἀγριοκεμαριά *hodiè.*

Icon. Fl. Græc. t. 374.

In montibus circa Athenas, cum priore, copiosè;
nec non in Archipelagi insulis, et inter Smyr-
nam et Bursam. In Cypro vulgaris, ubi prior
species vix invenitur. *h.*

PYROLA.

G. Pl. 221. *Juss.* 161. *Gærtn. t.* 63.

927. *P. secunda. Sp. Pl.* 567.

P. folio mucronato serrato. Tourn. Inst. 256.

Icon. Engl. Bot. t. 517.

In montis Olympi Bithyni sylvis umbrosis. *h.*

STYRAX.

G. Pl. 237. *Juss.* 156. *Gærtn. t.* 59.

928. *S. officinale.* *Sp. Pl.* 635.

S. folio mali cotonei. *Tourn. Inst.* 598.

Στυραξ *Diosc.*

Στεράκι *hodiè.*

Icon. Fl. Græc. t. 375.

In nemorosis montosis Cretæ et Cypri; nec non
in variis Græciæ locis. Inter Smyrnam et
Scalam novam. ½.

II. Digynia.

SAXIFRAGA.

G. Pl. 223. *Juss.* 309. *Gærtn. t.* 36.

* *Foliis indivisis, caule subnudo.*

929. *S. media*, foliis radicalibus aggregatis lingulatis integerrimis; margine cartilagineo supra punctato, petalis obtusis calyce brevioribus.

S. media. *Gouan. Illustr.* 27. *Poiret in Lamarck. Encycl.* v. 6. 673. *tab.* 372. *f.* 6.

S. cæsia. *Linn. Mant.* 382, *nec Sp. Pl.* 571.

S. calyciflora. *Picot Lapeyrouse Pyren.* v. 1. 28. *t.* 12.

Icon. *Fl. Græc.* t. 376.

In Olympi Bithyni cacumine. 4.

930. *S. androsacea.* *Sp. Pl.* 571.

Icon. *Jacq. Austr.* t. 389.

In Olympi Bithyni summitate. 4.

931. *S. Geum.* *Sp. Pl.* 574.

Geum rotundifolium minus. *Tourn. Inst.* 251.

Icon. *Engl. Bot.* t. 1561.

In monte Parnasso. 4.

** *Foliis indivisis, caule folioso.*

932. *S. rotundifolia.* *Sp. Pl.* 576.

Geum rotundifolium majus. *Tourn. Inst.* 251.

Icon. *Fl. Græc.* t. 377.

In montibus Sphacioticis Cretæ, et Olympo Bithyno, etiam in Laconiâ; locis umbrosis gaudens. 4.

*** *Foliis lobatis, caule erecto.*

933. *S. granulata.* *Sp. Pl.* 576.

S. rotundifolia alba. *Tourn. Inst.* 252.

Icon. *Curt. Lond. fasc. 1. t. 30.*

In agro Argolico. 4.

934. *S. tridactylites. Sp. Pl. 578.*

S. verna annua humilior. Tourn. Inst. 252.

Icon. *Curt. Lond. fasc. 2. t. 28.*

In Laconiâ et Achaiâ. ☉.

935. *S. cæspitosa. Sp. Pl. 578.*

S. tridactylites alpina minor et villosa. Tourn. Inst. 252.

Icon. *Engl. Bot. t. 794.*

In monte Delphi. 4.

**** *Foliis lobatis, caulibus procumbentibus.*

936. *S. cymbalaria, foliis reniformibus subseptemlobis: summis trilobis integrisve, caulibus procumbentibus, petalis ovatis basi bipunctatis.*

S. cymbalaria. Sp. Pl. 579.

S. orientalis. Willd. Sp. Pl. v. 2. 658.

S. exigua, foliis cymbalariae. Buxb. Cent. 2. 40. t. 45. f. 2.

Geum orientale rotundifolium supinum, flore aureo. Tourn. Cor. 18.

Icon. *Fl. Græc. t. 378.*

In Parnasso, Delphi, aliisque Græciæ montibus. 4.

937. *S. hederacca*, foliis ovatis obsoletè trilobis:
summis oblongis integris, caule filiformi
flaccido, petalis rotundatis unguiculatis.

S. hederacea. *Sp. Pl.* 579.

S. cretica annua minima, hederaceo folio.
Tourn. Cor. 18.

Icon. *Fl. Græc. t.* 379.

In rupibus humidis umbrosis Cretæ et Cypri. ☉.

SCLERANTHUS.

G. Pl. 224. *Juss.* 314. *Gærtn. t.* 126.

938. *S. annuus*. *Sp. Pl.* 580.

Alchimilla supina, gramineo folio, minore
flore. *Tourn. Inst.* 508.

Icon. *Engl. Bot. t.* 351.

In Olympo Bithyno monte. ☉.

939. *S. polycarpus*. *Sp. Pl.* 581.

Icon. *Dalech. Hist.* 444. *f.* 1: et *Column.*
Ecphr. 294. *f.* 1.

In Græciâ, e MSS. et herbario Sibth.; at quovis
loco non constat. ☉.

GYPSOPHILA.

G. Pl. 224. *Juss.* 301.

Saponaria. Gærtn. t. 130.

Cal. monophyllus, campanulatus, angulatus.

Pet. 5, obovata, integriuscula. *Caps.* supera, subrotunda, unilocularis.

940. *G. Vaccaria*, foliis ovatis amplexicaulibus glaberrimis, petalis emarginatis erosus.

Saponaria Vaccaria. Sp. Pl. 585.

Lychnis segetum rubra, foliis perfoliatæ.

Tourn. Inst. 335.

Icon. Fl. Græc. t. 380.

Inter segetes Græciæ et Archipelagi, vulgaris. ☉.

941. *G. graminea*, foliis radicalibus linearibus cæspitosis, caule nudiusculo paniculato, petalis emarginatis, calyce pubescenti.

Icon nulla mihi obvia.

In Peloponnesi montibus, ni fallor, legit Sibthorp. 4.

Folia radicalia numerosa, graminea, lætè viridia, margine spinuloso-scabra. *Caules* spithamæi, pauciflori. *Flores* rosei, præcedente duplò minores.

942. *G. altissima*. *Sp. Pl.* 582.

Icon. *Gmel. Sib. v. 4. t. 60.*

In Græciâ ex herb. Sibth. 4.

943. *G. muralis*. *Sp. Pl.* 583.

*Lychnis annua minima, flore carneo, lineis
purpureis distincto. Tourn. Inst. 338.*

Icon. *Fl. Græc. t. 381.*

In monte Olympo Bithyno. ☉.

944. *G. rigida*. *Sp. Pl.* 583.

Tunica minima. Dalech. Hist. 1191. f. 2.

Icon. *Fl. Græc. t. 382.*

In monte Olympo Bithyno. 4.

945. *G. dianthoides*, foliis linearibus, floribus
capitatis, bracteis confertis mucronatis dila-
tatis scariosis, petalis obtusis integerrimis.

*Lychnis orientalis, petalis albis, lineis cæruleis
subtùs variegatis. Tourn. Cor. 24, e cha-
ractere.*

Icon. *Fl. Græc. t. 383.*

In Cretæ rupibus Sphacioticis. 4.

946. *G. cretica*, foliis subulatis trinerviis, caule
subdichotomo, petalorum laminis lanceolatis
immaculatis, radice cæspitosâ.

Saponaria cretica. Sp. Pl. 584.

Icon. *Fl. Græc. t.* 384.

In Cretæ rupestribus. $\mathcal{U}$.

947. *G. ochroleuca*, foliis subulatis: infimis linearibus flaccidis, caule dichotomo divaricato, petalorum laminis spatulatis basi punctatis.

Icon. *Fl. Græc. t.* 385.

In monte Hymetto prope Athenas. $\odot$?

948. *G. illyrica*, foliis subulatis, caule dichotomo fastigiato calycibusque viscido-pubescentibus, petalorum laminis obovatis basi punctatis.

Saponaria illyrica. Mant. 70. *Willd. Sp. Pl.* v. 2. 669.

Icon. *Fl. Græc. t.* 386.

In Archipelagi insulis. In Amorgi collibus, Augusto florens. $\mathcal{U}$.

949. *G. ocellata*, foliis spatulatis utrinque tomentosis, caulibus diffusis, floribus capitatis, petalorum laminis ovatis zonulâ notatis.

Lychnis græca pumila umbellifera, polygoni folio, flore albo cum circulo atro-purpureo.

Tourn. Cor. 24?

Cucubalus polygonoides. Willd. Sp. Pl. v. 2. 690? vix.

Icon. *Fl. Græc. t. 387.*

In Delphi monte Eubææ. γ .

950. *G. thymifolia*, foliis spatulatis utrinque tomentosis, caulibus diffusis subdichotomis, petalorum laminis obovatis rotundatis immaculatis.

Icon. *Fl. Græc. t. 388.*

In monte Parnasso. γ .

SAPONARIA.

G. Pl. 224. Juss. 302.

Cal. monophyllus, ovato-cylindraceus, æqualis, nudus. *Pet. 5*, longius unguiculata. *Caps. supera, oblonga, unilocularis.*

951. *S. officinalis. Sp. Pl. 584.*

Lychnis sylvestris, quæ *Saponaria vulgò.*

Tourn. Inst. 336.

Στράθιον Diosc. ? Sibth.

Icon. *Curt. Lond. fasc. 2. t. 29.*

In locis humidis ad sepes in variis Græciæ provinciis, etiam in Asiâ minore. γ .

952. *S. cæspitosa*, calycibus basi constrictis glabris, foliis spatulatis cæspitosis, caulibus simplicibus unifloris nudiusculis.

Icon. *Fl. Græc. t.* 389.

In Delphi monte Eubœæ. *u*.

VELEZIA.

G. Pl. 176. *Juss.* 302. *Gærtn. t.* 129.

Cal. monophyllus, subcylindræus, sulcatus, nudus. *Pet.* 5, longissimè unguiculata, ad faucem barbata. *Caps.* supera, cylindræa, unilocularis. *Sem.* imbricata.

953. *V. rigida*, calycibus filiformibus pubescentibus, petalis bifidis.

V. rigida. *Sp. Pl.* 474.

Lychnis parva, flore rubello, è calyce oblongo angusto, Messanensis. *Tourn. Inst.* 338?

Icon. *Fl. Græc. t.* 390.

In Cretâ et Cypro insulis. ☉.

Flores decandri.

954. *V. quadridentata*, calycibus clavatis glabris, petalis quadridentatis.

Icon. *Fl. Græc. t.* 391.

In Asiâ minori. ☉.

DIANTHUS.

G. Pl. 225. *Juss.* 302. *Gærtn. t.* 129.

* *Flores aggregati.*

955. *D. carthusianorum.* *Sp. Pl.* 586.

VOL. I.

X

Caryophyllus sylvestris vulgaris latifolius.

Tourn. Inst. 333.

Icon. Fl. Græc. t. 392.

In monte Olympo Bithyno, et circa Byzantium. *¶*.

956. *D. pinifolius*, floribus aggregatis capitatis, squamis calycinis obcordatis aristatis tubo brevioribus, foliis setaceis.

Caryophyllus sylvestris vulgaris angustifolius.

Tourn. Inst. 333.

Icon. Tabern. Kreuterb. 668. f. 13. Caryophyllus montanus albus.

In Lemno insulâ, et circa Byzantium. *¶*.

Radix lignosa, multiceps. *Caules* pedales aut sesquipedales, simplices, graciles, stricti, foliosi, læves. *Folia* omnia setacea, sesquiuncialia, angustissima, subtriquetra, subpungentia, lætè viridia, glabra, uninervia, margine inorassata, basi connata; radicalia conferta, cæspitosa. *Capitulum* terminale, subquinqueflorum, præcedente duplò minus. *Bracteæ* binæ, obcordatæ, obtusissimæ, aristatæ, longitudine capituli. *Squamæ calycinæ* formâ bractearum, sed brevius aristatæ. *Petala* non vidi. Cum synonymis suprâ citatis benè, ni fallor, convenit. Calyce affinis est *D. juniperino*, *Act. Soc. Linn. v. 2. 303.*

957. *D. biflorus*, floribus geminatis, squamis cuneatis obtusissimis aristatis patulis calyce brevioribus, foliis linearibus trinervibus.

Icon. *Fl. Græc. t.* 393.

In monte Delphi Eubææ. 4.

958. *D. prolifer. Sp. Pl.* 587.

Caryophyllus sylvestris prolifer. *Tourn. Inst.* 333.

Ἀγριογαρόφαλον hodiè.

Γαρέφαλλα τῆ βενῆ *Zacynth.*

Icon. *Fl. Græc. t.* 394.

In provinciis et insulis Græciæ vulgaris. ☉.

959. *D. Armeria. Sp. Pl.* 586.

Caryophyllus barbatus sylvestris. *Tourn. Inst.* 333.

Icon. *Engl. Bot. t.* 317.

In Græciâ, ex herb. Sibth. ☉.

960. *D. corymbosus*, floribus subaggregatis, squamis lanceolatis villosis tubo brevioribus, caule corymboso divaricato multifloro pubescente.

Icon. *Fl. Græc. t.* 395.

In Asiâ minore. ☉.

** *Flores solitarii, plures in eodem caule.*

961. *D. diffusus*, floribus subcorymbosis, squamis

sulcatis mucronatis tubo duplò brevioribus,
caulibus diffusis glabriusculis.

Icon. *Fl. Græc. t.* 396.

In insulâ Cypro. 4.

962. *D. pubescens*, floribus solitariis, squamis
sulcatis mucronatis tubo duplò brevioribus,
caulibus diffusis foliisque villosis.

Icon. *Fl. Græc. t.* 397.

In montibus circa Athenas. 4.

963. *D. tripunctatus*, floribus solitariis, squamis
scariosis tenuè aristatis tubo parùm brevioribus,
caule patulo multifloro.

Icon. *Fl. Græc. t.* 398.

In insulâ Cypro. ☉.

964. *D. Caryophyllus*. *Sp. Pl.* 587.

Caryophyllus simplex, flore minore, pallidè
rubente. *Tourn. Inst.* 332.

Καρυοφύλλον *Lacon.*

Icon. *Engl. Bot. t.* 214.

In Laconiâ. 4.

Folia glauca, acuta, stricta. *Petala* variè erosa,
haud bifida.

965. *D. pallens*, floribus solitariis, squamis ovatis

acuminatis brevissimis, caule paniculato multifloro, foliis laxis acutis.

Icon. *Fl. Græc. t.* 399.

In Asiâ minore prope Smyrnam. 4.

966. *D. cinnamomeus*, floribus solitariis, squamis rhombeis obtusissimis brevissimis, petalis emarginatis dentatis, foliis laxis obtusiusculis.

Caryophyllus sylvestris et saxatilis, flore magno lacteo, subtùs ad spadiceum colorem vergente. *Tourn. Cor.* 23.

Icon. *Fl. Græc. t.* 400.

In Laconiâ, Asiâ minore, insulâ Cypro, et circa Byzantium in ericetis. 4.

Synonymon Tournefortii perperàm, ut videtur, ad *D. pomeridianum* suum retulit Linnæus.

967. *D. crinitus*. *Sm. Tr. of Linn. Soc. v.* 2. 300.
Willd. Sp. Pl. v. 2. 678.

Caryophyllus orientalis minimus, tenuissimè laciniatus, flore albo. *Tourn. Cor.* 23.

Icon. *Fl. Græc. t.* 401.

In insulâ Cypro. 4.

Caulcs sæpè uniflori.

*** *Caulcs uniflori, herbacei.*

968. *D. serratifolius*, caulibus unifloris, radice

multicipite lignosâ, squamis quaternis, petalis dentatis imberbibus, foliis serratis pungentibus.

Icon. *Fl. Græc. t. 402.*

In monte Hymetto prope Athenas. ۲.

969. *D. strictus*, caulibus unifloris, squamis quaternis, petalis crenatis imberbibus, foliis planis obtusiusculis margine scabris.

Icon. *Fl. Græc. t. 403.*

In monte Athô. ۲.

970. *D. gracilis*, caulibus unifloris, squamis mucronatis subsenis, petalis crenatis barbatis, foliis acuminatis margine scabris.

Icon. *Fl. Græc. t. 404.*

In monte Athô. ۲.

971. *D. leucophæus*, caulibus unifloris, squamis quaternis, petalis tridentatis imberbibus, foliis ovato-lanceolatis basi quinquenervibus.

Icon. *Fl. Græc. t. 405.*

In montis Olympi Bithyni summitate. ۲.

972. *D. alpinus*. *Sp. Pl.* 590.

Caryophyllus sylvestris, flore magno inodoro hirsuto. *Tourn. Inst.* 333.

Icon. *Jacq. Austr. t. 52.*

In montibus Græciæ. γ .

**** *Frutescentes.*

973. *D. arboreus*, caule lignoso, floribus fasciculatis, squamis numerosis obtusissimis retusis, foliis linearibus glaucis.

D. arboreus. *Sp. Pl.* 590.

Caryophyllus arborescens creticus. *Tourn. Inst.* 331.

Icon. *Fl. Græc. t. 406.*

In Cretæ rupibus maritimis. η .

974. *D. fruticosus*, caule lignoso, floribus fasciculatis, squamis ellipticis acuminatis numerosis, foliis obovato-lanceolatis obtusis.

D. fruticosus. *Sp. Pl.* 591.

D. arboreus β . *Sm. Tr. of Linn. Soc. v. 2.* 303.

Caryophyllus græcus arboreus, leucoii folio peramaro. *Tourn. Cor.* 23. *It. v. 1.* 70. *cum icone.*

Icon. *Fl. Græc. t. 407.*

In insulæ Seriphi rupibus, at rarissimè. In insulâ Cretâ. η .

Formosam stirpem, ex icone et speciminibus Sibthorpiæ meliùs mihi notam, pro distinctâ specie lubens agnosco.

III. Trigynia.

SILENE.

Fl. Brit. 465. *G. Pl.* 226. *Juss.* 302. *Gærtn. t.* 130.

Cucubalus. G. Pl. 225. *Juss.* 302.

* *Caulis racemosus, interdum subdichotomus.*

975. *S. lusitanica. Sp. Pl.* 594.

Icon. Dill. Elth. t. 311.

In Archipelagi insulis frequens; nec non in agro
Messeniaco et monte Athô, Augusto flo-
rens. ☉.

976. *S. quinquevulnera. Sp. Pl.* 595.

Lychnis hirta minor, flore variegato. Tourn.
Inst. 338.

Icon. Engl. Bot. t. 86.

In agro Cariensi. ☉.

977. *S. nocturna. Sp. Pl.* 595.

Icon. Fl. Græc. t. 408.

Circa Byzantium in vineis; etiam in agro La-
conico. ☉.

978. *S. gallica*. *Sp. Pl.* 595.

Lychnis sylvestris hirsuta annua, flore minore
carneo. *Tourn. Inst.* 337.

Icon. *Vaill. Paris. t.* 16. *f.* 12.

In monte Delphi, Eubœæ. ☉.

979. *S. pendula*. *Sp. Pl.* 599.

Lychnis supina sicula, calyce amplissimo stri-
ato. *Tourn. Inst.* 337.

Icon. *Curt. Mag. t.* 114.

In Cretâ et Cypro insulis. ☉.

980. *S. vespertina*, petalis bipartitis rotundatis;
appendiculis acutis, calycibus pubescenti-
bus, foliis spatulatis, caulibus diffusis.

S. vespertina. *Retz. Obs. fasc.* 3. 31. *Willd.*
Sp. Pl. v. 2. 699. *Curt. Mag. t.* 677.

S. bipartita. *Desfont. Atlant. v.* 1. 352. *t.* 100.

S. ciliata. *Willd. Sp. Pl. v.* 2. 692, excl. syn.

Lychnis marina hirsuta purpurea, leucoji folio.
Barrel. Ic. t. 1010.

Icon. *Fl. Græc. t.* 409.

In insulâ Zacyntho; etiam in Græciæ littoribus
haud rara. ☉.

*Caulis rarissimè semel dichotomus. Calyx inter-
dùm villosus.*

981. *S. discolor*, petalis bipartitis angustatis; appendiculis emarginatis, calycibus villosis, foliis obovatis, caulibus diffusis.

Icon. *Fl. Græc. t.* 410.

In insulâ Cypro. ☉.

Caulis vix unquam dichotomus. *Petala* suprà carnea, subtùs virescentia.

982. *S. thymifolia*, petalis bipartitis angustatis; appendiculis emarginatis, calycibus hirtis glutinosis, caulibus procumbentibus lignosis ramosissimis.

Icon. *Fl. Græc. t.* 411.

In Cypri insulæ, et Cariæ, arenosis maritimis. ♀.

983. *S. cerastoides*. *Sp. Pl.* 596.

Icon. *Fl. Græc. t.* 412.

In Asiâ minore. ☉.

984. *S. dichotoma*, petalis bipartitis angustatis nudiusculis, caule dichotomo racemoso foliisque villosis.

S. dichotoma. *Ehrh. Beitr. v.* 7. 143. *Pl. Select.* 65. *Willd. Sp. Pl. v.* 2. 699.

S. trinervis. *Soland. in Russell's Aleppo, ed.* 2. 252.

Icon. *Fl. Græc. t.* 413.

In insulâ Cretâ, et circa montem Olympum

Bithynum; etiam, ni fallor, prope Thessalonicam legit Sibthorp. ♂.

985. *S. divaricata*, petalis bipartitis rotundatis appendiculatis, caule dichotomo divaricato racemoso, foliis omnibus lanceolatis acutis.

Icon. *Fl. Græc. t.* 414.

In agro Cariensi. ♂.

**** *Caulis dichotomus, ramis paniculatis.***

986. *S. inflata*. *Fl. Brit.* 467.

Cucubalus Behen. *Sp. Pl.* 591.

Lychnis sylvestris quæ Behen album vulgò.

Tourn. Inst. 335.

Μηκων αφρωδες *Diosc.?* *Sibth.*

Στρεβελα *hodiè.*

Φεσκέδια *Lemn.*

Κεκάκι *Zacynth.*

Icon. *Engl. Bot. t.* 164.

In Græciâ vulgaris. ♀.

Folia cocta Zacynthis esculenta sunt.

987. *S. fabaria*, floribus fasciculatis confertis cernuis, petalis bipartitis angustatis; appendiculis emarginatis, foliis obovatis mucronulatis.

Cucubalus fabarius. *Sp. Pl.* 591.

Lychnis maritima saxatilis, anacampserotis folio. *Tourn. Cor.* 24.

Icon. Fl. Græc. t. 415.

In Cariæ littore, prope Cressam; in Olympo Bithyno et Athô montibus; et in rupibus maritimis insulæ Sami. $\mathcal{U}$.

988. *S. Behen*, floribus corymboso-paniculatis erectiusculis, petalis bipartitis rotundatis appendiculatis, calycibus reticulatis, foliis obovato-lanceolatis.

S. Behen. Sp. Pl. 599.

Lychnis cretica, parvo flore, calyce striato purpurascente. *Tourn. Cor.* 24.

Στρεβόνι hodiè.

Icon. Fl. Græc. t. 416.

In Cariâ, et in Peloponneso. $\odot$.

989. *S. cæsia*, floribus corymboso-paniculatis erectis, petalis bipartitis linearibus; appendiculis integris, foliis obovato-rotundatis.

Lychnis cretica montis Idæ, folio subrotundo cæσιο. *Tourn. Cor.* 24, ex caractere.

Icon. Fl. Græc. t. 417.

In monte Parnasso. $\mathcal{U}$.

Calyx viridi alboque variatus, at vix reticulatus.
Radix longissima, altè descendens.

990. *S. lævigata*, paniculâ patulâ, petalis semi-bifidis angustatis nudis, foliis elliptico-rotundatis, calycibus lævissimis aveniis.

Icon. *Fl. Græc.* t. 418.

In insulæ Cypri montosis. ☉.

991. *S. rupestris.* *Sp. Pl.* 602.

Lychnis saxatilis alpina glabra pumila. *Tourn. Inst.* 338.

Icon. *Fl. Dan.* t. 4.

In montibus Græciæ. ♀.

992. *S. longipetala*, floribus pendulis, petalis bipartitis linearibus appendiculatis basi hirsutis, foliis lanceolatis margine scabris.

S. longipetala. *Vent. Jard. de Cels.* t. 83.

Icon. *Fl. Græc.* t. 419.

In insulâ Cypro. ☉.

993. *S. inaperta.* *Sp. Pl.* 600.

Icon. *Fl. Græc.* t. 420.

In montibus Græciæ. ♀.

994. *S. juncea*, floribus erectis, petalis bipartitis angustatis; appendiculis tridentatis, foliis spatulatis undique scabris.

Icon. *Fl. Græc.* t. 421.

In Asiâ minore. ☉.

995. *S. mutabilis*. *Sp. Pl.* 596.

Lychnis flore albo minimo. Tourn. Inst. 338.
Icon nulla.

In Peloponneso, ni fallor, legit Sibthorp. ☉.

996. *S. cretica*. *Sp. Pl.* 601.

Lychnis viscosa, foliis inferioribus bellidi minori similibus, flore minimo carneo aut rubro. Tourn. Inst. 337.

Icon. Fl. Græc. t. 422.

In rupibus maritimis Cretæ, nec non in Cypro, et agro Cariensi. ☉.

997. *S. conica*. *Sp. Pl.* 598.

Lychnis sylvestris angustifolia, calyculis turgidis striatis. Tourn. Inst. 337.

Icon. Fl. Græc. t. 423.

In Cariæ et Cypri arvis. ☉.

998. *S. conoidea*. *Sp. Pl.* 598.

Lychnis sylvestris latifolia, calyculis turgidis striatis. Tourn. Inst. 337.

Icon. Lob. Ic. 339. *f.* 2.

In insulæ Cypri arvis. ☉.

999. *S. noctiflora*. *Sp. Pl.* 599.

Lychnis noctiflora. Tourn. Inst. 335.

Icon. Engl. Bot. t. 291.

In insulâ Cretâ, et in Cariæ agris. ☉.

1000. *S. leucophæa*, petalis bipartitis angustatis ;
appendiculo bifido, calyce decangulari, fo-
liis lineari-oblongis recurvis glutinosis.

Icon. *Fl. Græc. t. 424.*

In insulâ Cypro. ☉.

1001. *S. ramosissima*, petalis bifidis ; appendi-
culo quadrifido, calyce clavato decangulari,
foliis spatulatis recurvis, caule ramosissimo.

Lychnis hirta angustifolia cretica. Tourn.
Inst. 337.

Ocymoides, flore rubro, minus, creticum,
Bauh. Hist. v. 3. 352. cap. 59.

Icon. *Fl. Græc. t. 425.*

In rupibus maritimis Cretæ. ☉.

*** *Caulis dichotomus, corymbosus.*

1002. *S. rubella. Sp. Pl. 600.*

Icon. *Fl. Græc. t. 426.*

In Rhodo et Cypro insulis, locis campestri-
bus. ☉.

1003. *S. orchidea. Suppl. 241. Willd. Sp. Pl.*
v. 2. 705.

S. Atocion. Jacq. Hort. v. 3. t. 32.

Lychnis græca bellidis folio verna, flore parvo
dilutè purpurascente. Tourn. Cor. 24.

Icon. *Fl. Græc. t. 427.*

In Cypri campestribus, Maio florens. ☉.

1004. *S. Armeria*. *Sp. Pl.* 601.

Lychnis viscosa purpurea latifolia lævis.

Tourn. Inst. 335.

Λυχνοειδές hodiè.

Icon. Engl. Bot. t. 1398.

In agro Laconico, et monte Athô. ☉.

1005. *S. paradoxa*. *Sp. Pl.* 1673.

Lychnis noctiflora angustifolia odorata.

Tourn. Inst. 335.

Icon. Fl. Græc. t. 428.

In insulâ Cypro. ♀.

1006. *S. italica*, paniculâ corymbosâ divaricatâ
subtrichotomâ, petalis semibifidis angustatis
nudis, foliis spatulatis scabris.

Cucubalus italicus. Sp. Pl. 593.

Icon. Fl. Græc. t. 429.

In agro Laconico. ♂.

1007. *S. mollissima*, paniculâ corymbosâ subtri-
chotomâ, petalis semibifidis rotundatis nu-
dis, caule foliis calycibusque holosericeis.

Cucubalus mollissimus. Sp. Pl. 593.

Lychnis maritima pulverulenta, folio carnoso.

Tourn. Inst. 338.

Icon nulla.

Inter Smyrnam et Bursam. ♀.

1008. *S. fruticosa*. *Sp. Pl.* 597.

Lychnis frutescens myrtifolia, behen albo similis. *Tourn. Inst.* 335.

Icon. *Camer. Hort.* 33. *Ocimoides fruticosum*.

In rupibus insulæ Cypri. γ .

**** *Caulis paniculatus, vix dichotomus.*

1009. *S. rigidula*, caule alternè ramoso patente, petalis bipartitis acutis; appendiculis quadridentatis, foliis lanceolatis glabris.

Icon. *Fl. Græc. t.* 430.

In monte Hymetto, prope Athenas. $\odot$.

Petala rosea.

1010. *S. spinescens*, caule fruticuloso; ramis oppositis horizontalibus spinescentibus, petalis bipartitis, foliis spatulatis undique pubescentibus.

Icon. *Fl. Græc. t.* 431.

In Asiâ minore. η .

1011. *S. gigantea*. *Sp. Pl.* 598.

Lychnis græca maritima, sedi arborescentis folio et facie. *Tourn. Cor.* 23.

Icon. *Fl. Græc. t.* 432.

In Archipelagi insulis, ut etiam in Cretâ. γ .

VOL. I.

Y

1012. *S. congesta*, caule subramoso, paniculis terminalibus congestis multifloris, petalis bipartitis nudis, foliis spatulatis pubescentibus.

Icon *nulla*.

In montibus circa Athenas, ut videtur, legit Sibthorp. 4.

Radix lignosa, multiceps. *Herba* undique densè ac brevè pubescens. *Caules* altitudine varii; sæpiùs spithamæi, teretes, ramis paucis, alternis; apice multiflori, subviscidi. *Folia* omnia plerumque radicalia, cæspitosa, petiolata, spatulata, integerrima, obtusa, obsoletè mucronulata. *Flores* pedicellati, congesti, erecti, magnitudine ferè præcedentis. *Bractææ* parvæ, ellipticæ, densè ciliatæ. *Calyx* subclavatus, hirtus. *Petala* virescentia, limbo bipartito, nudo, laciniis apice rotundatis.

1013. *S. nutans*. *Sp. Pl.* 596.

Lychnis montana viscosa alba latifolia. *Tourn. Inst.* 335.

Icon. *Engl. Bot. t.* 465.

In agro Byzantino. 4.

1014. *S. Otites*. *Fl. Brit.* 469.

Cucubalus Otites. *Sp. Pl.* 594. *Willd. Sp. Pl. v.* 2. 688.

Lychnis viscosa, flore muscoso. *Tourn. Inst.*
336.

Icon. *Engl. Bot. t.* 85.

In insulæ Cypri arvis, et prope Thessalonicam. *℥*.
Flores in nostris non semper dioici.

1015. *S. linifolia*, caulibus supernè paniculato-
ramosis, petalis bipartitis rotundatis, foliis
lineari-lanceolatis scabris.

Icon. *Fl. Græc. t.* 433.

In monte Parnasso. *℥*.

1016. *S. staticifolia*, paniculâ simplici racemosâ
strictâ, petalis bipartitis rotundatis, foliis li-
neari-spatulatis acutis glaberrimis.

Icon. *Fl. Græc. t.* 434.

In Peloponneso. *℥*.

***** *Caules uniflori.*

1017. *S. auriculata*, caulibus unifloris, foliis lan-
ceolatis fimbriatis, calyce campanulato pu-
bescente, petalis semibifidis utrinque auri-
culatis.

Icon. *Fl. Græc. t.* 435.

In monte Delphi Eubææ. *℥*.

1018. *S. falcata*, caulibus unifloris, foliis sub-
r 2

latis falcatis pilosis, calyce clavato, petalis
semibifidis; unguibus cuneiformibus.

Icon. *Fl. Græc. t. 436.*

In monte Olympo Bithyno. 4.

STELLARIA.

G. Pl. 226. Juss. 301. Gærtn. t. 130.

1019. *S. media. Fl. Brit. 473.*

Alsine media. Sp. Pl. 389. Tourn. Inst. 242.

Icon. *Curt. Lond. fasc. 1. t. 20.*

In cultis circa Bursam, et in Achaiâ. ☉.

1020. *S. holostea. Sp. Pl. 603.*

Alsine pratensis, gramineo folio ampliore.
Tourn. Inst. 243.

Icon. *Curt. Lond. fasc. 2. t. 30.*

In agro Byzantino, et montis Hæmi sylvis. 4.

1021. *S. cerastoides. Sp. Pl. 604.*

Icon. *Engl. Bot. t. 911.*

In Olympo Bithyno monte. 4.

ARENARIA.

G. Pl. 226. Juss. 301. Gærtn. t. 130.

1022. *A. trinervis. Sp. Pl. 605.*

Alsine plantaginis folio. Tourn. Inst. 242.

Icon. *Curt. Lond. fasc. 4. t. 31.*

In agro Laconico. ☉.

1023. *A. oxypetala*, foliis ovatis acutis petiolatis uninervibus, calycibus hirsutis obsoletè quinquenervibus, petalis acuminatis.

Icon. *Fl. Græc. t. 437.*

In agro Eliensi. ☉.

1024. *A. ciliata*. *Sp. Pl.* 608.

Alsine alpina, serpylli folio, multicaulis et multiflora. *Tourn. Inst.* 243.

Icon. *Fl. Græc. t. 438.*

In rupibus insulæ Cypri, et in Cretæ montibus Sphacioticis. ♀.

1025. *A. umbellata*, foliis obovatis ciliatis, caule lævi, floribus umbellatis, petalis erosis, staminibus quinque castratis.

A. umbellata. *Soland. in Russell's Aleppo, ed. 2.* 252.

Icon. *Fl. Græc. t. 439.*

In Asiâ minore. ☉.

Planta *Holosteo umbellato* affinis admodum, unde ejusdem generis, si naturale foret, eam censi oporteret. Anne petala in omnibus veris *Holosteis* erosa?

1026. *A. serpyllifolia*. *Sp. Pl.* 606.

Alsine minor multicaulis. *Tourn. Inst.* 243.

Icon. *Curt. Lond. fasc.* 4. *t.* 32.

In muris aridisque Græciæ, et insularum adjacentium, vulgaris. ☉.

1027. *A. rubra*. *Sp. Pl.* 606.

Alsine spergulæ facie minor. *Tourn. Inst.* 244.

Μελέγρον Zacynth.

Icon. *Engl. Bot.* *t.* 852.

In campestribus Græcis et Byzantinis, nec non in Zacyntho et Cypro insulis. ☉.

1028. *A. marina*. *Fl. Brit.* 480.

A. rubra β. *Sp. Pl.* 606.

Alsine spergulæ facie media. *Tourn. Inst.* 244.

Icon. *Engl. Bot.* *t.* 958.

In Peloponnesi maritimis. ☉.

1029. *A. picta*, foliis cæspitosis subulatis, caulibus aphyllis dichotomis supernè pilosis, petalis emarginatis subtùs venosis.

Icon. *Fl. Græc.* *t.* 440.

In insulæ Cypri campestribus. ☉.

1030. *A. verna*. *Mant.* 72.

Alsine saxatilis et multiflora, capillaceo folio.

Tourn. Inst. 243. *Vaill. Paris.* *t.* 2. *f.* 3.

A. pusilla, pulchro flore, folio tenuissimo.

Tourn. Inst. 243.

Icon. *Jacq. Austr. t.* 404.

In montibus Græciæ. γ .

1031. *A. tenuifolia*. *Sp. Pl.* 607.

Alsine tenuifolia. *Tourn. Inst.* 243.

Icon. *Engl. Bot. t.* 219.

In Peloponnesi, et insulæ Cypri, arvis. $\odot$.

Staminum numero a 3 ad 10 variat. *Ducros, Davall.*

1032. *A. thymifolia*, foliis spatulato-linearibus,
caule paniculato, petalis unguiculatis ovatis
calyce trinervi longioribus.

Icon. *Fl. Græc. t.* 441.

In insulâ Cretâ. $\odot$.

1033. *A. recurva*. *Allion. Pedem. v.* 2. 113.

t. 89. *f.* 2. malè. *Willd. Sp. Pl. v.* 2. 726.

Wulf. in Jacq. Coll. v. 1. 244. *t.* 16. *f.* 1.
pessimè.

Icon. *Gerard. Gallopr. t.* 15. *f.* 1. Ex ipso
auctore habui.

In montis Olympi Bithyni cacumine. γ .

1034. *A. lanceolata*. *Allion. Pedem. v.* 2. 114.

Willd. Sp. Pl. v. 2. 727.

A. cherlerioides. *Villars Dauph. v.* 3. 626. *t.* 47.

Icon. *Allion. Pedem. t.* 26. *f.* 5.

In monte Taygeto Laconia. γ .

1035. *A. striata*. *Sp. Pl.* 608.

Alsine saxatilis, *laricis folio*, major et majori
flore. *Tourn. Inst.* 243; excluso syn.

Icon. *Jacq. Austr. t.* 272. *A. laricifolia*.

In Olympe Bithyno. 4.

Hujus specimina in herbario Sibthorpiano non
inveni; et vereor ne defunctus amicus *Arenariæ*
recurvæ varietatem majorem pro *A. striatâ*
sumpserit.

1036. *A. fastigiata*, foliis subulatis, caule stricto,
paniculâ fastigiatâ, petalis brevissimis, nervis
calycinis lateralibus dilatatis.

A. fastigiata. *Engl. Bot. t.* 1744.

A. fasciculata. *Willd. Sp. Pl. v.* 2. 727.

Icon. *Jacq. Austr. t.* 182. *A. fasciculata*.

In Cretæ montibus Sphacioticis elatioribus. ☉.

1037. *A. fasciculata*. *Syst. Nat. ed.* 12. v. 2.
733. *Gouan. Illustr.* 30.

Icon. *Fl. Græc. t.* 442.

In Asiâ minore. ☉.

CHERLERIA.

G. Pl. 227. *Juss.* 301.

1038. *C. sedoides*. *Sp. Pl.* 608.

Icon. *Jacq. Austr. t.* 284.

In montis Parnassi excelsis nivosis. 4.

GARIDELLA.

G. Pl. 227. *Juss.* 233. *Gærtn. t.* 118.

1039. *G. Nigellastrum. Sp. Pl.* 608.

G. foliis tenuissimè divisis. Tourn. Inst. 655.

Icon. Fl. Græc. t. 443.

In Cretæ et Cypri arvis. ☉.

IV. Pentagynia.

COTYLEDON.

G. Pl. 229. *Juss.* 307.

1040. *C. serrata. Sp. Pl.* 614.

*Sedum creticum saxatile latifolium, flore pur-
purascente. Tourn. Cor.* 19.

Icon. Fl. Græc. t. 444.

In rupibus insulæ Cretæ. 4.

1041. *C. Umbilicus. Fl. Brit.* 484. *Sp. Pl.*
615, β .

C. major. Tourn. Inst. 90.

Τα αὐτὰ τῆς παπαδιᾶς *hodiè*.

Σαμβένη *in monte Athò*.

Κοτυλήδα *Lacon*.

Icon. *Engl. Bot. t. 325*.

In rupibus murisve Græciæ et Archipelagi frequens. 4.

1042. *C. lutea*. *Fl. Brit. 484. Willd. Sp. Pl. v. 2. 757*.

C. Umbilicus. *Sp. Pl. 615, α*.

C. radice tuberosâ longâ repente. *Tourn. Inst. 90*.

Icon. *Engl. Bot. t. 1522*.

In rupibus Græciæ. 4.

1043. *C. parviflora*, foliis orbiculatis crenato-repandis petiolatis, caule racemoso decomposito, radice tuberosâ.

C. cretica, tuberosâ radice, flore luteo parvo. *Tourn. Cor. 2*.

Icon. *Fl. Græc. t. 445*.

In Cretæ montibus Sphacioticis. 4.

SEDUM.

G. Pl. 230. Juss. 307. Gærtn. t. 65.

* *Planifolia*.

1044. *S. Telephium*. *Sp. Pl. 616*.

Anacampseros, vulgò faba crassa. *Tourn. Inst.* 264.

Icon. *Curt. Lond. fasc. 3. t. 25.*

In agro Byzantino. 4.

1045. *S. Aizoon. Sp. Pl.* 617.

Icon. *Decandolle Pl. Grasses.* 101.

In Cretæ montibus Sphacioticis. 4.

1046. *S. stellatum. Sp. Pl.* 617.

S. echinatum vel *stellatum*, flore albo. *Tourn. Inst.* 263.

Icon. *Fl. Græc. t.* 446.

In Cretæ montibus Sphacioticis. ☉.

1047. *S. Cepæa. Sp. Pl.* 617.

S. Cepæa dictum. Tourn. Inst. 263.

Κηπαία *Diosc.*

Κρομμύον *hodiè.*

Icon. *Fl. Græc. t.* 447.

In Græciæ agris vel ruderatis. ☉.

1048. *S. tetraphyllum*, foliis quaternis spatulatis integerrimis obtusis.

S. aparines facie *tauromenitanum. Raii Syll. Exter.* 233; a *Sedo verticillato Linnæi* certè alienum.

Icon. *Fl. Græc. t.* 448.

310 DECANDRIA—PENTAGYNIA.

In Peloponneso, etiam in Siciliâ, legit Sibthorp. ☉.

Hûc forte spectat *S. gallioides*, *Allion. Ped. v. 2.*
120. t. 65. f. 3.

1049. *S. eriocarpum*, foliis oblongis obtusis glabris, caule cymoso, calyce glabro, germinibus hirtis.

Αμάραντο hodiè.

Icon. *Fl. Græc. t. 449.*

In Peloponnesi aridis. ☉.

**** Teretifolia.**

1050. *S. dasyphyllum*. *Sp. Pl. 618.*

S. minus, folio circinato. *Tourn. Inst. 263.*

Icon. *Curt. Lond. fasc. 3. t. 26.*

In rupibus Cretæ et montis Parnassi. ♀.

1051. *S. acre*. *Sp. Pl. 619.*

S. parvum acre, flore luteo. *Tourn. Inst. 263.*

Icon. *Curt. Lond. fasc. 1. t. 32.*

In rupibus Cretæ. ♀.

1052. *S. sexangulare*. *Sp. Pl. 620.*

Icon. *Curt. Lond. fasc. 4. t. 33.*

In agro Laconico. ♀.

1053. *S. atratum*. *Sp. Pl.* 1673.

Icon. *Jacq. Austr. t.* 8.

In rupibus Cretæ. ☉.

1054. *S. saxatile*. *Wiggers Holsat.* 35. *Willd.*

Sp. Pl. v. 2. 765: synonymis optimè elaboratis.

S. minimum luteum non acre. Tourn. Inst. 263.

Icon. *Fl. Græc. t.* 450.

In rupibus Græciæ. ☉.

1055. *S. hispanicum*. *Sp. Pl.* 618.

Icon. *Jacq. Austr. app. t.* 47.

In Parnasso, Athô, aliisque Græciæ montibus;
nec non in rupibus elatioribus Sphacioticis
Cretæ. ♀.

1056. *S. album*. *Sp. Pl.* 619.

S. minus teretifolium album. Tourn. Inst. 262.

Icon. *Curt. Lond. fasc. 1. t.* 31.

In Parnasso et Athô montibus. In Archipelagi
rupibus frequens. ♀.

1057. *S. reflexum*. *Sp. Pl.* 618.

S. minus luteum, ramulis inflexis. Tourn. Inst. 263.

Icon. *Engl. Bot.* t. 695.

Circa Byzantium. 4.

1058. *S. ochroleucum*, foliis glaucis sparsis acutis: inferioribus teretibus; superioribus ellipticis depressis, laciniis calycinis acutiusculis.

Sempervivum sediforme. *Jacq. Hort. Vind.* v. 1. 35. *Willd. Sp. Pl.* v. 2. 934.

Αειζων το μικρον *Diosc.*

Αμάραντο, ἢ σαφυλάκι, *hodiè.*

Κολλωρίδα *Attic.*

Icon. *Jacq. loc. cit.* t. 81.

In rupibus et muris Græciæ et Archipelagi vulgaris. 4.

Ad cataplasmata refrigerantia apud atticos inseruit. Hujus generis proculdubiò est, ob habitum, ut et squamas, licet parvas, ad basin germinis.

1059. *S. rupestre.* *Sp. Pl.* 618.

S. minus luteum, folio acuto. *Tourn. Inst.* 263.

Icon. *Engl. Bot.* t. 170.

In monte Parnasso; etiam in rupibus Argolicis et Laconicis, et Cretæ Sphacioticis. 4.

OXALIS.

G. Pl. 231. *Juss.* 270. *Gærtn. t.* 113.

1060. *O. Acetosella.* *Sp. Pl.* 620.

Oxys flore albo. Tourn. Inst. 88.

Icon. Curt. Lond. fasc. 2. t. 31.

In agro Laconico et Byzantino. 4.

1061. *O. corniculata. Sp. Pl. 623.*

Oxys lutea. Tourn. Inst. 88.

Μοσχόφιλος hodiè.

Icon. Fl. Græc. t. 451.

In humidis umbrosis Laconiae et Cretæ; etiam in cultis circa Byzantium. 4.

AGROSTEMMA.

G. Pl. 231. Juss. 302. Gærtn. t. 130.

1062. *A. Githago. Sp. Pl. 624.*

Lychnis segetum major. Tourn. Inst. 335.

Λυχνίς αγρία Diosc. Sibth.

Γόγγολι, ή κόκκολη, hodiè.

Icon. Curt. Lond. fasc. 3. t. 27.

Inter segetes Græciæ et insularum adjacentium. ☉.

1063. *A. coronaria. Sp. Pl. 625.*

Lychnis coronaria, Dioscoridis sativa. Tourn.

Inst. 334.

Λυχνίς σεφανωµατική Diosc.

Icon. Fl. Græc. t. 452.

In Olympe et Athê montibus; nec non in Hæmi sylvis umbrosis. ♂.

314 DECANDRIA—PENTAGYNIA.

1064. A. *Flos Jovis*. *Sp. Pl.* 625. *Dicks. Dr.*
Pl. 35.

Lychnis umbellifera montana helvetica. *Tourn.*
Inst. 334.

Icon. *Curt. Mag.* t. 398.

In agro Byzantino. *D. Sestini.* 4.

1065. A. *Cœli Rosa*. *Sp. Pl.* 624.

Lychnis foliis glabris, calyce duriore. *Tourn.*
Inst. 337.

Icon. *Fl. Græc.* t. 453.

Inter segetes Siciliæ copiosè, nec in Græciâ, legit
Sibthorp. ☉.

LYCHNIS.

G. Pl. 231. *Juss.* 302. *Gærtn.* t. 130.

1066. L. *Flos Cuculi*. *Sp. Pl.* 625.

L. pratensis, flore laciniato. *Tourn. Inst.* 336.

Icon. *Curt. Lond. fasc.* 1. t. 33.

In Peloponnesi pratis humidis. 4.

1067. L. *Viscaria*. *Sp. Pl.* 625.

L. sylvestris viscosa rubra angustifolia. *Tourn.*
Inst. 337.

Icon. *Engl. Bot.* t. 788.

In montis Hæmi sylvis umbrosis. 4.

1068. *L. dioica*. *Sp. Pl.* 626.

L. vespertina. *Sibth. Oxon.* 146.

L. sylvestris alba. *Tourn. Inst.* 334.

Icon. *Engl. Bot.* t. 1580.

In umbrosis circa Byzantium. 4.

CERASTIUM.

G. Pl. 232. *Juss.* 301. *Gærtn. t.* 130.

* *Capsulis oblongis.*

1069. *C. vulgatum*. *Sp. Pl.* 627. *Fl. Brit.* 496.

Myosotis arvensis hirsuta, parvo flore. *Tourn.*

Inst. 245. *Vaill. Paris. t.* 30. f. 3.

Icon. *Curt. Lond. fasc.* 2. t. 35. *C. viscosum*.

In monte Parnasso, nec non in Peloponnesi agris. ☉.

1070. *C. viscosum*. *Sp. Pl.* 627.

Myosotis hirsuta altera viscosa. *Tourn. Inst.*

245. *Vaill. Paris. t.* 30. f. 1.

Icon. *Curt. Lond. fasc.* 2. t. 34. *C. vulgatum*.

In agro Argolico, et insulâ Cypro; nec non ad pagum Belgrad. 4.

1071. *C. semidecandrum*. *Sp. Pl.* 627.

Myosotis hirsuta minor. *Tourn. Inst.* 245.

Icon. *Curt. Lond. fasc.* 2. t. 33.

In agro Eliensi, Argolico et Laconico. ☉.

VOL. I.

Z

316 DECANDRIA—PENTAGYNIA.

1072. *C. pentandrum*. *Sp. Pl.* 627.

Icon *nulla*.

Prope Sestum. ☉.

1073. *C. pilosum*, floribus subpentandris, petalis emarginatis, caulibus patentissimis, calyce pilosissimo.

C. illyricum. *Arduin. Spec.* 2. 26. t. 11. *Herb. Linn.*

Icon. *Fl. Græc.* t. 454.

In Peloponnesi et insulæ Cypri montibus. ☉.

Flores in nostris pentandri; apud Arduinum decandri. *Petala* longitudine variant, ut in aliis speciebus.

1074. *C. arvense*. *Sp. Pl.* 628.

Myosotis arvensis subhirsuta, flore majore.
Tourn. Inst. 245.

Icon. *Curt. Lond. fasc.* 6. t. 29.

In monte Athô, Augusto florens. 4.

** *Capsulis subrotundis*.

1075. *C. repens*. *Sp. Pl.* 628.

Myosotis incana repens. *Tourn. Inst.* 245.

Icon. *Column. Phytob. append.* 20.

In agro Messeniaco et Laconico. 4.

Hæc species in herbario Sibthorpiano desideratur.

1076. *C. aquaticum*. *Sp. Pl.* 629.

Alsine maxima solanifolia. *Tourn. Inst.* 242.

Icon. Curt. Lond. fasc. 1. t. 34.

Ad rivulorum ripas Cretæ ; nec non in Olympi
Bithyni, et Athûs, montium umbrosis. 4.

1077. *C. tomentosum*. *Sp. Pl.* 629.

Myosotis tomentosa, *linariæ folio*. *Tourn.
Inst.* 245.

‘*Παυρόχορτον* *Lacon.*

Icon. Fl. Græc. t. 455.

In Hymetto, Parnasso, et Athô montibus ; etiam
in Laconiâ. 4.

SPERGULA.

G. Pl. 232. *Juss.* 301. *Gærtn. t.* 130.

1078. *S. arvensis*. *Sp. Pl.* 630.

Alsine Spergula dicta major. *Tourn. Inst.* 243.

Icon. Curt. Lond. fasc. 5. t. 31.

In Peloponnesi, Cariæ, et Byzantii arvis. ☉.

1079. *S. pentandra*. *Sp. Pl.* 630.

Alsine spergulæ facie minima, *seminibus mar-
ginatis*. *Tourn. Inst.* 244.

Icon. Engl. Bot. t. 1536.

In agro Argolico. ☉.

Fortè prioris varietas. *Semina variabilia sunt.*

V. Decagynia.

PHYTOLACCA.

G. Pl. 233. *Juss.* 84. *Gærtn. t.* 77.

1080. *Ph. decandra. Sp. Pl.* 631.

Ph. americana, majori fructu. *Tourn. Inst.* 299.

Αγριοσταφίδα *Zacynth.*

Icon. Mill. Illustr. t. 36.

In agro Byzantino, insulâ Zacyntho, et Delphi
Eubœæ monte; anne reverà spontanea? 4.

XI. DODECANDRIA.

I. Monogynia.

ASARUM.

G. Pl. 235. *Juss.* 73. *Gærtn. t.* 14.

1081. *A. europæum.* *Sp. Pl.* 633.

Asarum. *Tourn. Inst.* 501.

Ἀσάρων Diosc.

Ἀσάρων hodiè.

Icon. Engl. Bot. t. 1083.

In agro Laconico et Byzantino. *γ.*

PEGANUM.

G. Pl. 239. *Juss.* 297. *Gærtn. t.* 95.

1082. *P. Harmala.* *Sp. Pl.* 638.

Harmala. *Tourn. Inst.* 257.

Πηγανὸν αἰγυπιοῦ Diosc.

Icon. Fl. Græc. t. 456.

Circa Athenas, et in insulâ Cretâ. *γ.*

PORTULACA.

G. Pl. 240. *Juss.* 312. *Gærtn. t.* 128.

1083. *P. oleracea.* *Sp. Pl.* 638.

P. angustifolia, sive *sylvestris.* *Tourn. Inst.* 236.

Ἀνδραχὴν Diosc.

Γλυστρίδα hodiè.

Icon. Fl. Græc. t. 457.

In cultis et ruderatis Græciæ, ut et Archipelagi insularum, vulgaris. ☉.

LYTHRUM.

G. Pl. 240. *Juss.* 332. *Gærtn. t.* 62.

1084. *L. Salicaria.* *Sp. Pl.* 640.

Salicaria vulgaris purpurea, foliis oblongis.

Tourn. Inst. 253.

Icon. Curt. Lond. fasc. 3. t. 28.

In insularum Græcarum aquosis frequens; nec non in Bæotiâ, Atticâ, et monte Athô. ♀.

1085. *L. virgatum.* *Sp. Pl.* 642.

Salicaria orientalis, salicis folio acutissimo et glabro. *Tourn. Cor.* 18.

Icon. Jacq. Austr. t. 7.

In agro Byzantino. ♀.

1086. *L. hyssopifolium*. *Sp. Pl.* 642.

Salicaria hyssopi folio latiore. *Tourn. Inst.* 253.

Icon. *Jacq. Austr. t.* 133.

In udis Græciæ vulgaris. ☉.

1087. *L. thymifolium*. *Sp. Pl.* 642.

Salicaria minima tenuifolia. *Tourn. Inst.* 254.

Icon. *Barrel. Ic. t.* 773. *f.* 2.

In maritimis humidis Cretæ et Ponti Euxini. ☉.

II. Digynia.

AGRIMONIA.

G. Pl. 241. *Juss.* 336. *Gærtn. t.* 73.

1088. *A. Eupatoria*. *Sp. Pl.* 643.

A. officinarum. *Tourn. Inst.* 301.

Φονόχορτον *Zacynth.*

Cojún otí *Turc.*

Icon. *Curt. Lond. fasc.* 5. *t.* 32.

In Peloponneso; etiam ad vias inter Smyrnam
et Bursam, et circa Byzantium. ♀.

322 DODECANDRIA—TRIGYNIA.

1089. *A. Agrimonoides. Sp. Pl. 643.*

Agrimonoides. Tourn. Inst. 301.

Icon. Fl. Græc. t. 458.

In Parnasso monte. ψ .

III. Trigynia.

RESEDA.

G. Pl. 242. Juss. 245. Gærtn. t. 76.

1090. *R. Luteola. Sp. Pl. 643.*

Luteola herba, salicis folio. Tourn. Inst. 423.

Οχίστρα hodiè.

Icon. Engl. Bot. t. 320.

In Peloponneso. $\odot$.

1091. *R. undata. Sp. Pl. 644.*

Μεσαδρέλα hodiè.

Icon. Barrel. Ic. t. 588.

Circa Athenas, nec non in Cariæ littore et insulâ

Cypro. ψ .

1092. *R. suffruticulosa*. *Sp. Pl.* 645.

Icon. *Jacq. Ic. Rar. t.* 474.

In herbario Græco Sibthorpiano, nescio unde lecta. 4.

1093. *R. alba*. *Sp. Pl.* 645.

R. foliis calcitrapæ, flore albo. Tourn. Inst. 423?

Αγγέλστα hodiè.

*Οχρίστα *Zacynth.*

Icon. *Fl. Græc. t.* 459.

In agro Argolico et Messeniaco, nec non in insulâ *Zacyntho*. ☉.

1094. *R. lutea*. *Sp. Pl.* 645.

R. vulgaris. Tourn. Inst. 423.

*Οχρίστα hodiè.

Icon. *Jacq. Austr. t.* 353.

In agro Messeniaco, et insulâ *Zacyntho*. 4.

1095. *R. Phyteuma*. *Sp. Pl.* 645.

R. minor vulgaris. Tourn. Inst. 423.

*Οχρίστα hodiè.

Icon. *Jacq. Austr. t.* 132.

In Peloponnesi et *Zacynthi* agris, etiam in monte Athô. ☉.

Folia cocta apud *Zacynthios* esculenta sunt,

1096. *R. mediterranea*. *Mant.* 564.

Icon. *Jacq. Ic. Rar. t.* 475.

In Archipelagi insulis, inter segetes. ☉.

EUPHORBIA.

G. Pl. 243. *Juss.* 385.

* *Fruticosæ inermes. Caulis nec dichotomus, nec umbelliferus.*

1097. *E. pumila*, fruticulosa pubescens, foliis obovatis concavis imbricato-patulis, floribus terminalibus geminis, petalis bicornibus.

Icon. *Fl. Græc. t.* 460.

Inter saxa, nive nuper operta, in montibus Sphacioticis Cretæ et Olympo Bithyno. η.

** *Dichotomæ, (umbellâ bifidâ aut nullâ).*

1098. *E. Chamæsyce. Sp. Pl.* 652.

Tithymalus exiguus glaber, nummulariæ folio.

Tourn. Inst. 87.

Χαμαισυκη Diosc.

β. *Euphorbia canescens. Sp. Pl.* 652.

Tithymalus exiguus villosus, nummulariæ folio.

Tourn. Inst. 87.

Icon. *Fl. Græc. t.* 461.

In petrosis aridis per totam Græciam et Archipelagi insulas. ☉.

Duas species Linnæanas, optimè monente Cavanilles in *Ic. Plant. v. 1. 46*, in unam conjungo, at planta Jamaicensis, *Swartz. Obs. 196*, distincta est.

1099. *E. Peplis. Sp. Pl. 652.*

Tithymalus maritimus, folio obtuso aurito.

Tourn. Inst. 87.

Πεπλῖς *Diosc.*

Icon. *Camer. Epit. 970. Peplis.*

In maritimis arenosis Græciæ et Archipelagi frequens. ☉.

*** *Umbellâ trifidâ.*

1100. *E. Peplus. Sp. Pl. 653.*

Tithymalus rotundis foliis non crenatis. Tourn.

Inst. 87.

Γαλαζίδα hodiè.

Icon. *Curt. Lond. fasc. 1. t. 35.*

In vineis arvisque Græciæ et circumjacentium insularum. ☉.

1101. *E. falcata. Sp. Pl. 654.*

Tithymalus annuus supinus, folio rotundiore acuminato. Tourn. Inst. 87.

Πεπλος *Diosc. Sibth.*

Icon. *Jacq. Austr. t. 121.*

In vineis arvisque Græciæ et Archipelagi insularum. ☉.

1102. *E. exigua*. *Sp. Pl.* 654.

Tithymalus, sive *Esula*, *exigua*. *Tourn. Inst.*
86.

Icon. *Curt. Lond. fasc. 4. t. 36.*

In Peloponnesi et Byzantii arvis. ☉.

**** *Umbellâ quadrifidâ.*

1103. *E. Lathyris*. *Sp. Pl.* 655.

Tithymalus latifolius, *cataputia dictus*. *Tourn.*
Inst. 86.

Λαθυρίς *Diosc.*

Icon. *Bulliard, Herb. de la Fr. t. 103.*

In agro Laconico. ♂.

1104. *E. Apios*. *Sp. Pl.* 656.

Tithymalus tuberosâ pyriformi radice. *Tourn.*
Inst. 87.

Απιός *Diosc.*

Φλομάκι *Lacon.*

Icon. *Clus. Hist. v. 2. 190. f. inferior.*

In Parnasso et Athô, ut et Cretæ montibus, ubi
radicis vires emeticæ et catharticæ, ut a Dios-
coride fusiùs commemoratur, inter pastores
hodiè celebrantur. ♀.

1105. *E. aleppica*. *Sp. Pl.* 657.

Tithymalus orientalis cyparissias patulus, foliis

superioribus hastatis, flore minimo. *Tourn.*

Cor. 2.

Τιβυμαλος κυπαρισσίας *Diosc.?* *Sibth.*

Icon. Fl. Græc. t. 462.

In Græciæ cultis haud rara; etiam ad viam inter Smyrnam et Bursam, et in Olympo Bithyno monte. ☉.

***** *Umbellâ quinquefidâ.*

1106. *E. spinosa. Sp. Pl.* 655.

Tithymalus maritimus spinosus. Tourn. Inst.

87.

Κεκελοφάνια *Lacon.*

Icon. Fl. Græc. t. 463.

In clivis maritimis Græciæ et Archipelagi frequens. η.

1107. *E. dulcis. Sp. Pl.* 656.

Tithymalus montanus non acris. Tourn. Inst. 86.

T. Hall. n. 1052, ex auctoritate Davallii.

Icon. Fl. Græc. t. 464.

In montibus Græciæ et Asiæ minoris. η.

1108. *E. portlandica. Sp. Pl.* 656. *Fl. Brit.* 515.

Icon. Fl. Græc. t. 465.

In Achaïæ maritimis. υ.

1109. *E. deflexa*, umbellâ quinquefidâ: dichotomâ, involucellis subtrapeziformibus, foliis panduriformi-oblongis deflexis glaucis, petalorum cornibus filiformibus.

Icon. *Fl. Græc. t.* 466.

In Eubœæ maritimis. 4.

Semina in hâc et præcedente dilutè plumbea, pulchrè punctata.

1110. *E. paralia. Sp. Pl.* 657.

Tithymalus maritimus. Tourn. Inst. 87.

Τιθυμαλος παραλιος *Diosc.*

Γαλαζίδα πιλαγίδα *Zacynth.*

Icon. *Jacq. Hort. Vind. t.* 188.

In arenosis maritimis Græciæ, ut et Zacynthi et Cretæ. 4.

1111. *E. segetalis. Sp. Pl.* 657.

Tithymalus annuus, lini folio acuto. Tourn. Inst. 86.

Icon. *Fl. Græc. t.* 467.

In Cretæ arvis et vineis. ☉.

1112. *E. helioscopia. Sp. Pl.* 658.

Tithymalus helioscopius. Tourn. Inst. 87.

Τιθυμαλος ήλιοσκοπιος *Diosc.*

Γαλάχορτον ή γαλατζίδα *hodiè.*

Icon. *Curt. Lond. fasc. 1. t. 36.*

In “rueribus potissimùm, et circa oppida,” ut
a Dioscoride memoratur, nec non in arvis, per
totam Græciam. ☉.

1113. *E. arguta*, umbellâ quinquefidâ: dichotomâ, involucellis cordatis, foliis obovatis inciso-serratis, caule piloso.

E. arguta. *Soland. in Russell's Aleppo, ed. 2.*
252.

Icon. *Fl. Græc. t. 468.*

In insulæ Cypri arvis, Maio florens. ☉.

Præcedenti nimis affinis.

1114. *E. verrucosa.* *Sp. Pl. 658. Herb. Linn.*
nec *Huds. 209.*

Tithymalus myrsinites, fructu verrucæ simili.
Tourn. Inst. 86.

Icon. *Bauh. Hist. v. 3. 673. Tithymalus verrucosus.*

Prope Athenas, ni fallor, legit Sibthorp. In
herbario Græco suo conservatur. ♀?

1115. *E. pilosa.* *Sp. Pl. 659.*

Tithymalus incanus hirsutus. *Tourn. Inst. 86.*

Τιθυμαλος πλατυφυλλος Diosc.? Sibth.

Icon. *Barrel. Ic. t. 885.*

330 DODECANDRIA—TRIGYNIA.

In maritimis humidis, ut in insulæ Seriphi paludibus, nec non in Cariæ littore. 4.

1116. *E. orientalis*. *Sp. Pl.* 660.

Tithymalus orientalis, salicis folio, caule purpureo, flore magno. *Tourn. Cor.* 2.

Icon *nulla*.

In agro Byzantino? 4.

1117. *E. stricta*. *Syst. Nat. ed. 10. v. 2.* 1049.

Icon. *Fl. Græc. t.* 469.

In montis Olympi Bithyni sylvis umbrosis. ☉.

Ab *E. platyphyllâ* forsitan distincta.

1118. *E. dendroides*. *Sp. Pl.* 662.

E. læta. *Ait. H. Kew. v. 2.* 141.

Tithymalus arboreus. *Tourn. Inst.* 85.

Τιθυμαλος δένδροειδες *Diosc.*

Φλόμο ἢ Φλόμος *hodiè in Laconid.*

Icon. *Fl. Græc. t.* 470.

In petrosis montosis prope mare in variis Græciæ locis. In insulâ Cretâ copiosè. 2.

***** *Umbellâ multifidâ.*

1119. *E. Gerardiana*. *Willd. Sp. Pl. v. 2.* 920.

Tithymalus amygdaloides angustifolius. *Tourn. Inst.* 86.

Αγελονάρια *Lemn.*

Icon. *Jacq. Austr. t. 436.*

In insulâ Lemno, nec non ad Pontum Euxinum
prope Abydum, Martio florens. 4.

1120. *E. Cyparissias. Sp. Pl. 661.*

Tithymalus Cyparissias. Tourn. Inst. 86.

Τιθυμαλος κυπαρισσιας Diosc.? Sibth.

Icon. *Jacq. Austr. t. 435.*

In Græciâ minùs frequens. 4.

1121. *E. myrsinites. Sp. Pl. 661.*

Tithymalus myrsinites latifolius. Tourn. Inst.
86.

Τιθυμαλος μυρσινιτης Diosc.

Γαλαζίδα hodiè in monte Parnasso.

Icon. *Fl. Græc. t. 471.*

In Parnasso, Hymetto, aliisque Græciæ monti-
bus; etiam in insulâ Cypro. 4.

1122. *E. palustris. Sp. Pl. 662.*

Tithymalus palustris fruticosus. Tourn. Inst.
87.

Φλόμος hodiè in Peloponneso.

Icon. *Bulliard, Herb. de la Fr. t. 87.*

In Græciæ et Archipelagi palustribus. 4.

VOL. I.

2 A

1123. *E. sylvatica*. *Sp. Pl.* 663.

Tithymalus characias, folio lanuginoso. *Tourn.*

Inst. 86 ?

Γαλαζίδι hodiè in monte Athô.

Icon. *Rivin. Irr. Tetrap. t.* 115? *Esula*
caule crasso.

In sylvis circa Byzantium; nec non in monte
Athô et insulâ Cypro. η.

Habitus sequentis; sed *folia* lineari-lanceolata
sunt, in nostris speciminibus glabra; et *pe-*
tala lunata, acuminata, flavescentia. Hæc
apud Rivinum mutica minùs benè pinguntur,
at folia tamen optimè.

1124. *E. Characias*. *Sp. Pl.* 662.

Tithymalus characias rubens peregrinus.

Tourn. Inst. 85.

Τιθυμαλος χαρακιας *Diosc.*

Τιθυμαλὼ, γαλαζίδι, ἢ γαλαζόχορτον, hodiè.

Φλόιμος, ἢ Φλόμος, in *Peloponneso*.

Icon. *Jacq. Ic, Rar. v. 1. t.* 89.

In asperis et petrosis Græciæ frequens. η.

1125. *E. niceensis*. *Allion. Pedem. v. 1.* 285. *t.* 69.
f. 1.

Tithymalus oleæ folio glauco, narbonensis.

Tourn. Inst. 87.

Icon. *Jacq. Ic. Rar. v. 3. t. 485.*

In montibus Græciæ prope mare. 4.

Umbella in exemplaribus nostris Pedemontanis,
Monspelias et Græcis semper multiradiata.

IV. Pentagynia.

GLINUS.

G. Pl. 243. Juss. 316. Gærtn. t. 130.

1126. *G. lotoides. Sp. Pl. 663.*

Alsine lotoides sicula. Tourn. Inst. 242.

Icon. *Fl. Græc. t. 472.*

Ad fossas, et in locis inundatis, inter Smyrnam
et Bursam. ☉.

V. Dodecagynia.

SEMPERVIVUM.

G. Pl. 244. *Juss.* 307. *Gærtn. t.* 65.

1127. *S. arboreum.* *Sp. Pl.* 664.

Sedum majus arborescens. *Tourn. Inst.* 262.

Αειζων το μεγα Diosc.

Icon. Fl. Græc. t. 473.

In muris et ruderatis in insulâ Cypro. ½.

1128. *S. tectorum.* *Sp. Pl.* 664.

Sedum majus vulgare. *Tourn. Inst.* 262.

Icon. Curt. Lond. fasc. 3. *t.* 29.

In tectis Byzantii. *D. Sestini.* ¼.

1129. *S. globiferum.* *Sp. Pl.* 665.

Sedum vulgari magno simile. *Tourn. Inst.* 262.

Icon. Jacq. Austr. append. t. 40.

In insulæ Cypri rupibus. ¼.

1130. *S. hirtum.* *Sp. Pl.* 665.

Sedum majus montanum, dentatis foliis, alterum. *Tourn. Inst.* 262.

Icon. *Jacq. Austr. t. 12.*

In montibus prope Thessalonicam. 4.

1131. *S. montanum. Sp. Pl. 665.*

*Sedum majus montanum, foliis non deptatis,
floribus rubentibus. Tourn. Inst. 262.*

Icon. *Jacq. Austr. append. t. 41.*

In monte Athô, Augusto florens. 4.

1132. *S. tenuifolium, foliis subulatis basi dilatatis
vaginantibus imbricatis, propaginibus cy-
lindraceis.*

Icon. *Fl. Græc. t. 474.*

In muris et petrosis prope Athenas. 4.

XII. ICOSANDRIA.

I. Monogynia.

MYRTUS.

G. Pl. 248. *Juss.* 324. *Gærtn. t.* 38.

1133. *M. communis. Sp. Pl.* 673.

M. communis italica. Tourn. Inst. 640.

Μυρσινη Diosc.

Μύρσινη, μύρτον, ἡ μέρσινον, hodiè.

Μυρτιά in Peloponneso.

Icon. Fl. Græc. t. 475.

β. *Myrtus communis italica, baccis albis. Tourn. Inst.* 640.

In Græciâ, insulisque Archipelagi, vulgaris. η.
Baccæ edules, imprimis varietatis β.

PUNICA.

G. Pl. 248. *Juss.* 325. *Gærtn. t.* 38.

1134. *P. Granatum. Sp. Pl.* 676.

P. sylvestris. Tourn. Inst. 636.

Ῥοα *Diosc.*

Κυτινοὶ flores culti, σιδία fructûs putamina,
βαλανστία flores e stirpe sylvestri, vocantur.
Diosc.

Ῥοα, ἡ ῥοδιά, hodiè.

Icon. *Fl. Græc. t. 476.*

In Græciâ, insulisque Archipelagi, tam sylvestris
quam culta, frequens. ἡ .

AMYGDALUS.

G. Pl. 248. Juss. 341. Gærtn. t. 93.

1135. *A. communis. Sp. Pl. 677.*

A. amara. Tourn. Inst. 627.

Αμυγδαλεα πικρα *Diosc.*

Πικρὰ ἀμυγδαλιὰ hodiè.

Icon. *Matth. Valgr. v. 1. 247.*

In sylvis et sepibus Græciæ et insulæ Cretæ. ἡ .
Ramuli in stirpe sylvestri, cui nuces amaræ, sub-
indè in spinas desinunt.

1136. *A. incana, foliis obovatis serratis subtùs to-
mentoso-niveis.*

A. incana. Pallas. Ross. v. 1. 13. t. 7. Willd.

Sp. Pl. v. 2. 984.

Icon. *Fl. Græc. t. 477.*

338 ICOSANDRIA—MONOGYNIA.

Ad viam inter Smyrnam et Bursam, quantùm e
manuscriptis Sibthorpianis erui potest. ʒ .

1137. *A. nana.* *Sp. Pl.* 677.

A. indica nana. *Tourn. Inst.* 627.

Icon. *Curt. Mag.* t. 161.

In montis Hæmi descensu. ʒ .

PRUNUS.

G. Pl. 249. *Juss.* 341. *Gærtn. t.* 93.

1138. *P. Laurocerasus.* *Sp. Pl.* 678.

Laurocerasus. *Tourn. Inst.* 628.

Δαφνοειδὲς *Lacon.*

Icon. *Camer. Hort.* t. 23.

In agro Laconico. ʒ .

1139. *P. Mahaleb.* *Sp. Pl.* 678.

Cerasus sylvestris amara, Mahaleb putata.

Tourn. Inst. 627.

Icon. *Jacq. Austr.* t. 227.

In agro Laconico et Byzantino. ʒ .

1140. *P. Cerasus.* *Sp. Pl.* 679.

Cerasus sativa. *Tourn. Inst.* 625.

Κερασία *Diosc.*

Ἄγρια κερασία *hodiè.*

Icon. *Engl. Bot. t.* 706.

In montis Parnassi sylvis. *h.*

1141. *P. domestica. Sp. Pl.* 680.

P. fructu cerei coloris. Tourn. Inst. 622.
Sibth.

Κοκκυμηλεα *Diosc.*

Κουμηλεα, ἡ ἀγριοπρουνελλια, *hodiè.*

Icon. *Engl. Bot. t.* 1783, *fructu nigro.*

In montis Parnassi sylvis, et in sepibus Græciæ. *h.*

1142. *P. insititia. Sp. Pl.* 680.

P. sylvestris præcox altior. Tourn. Inst. 623.
Ἀγριοδαμασκηνα *hodiè.*

Icon. *Engl. Bot. t.* 841.

Inter Smyrnam et Magnesiam. *h.*

1143. *P. spinosa. Sp. Pl.* 681.

P. sylvestris. Tourn. Inst. 623.

Τζαπερνα *Eliens.*

Γορίτζια *Argol.*

Μαμρσια *Arcad.*

Icon. *Engl. Bot. t.* 842.

In dumetis Græciæ frequens. Ad sepes circa
Byzantium. *h.*

340 ICOSANDRIA—PENTAGYNIA.

1144. *P. prostrata*. *Billard. Syriac. fasc. 1. 15.*
t. 6. Willd. Sp. Pl. v. 2. 997.

P. cretica montana minima humifusa, flore
suavè rubente. Tourn. Cor. 43. Voy. v. 1.
19.

Icon. Fl. Græc. t. 478.

In Idæ, et Sphacioticorum montium, Cretæ,
summis jugis, rupes, nive nupèr opertas, pul-
cherrimè vestiens; etiam in monte Parnasso. 7.

II. Pentagynia.

(Pistilla 2 — 5 vel 6.)

MESPILUS.

G. Pl. 251. Juss. 335. Fl. Brit. 529. Gærtn. t. 87.

Cratægus. G. Pl. 250. Juss. 335.

1145. *M. germanica. Sp. Pl. 684.*

M. germanica, folio laurino non serrato, sive
Mespilus sylvestris. Tourn. Inst. 641.

Μεσπιλον ἕτερον *Diosc.*

Icon. *Engl. Bot. t.* 1523.

In sylvis ad pagum Belgrad. In hortis Byzantinis colitur. *h*.

1146. *M. Pyracantha. Sp. Pl.* 685.

M. aculeata, amygdali folio. Tourn. Inst. 642.

Οξυακανθα *Diosc.*

Icon. *Pallas. Ross. t.* 13. *f.* 2.

In Græciâ boreali, et circa Byzantium, vulgaris. *h*.

1147. *M. Oxyacantha. Fl. Brit.* 529.

Cratægus Oxyacantha. Sp. Pl. 683.

Τριποκκιά; ἡ ἀχλάδα, *hodiè.*

Μορύντζα *Attic.*

Icon. *Jacq. Austr. t.* 292. *f.* 2.

In agro Argolico, Eliensi, Attico et Arcadiensi; nec non in sepibus insulæ Cretæ. *h*.

1148. *M. monogyna*, spinosa, foliis glabris acutis subpinnatifidis incisis serratisve, floribus monogynis.

M. apii folio sylvestris spinosa, sive Oxyacantha. Tourn. Inst. 642; hûc potiùs spectat.

Cratægus monogyna. Jacq. Austr. v. 3. 50.

Sibth. Oron. 156.

Τριποκκιά *hodiè.*

Τζαπυρία *Zacynth.*

Icon. *Jacq. Austr. t. 292. f. 1.*

In agro Messeniaco et Laconico; nec non in insulâ Zacyntho, ubi caudex ad pyros vel prunos inserendas frequentiùs inservit. *h.*

1149. *M. Azarolus*, subspinoso, foliis glabriusculis: basi ovatis: apice subtrifidis dentatisque, floribus pentagynis.

M. apii folio laciniato. *Tourn. Inst. 641.*

Cratægus Azarolus. Sp. Pl. 683.

Icon. *Matth. Valgr. v. 1. 229.*

Circa Byzantium, et in insulâ Cretâ. *Herb. Sibth. h.*

1150. *M. tanacetifolia*, spinosa, foliis obtusis pinnatifidis incisis: utrinque villosis, stipulis divisis, floribus pentagynis.

M. tanacetifolia. Sm. Exot. Bot. v. 2. 51.

M. orientalis, tanaceti folio villosa, magno fructu pentagono e viridi flavescente. *Tourn.*

Cor. 44. Voy. v. 2. 171. t. 172.

Μεσπλον *Diosc.*

Τρικοκκιά *hodiè.*

Icon. *Exot. Bot. t. 85.*

β. *Mespilus orientalis*, apii folio villosa, fructu magno pentagono purpureo glabro; etiam

fructu parvo villosa. *Tourn. Cor. 44. Voy.*
v. 2. 172.

Icon *nulla*.

In Athô, Parnasso, omnibusque Græciæ monti-
bus excelsis, copiosè. η .

PYRUS.

G. Pl. 251. Juss. 335. Fl. Brit. 531. Gært. t. 87.

Sorbus. G. Pl. 250. Juss. 335.

Cratægus. G. Pl. 250. Juss. 335.

Malus. Juss. 334.

1151. *P. communis. Sp. Pl. 686.*

P. sylvestris. Tourn. Inst. 632.

Αχρας Diosc.

Αχλαδιὰ, αχράδι, αχλάδα, ἡ ἀπίδι, hodiè.

β. *Pyrus sylvestris cretica, folio oblongo. Tourn.*
Cor. 43. Herb. Sibth.

Icon. *Engl. Bot. t. 1784.*

In Græciâ australi vulgaris. η .

1152. *P. Malus. Sp. Pl. 686.*

Malus sylvestris, fructu valdè acerbo. Tourn.
Inst. 634.

Αγριομηλα Diosc.

Ἀγριομηλιὰ hodiè.

Icon. *Engl. Bot. t. 179.*

344 ICOSANDRIA—PENTAGYNIA.

In Græciâ boreali, ut in Athô, et Macedonicis montibus. η .

1153. *P. Cydonia*. *Sp. Pl.* 687.

Cydonia. *Tourn. Inst.* 632, 633.

Κυδωνία μηλα *Diosc.*

Κυδωνιά *hodiè*.

Icon. Jacq. Austr. t. 342.

In Græciâ boreali. In hortis, cum duarum præcedentium varietatibus, ubique colitur. η .

1154. *P. salicifolia*. *Suppl.* 255.

P. sylvestris orientalis, folio oblongo incano.
Tourn. Cor. 43.

Icon. Pallas. Ross. v. 1. t. 9.

In montis Hæmi umbrosis. η .

1155. *P. torminalis*. *Fl. Brit.* 532. *Willd. Sp. Pl. v. 2.* 1021.

Cratægus torminalis. *Sp. Pl.* 681.

C. folio laciniato. *Tourn. Inst.* 633.

Icon. Jacq. Austr. t. 443. *Cratægus torminalis*.

In monte Athô, et circa Byzantium. η .

1156. *P. Amelanchier*. *Suppl.* 256. *Willd. Sp. Pl. v. 2.* 1014.

Mespilus Amelanchier. *Sp. Pl.* 685.

M. folio rotundiori, fructu nigro subdulci.

Tourn. Inst. 642.

Icon. *Jacq. Austr. t.* 300. *Mespilus* Ame-
lanchier.

In insulæ Cretæ montosis. η .

1157. *P. cretica.* *Willd. Sp. Pl. v. 2.* 1015, syn.
confusis.

Mespilus cretica, folio circinato et quasi cor-
diforimi. *Tourn. Cor.* 43.

Icon. *Alpin. Exot.* 4. *Chamæcerasus* Idæa.

In Cretæ montibus Sphacioticis. η .

Forsitan præcedentis varietas.

1158. *P. Chamæmespilus*, inermis, foliis ovali-
bus serratis glabris, floribus corymboso-ca-
pitatis, calyce intùs densissimè lanato.

Mespilus Chamæmespilus. *Sp. Pl.* 685. *Willd.*
Sp. Pl. v. 2. 1011.

Cratægus folio oblongo serrato, utrinque vi-
rente. *Tourn. Inst.* 633.

Icon. *Jacq. Austr. t.* 231. *Cratægus* Cha-
mæmespilus.

In monte Athô. η .

1159. *P. Aria.* *Fl. Brit.* 534. *Willd. Sp. Pl.*
v. 2. 1021.

Cratægus Aria. *Sp. Pl.* 681.

346 ICOSANDRIA—PENTAGYNIA.

C. folio subrotundo serrato, subtùs incano.
Tourn. Inst. 633.

Icon. *Fl. Græc. t.* 479.

In monte Athô. η.

Præcedentis certè congener.

1160. *P. aucuparia.* *Gærtn. v. 2. 45. t. 87.*
Fl. Brit. 533.

Sorbus aucuparia. *Sp. Pl.* 683. *Willd. Sp.*
Pl. v. 2. 1008. Tourn. Inst. 634.

Icon. *Engl. Bot. t.* 337. *Sorbus aucuparia.*

In monte Athô. η.

1161. *P. domestica.* *Engl. Bot. t. 350. Fl.*
Brit. 532.

Sorbus domestica. *Sp. Pl.* 684. *Willd. Sp.*
Pl. v. 2. 1009.

S. sativa. *Tourn. Inst.* 633.

Ova Diosc.

Σορμπιά hodiè.

Σερβιά in monte Athô.

Icon. *Jacq. Austr. t.* 447. *Sorbus domestica.*

In agro Messeniaco, et Hæmo et Athô montibus;
nec non in sylvis circa Byzantium. η.

MESEMBRYANTHEMUM.

G. Pl. 252. *Juss.* 317. *Gærtn. t.* 126.

1162. *M. nodiflorum.* *Sp. Pl.* 687.

Icon. *Fl. Græc. t.* 480.

In maritimis Græciæ frequens. ☉.

1163. *M. crystallinum. Sp. Pl.* 688.

Icon. *Fl. Græc. t.* 481.

Circa Areopagum Athenarum. ☉.

III. Polygynia.

R O S A.

G. Pl. 254. *Juss.* 335. *Gærtn. t.* 73.

* *Fructibus subglobosis.*

1164. *R. spinosissima. Sp. Pl.* 705.

R. campestris spinosissima, flore albo odoro.

Tourn. Inst. 638.

Icon. *Engl. Bot. t.* 187.

In Peloponnesi campestribus. ♀.

1165. *R. villosa. Sp. Pl.* 704.

R. sylvestris pomifera major. Tourn. Inst. 638.

Icon. *Engl. Bot.* t. 583.

In monte Athô. ʒ.

1166. *R. glutinosa*, fructibus globosis pedunculisque hispidis, aculeis caulinis copiosis aduncis, foliolis subrotundis utrinque tomentosis.

R. cretica montana, foliis subrotundis glutinosis et villosis. *Tourn. Cor.* 43.

Icon. *Fl. Græc.* t. 482.

In Cretæ montibus Sphacioticis. ʒ.

** *Fructibus ovatis.*

1167. *R. rubiginosa*. *Mant.* 2. 564. *Fl. Brit.* 540. *Engl. Bot.* t. 991.

R. sylvestris, foliis odoratis. *Tourn. Inst.* 638.

Icon. *Jacq. Austr.* t. 50.

In agro Laconico. ʒ.

1168. *R. sempervirens*. *Sp. Pl.* 704.

R. moschata sempervirens. *Tourn. Inst.* 637.

Κυνόστατον *Diosc. optimè monente Sibthorp.*

Ἄγριο τριανταφυλιά *hodiè.*

Ἄγριο μοσκιὰ *Zacynth.*

Icon. *Fl. Græc.* t. 483.

In sepibus Græciæ frequens. ʒ.

1169. *R. canina*. *Sp. Pl.* 704.

R. sylvestris vulgaris, flore odorato incarnato.

Tourn. Inst. 638.

Ἄγριο τριανταφυλιὰ ἡδιῶ.

Icon. *Curt. Lond. fasc.* 5. *t.* 34.

In sepibus et dumetis Græciæ frequens. *h*.

R U B U S.

G. Pl. 254. *Juss.* 338. *Gærtn. t.* 73.

1170. *R. idæus*. *Sp. Pl.* 706.

R. idæus spinosus. *Tourn. Inst.* 614.

Βάτος Ἰδαία *Diosc.*

Icon. *Fl. Dan. t.* 788.

In Parnasso et Olympo Bithyno montibus. *h*.

1171. *R. tomentosus*. *Willd. Sp. Pl. v.* 2. 1083.

Icon *nulla*.

In agro Byzantino. *h*.

1172. *R. cæsius*. *Sp. Pl.* 706.

R. repens, fructu cæσιο. *Tourn. Inst.* 614.

Icon. *Engl. Bot. t.* 826.

In Olympo Bithyno et Athê montibus, locis um-
brosis. *h*.

1173. *R. fruticosus*. *Sp. Pl.* 707.

Rubus vulgaris. *Tourn. Inst.* 614.

Βατος *Diosc.*

Βάτος, ἢ *βάτω*, *hodiè.*

Icon. Engl. Bot. t. 715.

In Græciâ vulgatissima. η.

Nulla Rubi corylifolii Fl. Brit. 542. Engl. Bot. t. 827, indicia in herbario vel schedulis Sibthorpianis inveni.

FRAGARIA.

G. Pl. 255. Juss. 338. Gærtn. t. 73.

1174. *F. vesca. Sp. Pl. 708.*

F. vulgaris. Tourn. Inst. 295.

Κεκεμαριά, ἢ *Φράξι*, *hodiè.*

Icon. Engl. Bot. t. 1524.

In Olympi Bithyni sylvis; nec non in agro Laconico et circa Byzantium. υ.

1175. *F. sterilis. Sp. Pl. 709. Tourn. Inst. 296.*

Icon. Curt. Lond. fasc. 3. t. 30.

In agro Eliensi, Laconico, et Arcadiensi, Martio florens. υ.

POTENTILLA.

G. Pl. 255. *Juss.* 338.

Pentaphyllum. Gærtn. t. 73.

* *Foliis pinnatis.*

1176. *P. supina. Sp. Pl.* 711.

Pentaphylloides supinum. Tourn. Inst. 298.

Icon. Pluk. Phyt. t. 106. *f.* 7.

In Olympo Bithyno monte. ☉.

** *Foliis digitatis.*

1177. *P. recta. Sp. Pl.* 711.

Quinquefolium rectum luteum. Tourn. Inst. 297.

Icon. Jacq. Austr. t. 383.

In Bæotiæ campis. ♀.

1178. *P. argentea. Sp. Pl.* 712.

Quinquefolium folio argenteo. Tourn. Inst. 297.

Icon. Engl. Bot. t. 89.

In Olympi Bithyni sylvis, et circa Byzantium. ♀.

1179. *P. hirta. Sp. Pl.* 712.

Quinquefolium montanum erectum hirsutum

luteum. Magn. Monsp. 216, nec *Bauh. Pin.*

325. *Anne Tourn. Inst.* 297?

Icon nulla.

In herbario Sibthorpiano, in Eubœâ forsitan
lecta. ♀.

352 ICOSANDRIA—POLYGYNIA.

1180. *P. astracanica*. Willd. *Sp. Pl.* v. 2. 1105.

Icon. Jacq. *Ic. Rar.* v. 1. t. 92.

Circa Byzantium. 4.

1181. *P. aurea*. *Sp. Pl.* 712.

Quinquefolium minus repens alpinum aureum.

Tourn. Inst. 297.

Icon. Jacq. *Ic. Rar.* v. 3. t. 491. *P. salisburgensis*.

In Olympi Bithyni cacumine. 4.

1182. *P. opaca*. *Sp. Pl.* 713.

Quinquefolium minus repens lanuginosum luteum. *Tourn. Inst.* 297.

Icon. *Clus. Hist.* v. 2. 106. f. 3.

In Græciâ boreali. 4.

1183. *P. reptans*. *Sp. Pl.* 714.

Quinquefolium majus repens. *Tourn. Inst.* 297.

Πενταφυλλον *Diosc.*

Πενταδάκτυλα, ἢ πενταφύλλο, hodiè.

Icon. *Curt. Lond. fasc.* 1. t. 37.

In Græciæ aquosis juxta rivos, ut a Dioscoride traditur, frequens. 4.

*** *Foliis ternatis.*

1184. *P. speciosa*. Willd. *Sp. Pl.* v. 2. 1110.

Fragaria cretica saxatilis fruticosa, folio subtus argenteo. *Tourn. Cor.* 21.

Icon. *Fl. Græc. t.* 484.

In Parnasso, nec non in Sphacioticis elatioribus montibus Cretæ. 4.

TORMENTILLA.

G. Pl. 256. *Juss.* 337.

1185. *T. officinalis.* *Fl. Brit.* 552. *Engl. Bot.* t. 863.

T. erecta. *Sp. Pl.* 716.

T. sylvestris. *Tourn. Inst.* 298.

Icon. *Curt. Lond. fasc.* 5. t. 35.

Circa Byzantium. 4.

G E U M.

G. Pl. 256. *Juss.* 338. *Gærtn. t.* 74.

1186. *G. urbanum.* *Sp. Pl.* 716.

Caryophyllata vulgaris. *Tourn. Inst.* 294.

Icon. *Curt. Lond. fasc.* 2. t. 36.

In umbrosis circa Bursam Bithyniæ, nec non in agro Byzantino et monte Athô. 4.

1187. *G. rivale.* *Sp. Pl.* 717.

Caryophyllata aquatica, nutante flore. *Tourn. Inst.* 295.

354 ICOSANDRIA—POLYGYNIA.

Icon. *Engl. Bot. t.* 106.

Circa Bursam, et in Laconiâ, locis humidis. ۷.

1188. *G. coccineum*, floribus erectis, foliis caulinis trilobis; radicalibus lyratis: foliolo terminali maximo cordato-reniformi.

Caryophyllata orientalis, flore magno coccineo. *Tourn. Cor.* 20.

Icon. *Fl. Græc. t.* 485.

In monte Olympo Bithyno. ۷.



XIII. POLYANDRIA.

I. Monogynia.

CAPPARIS.

G. Pl. 261. *Juss.* 243.

1189. *C. spinosa.* *Sp. Pl.* 720.

C. spinosa, fructu minore, folio rotundo.
Tourn. Inst. 261.

C. retuso folio. *Lob. Ic.* 635.

β. *C. ovata.* *Desfont. Atlant.* v. 1. 404. *Willd.*

Sp. Pl. v. 2. 1131.

C. folio acuto. *Tourn. Inst.* 261.

Καππαρίς *Diosc.*

Καππαρίς hodiè.

Icon. Fl. Græc. t. 486.

In Græciæ maritimis frequens. η .

1190. *C. rupestris*, inermis, pedunculis unifloris
solitariis folio longioribus, foliis subrotundis
carnosis deciduis, capsulis ovalibus.

356 POLYANDRIA—MONOGYNIA.

C. non spinosa, fructu majore. *Tourn. Inst.* 261.
Icon. *Fl. Græc. t.* 487.

In Cretâ et Antiparo insulis, ad rupes. η .
Folia quam in præcedente crassiora et succo pleniora. *Olivier.*

ACTÆA.

G. Pl. 261. *Juss.* 235. *Gærtn. t.* 114.

1191. *A. spicata. Sp. Pl.* 722.

Christophoriana vulgaris nostras, racemosa et ramosa. *Tourn. Inst.* 299.

Icon. *Engl. Bot. t.* 918.

In, Laconia montibus nemorosis. η .

CHELIDONIUM.

G. Pl. 262. *Juss.* 236. *Gærtn. t.* 115.

1192. *Ch. majus. Sp. Pl.* 723.

Ch. majus vulgare. Tourn. Inst. 231.

Χελιδόνιον μέγα *Diosc.*

Χελιδόνιον *hodiè.*

Icon. *Engl. Bot. t.* 1581.

In umbrosis humidis, ad pagos præcipuè, in variis Græciæ locis; nec non in agro Byzantino, et Olympi Bithyni nemoribus. η .

GLAUCIUM.

Tourn. t. 130. Fl. Brit. 563. Juss. 236.

Gærtn. t. 115.

Chelidonium. G. Pl. 262.

1193. *G. luteum. Scop. Carn. v. 1. 369. Gærtn. v. 2. 166. Fl. Brit. 563.*

G. flore luteo. Tourn. Inst. 254.

Chelidonium Glaucium. Sp. Pl. 724.

Μηκων κεραττις Diosc.

Icon. Engl. Bot. t. 8. Chelidonium Glaucium.

In arenosis maritimis Græciæ et Archipelagi copiosè. 4.

1194. *G. rubrum, caule piloso, foliis caulinis pinnatifidis incisis, siliquâ pilosiusculâ.*

G. orientale, flore magno rubro. Tourn. Cor. 18.

Icon. Fl. Græc. t. 488.

Ad viam inter Smyrnam et Bursam, et in insulâ Rhodo. ☉?

Facies sequentis, sed pili caulini molliores, petala rubro-fulva nec punicea, siliqua mollissimè pilosa, demùm glabrata, nunquàm setoso-aspera.

1195. *G. phæniceum. Fl. Brit. 564. Engl. Bot. t. 1433.*

358 POLYANDRIA—MONOGYNIA.

G. hirsutum, flore phœniceo. *Tourn. Inst.* 254.

G. corniculatum. *Curt. Lond. fasc.* 6. *t.* 32.

Chelidonium corniculatum. *Sp. Pl.* 724.

Icon. *Fl. Græc. t.* 489.

In vineis Sami, tum in Cypro, aliisque Græciæ insulis. ☉.

1196. *G. violaceum*. *Fl. Brit.* 565.

G. flore violaceo. *Tourn. Inst.* 254.

Chelidonium hybridum. *Sp. Pl.* 724. *Engl.*

Bot. t. 201.

Icon. *Fl. Græc. t.* 490.

In agro Argolico, nec non in insulâ Cypro. ☉.

P A P A V E R.

G. Pl. 263. *Juss.* 236. *Gærtn. t.* 60.

* *Capsulis hispidis.*

1197. *P. hybridum*. *Sp. Pl.* 725.

P. erraticum, capite oblongo hispido. *Tourn.*

Inst. 238.

Icon. *Engl. Bot. t.* 43.

In arvis Græciæ, ex herb. Sibth. ☉.

1198. *P. Argemone*. *Sp. Pl.* 725.

P. erraticum, capite longiore hispido. *Tourn.*

Inst. 238.

Icon. *Curt. Lond. fasc. 5. t. 38.*

In arvis Atticis et Argolicis. ☉.

**** Capsulis glabris.**

1199. *P. dubium. Sp. Pl. 726.*

P. erraticum, capite longissimo glabro. Tourn. Inst. 238.

Icon. *Curt. Lond. fasc. 5. t. 37.*

In agro Argolico, Messeniaco et Laconico. ☉.

1200. *P. Rhœas. Sp. Pl. 726.*

P. erraticum majus. Tourn. Inst. 238.

Μηκων ῥοίας Diosc.

Παπαρῶνα hodiè.

Πετηνός, quasi Crista Galli, Cypr.

Icon. *Curt. Lond. fasc. 3. t. 32.*

Inter segetes Græciæ nimis fræquens, primo vere
floreus. ☉.

1201. *P. somniferum. Sp. Pl. 726.*

P. hortense. Tourn. Inst. 237.

Μηκων ἡμερος και αργια Diosc.

Casch Casch Turc.

Icon. *Fl. Græc. t. 491.*

In Peloponnesi agris. ☉.

360 POLYANDRIA—MONOGYNIA.

1202. *P. pilosum*, capsulis glabris, caulibus multifloris hirtis: pilis patentibus, foliis amplexicaulibus incisis undique pilosis.

Icon. *Fl. Græc. t.* 492.

In Olympo Bithyno monte. 4.

NYMPHÆA.

G. Pl. 264. *Juss.* 68. *Gærtn. t.* 19, alba.

Castalia. *Salisb. in Ann. of Bot. v.* 2. 71.

Calyx 4—5-phyllus. *Petala* plurima, germini sub staminibus inserta. *Stigma* radiatum, sessile, medio nectariferum. *Bacca* supera, multilocularis, polysperma.

1203. *N. alba. Sp. Pl.* 729.

N. alba major. Tourn. Inst. 260.

Νυμφαία *Theophr. et Diosc.*

Νεροκολοκυθία *Zacynth.*

Icon. *Engl. Bot. t.* 160.

In Thessaliæ lacubus, et circa Lupadium Bithyniæ; nec non in aquis Argolicis et Zacynthiis. 4.

Hoc genus reverà gynandrum est.

N U P H A R.

Nymphæa. *G. Pl.* 264. *Juss.* 68. *Gærtn. t.* 19,
lutea.

Calyx 5—6-phyllus. *Petala* plurima, recepta-
culo cum staminibus inserta, dorso nectarifera.
Stigma radiato-sulcatum, sessile. *Bacca* su-
pera, multilocularis, polysperma.

1204. *N. lutea*, calyce pentaphyllo, stigmate in-
tegerrimo, petiolis acutangulis, foliorum lo-
bis approximatis.

Nymphæa lutea. *Sp. Pl.* 729.

N. lutea major. *Tourn. Inst.* 261.

Νυμφαία αλλη, seu Νεφάρ, Diosc.

Νύφαρον, ἢ Νενέφαρον, hodiè.

Puſer ciceghi Turc.

Icon. Engl. Bot. t. 159.

In Thessaliæ lacubus, ut a Dioscoride memora-
tur; etiam in aquis circa Byzantium. 4.

Ex fructu antidotum νεφάρον parabant veteres.

Potum refrigerantem e floribus conficiunt Turci.
Sibth.

Has, *Nymphæam* albam et luteam Linnæi, cha-
racterum ope in *Engl. Bot.* et *Fl. Brit.* evul-
gatorum, ascitis insuper nectariis, in duo ge-
nera feliciter disposuit D. Salisbury; at minùs
benè *Nymphæam antiquorum* veram, nomine,

362 POLYANDRIA—MONOGYNIA.

Castalia, ad novam et planè abnormem etymologiam formato, distinxit.

TILIA.

G. Pl. 267. *Juss.* 292. *Gærtn. t.* 113.

1205. *T. europæa. Sp. Pl.* 733.

T. fœmina, folio majore. *Tourn. Inst.* 611.

Φιλυρία hodiè.

Icon. Engl. Bot. t. 610.

In agro Laconico et Byzantino. η .

CISTUS.

G. Pl. 271. *Juss.* 294. *Gærtn. t.* 76.

Helianthemum. Juss. 294. *Gærtn. t.* 76.

* *Exstipulati fruticosi.*

1206. *C. villosus. Sp. Pl.* 736; *pilosus* ex errore.

C. mas major, folio rotundiore. *Tourn. Inst.* 259.

Κιστος ἀρρήν *Diosc.*

Κιστάρι hodiè.

Icon. Matth. Valgr. v. 1. 159. *C. mas.*

Omnium hujus generis vulgatissima species, per totam Græciam, nec non in Archipelagi insulis. η .

1207. *C. laurifolius*. *Sp. Pl.* 736.

C. ledon, foliis laurinis. *Tourn. Inst.* 260.

C. ledon latifolium creticum. *Bauh. Hist.*
v. 2. 9. f. 3.

Icon. *Dalech. Hist.* v. 2. 1361. *C. marinus*.

In Olympo Bithyno monte. η .

1208. *C. monspeliensis*. *Sp. Pl.* 737.

C. ladanifera monspeliensium. *Tourn. Inst.*
260.

Βῆκιθο *Messen.*

Icon. *Fl. Græc. t.* 493.

In collibus siccis Græciæ et Archipelagi. η .

1209. *C. incanus*. *Sp. Pl.* 737.

C. mas secundus, folio longiore. *Tourn. Inst.*
259.

Κανγκλιά *hodiè*.

Ladan otu *Turc.*

Icon. *Fl. Græc. t.* 494.

In Peloponneso frequens; etiam in Samo et Cy-
pro insulis. η .

1210. *C. albidus*. *Sp. Pl.* 737.

C. mas, folio oblongo incano. *Tourn. Inst.*
259.

Icon. *Clus. Hist.* v. 1. 68. *C. mas primus*.

In agro Argolico. η .

VOL. I.

2 c

364 POLYANDRIA—MONOGYNIA.

1211. *C. creticus*. *Sp. Pl.* 738. *Jacq. Coll.* v. 1. 80. *Ic. Rar.* v. 1. t. 95.

C. ladanifera cretica, flore purpureo. *Tourn. Cor.* 19.

Λαδανον *Diosc.*

Λάδανω *hodiè*.

Icon. *Fl. Græc.* t. 495.

In Cretâ, Cypro, et Archipelagi insulis. 2.

1212. *C. parviflorus*. *Lamarck·Encycl.* v. 2. 14. *Willd. Sp. Pl.* v. 2. 1186.

C. mas creticus, folio brevior, flore parvo. *Tourn. Cor.* 19.

Icon. *Fl. Græc.* t. 496.

In insulâ Cretâ. 2.

1213. *C. salvifolius*. *Sp. Pl.* 738.

C. fœmina, folio salviæ, elatior et rectis virgis. *Tourn. Inst.* 259.

Κιστος Θηλυς *Diosc.*

Κιστάρι, κενεκλιὰ, ἡ ἀγριο φασκομηλιά, *hodiè*.

Icon. *Fl. Græc.* t. 497.

In Peloponnesi collibus siccis, tum in Archipelagi insulis. 2.

1214. *C. crispus*. *Sp. Pl.* 738.

C. mas, foliis undulatis et crispis. *Tourn. Inst.* 259.

Λαδανεία in Monte Athô.

Icon. *Cavan. Ic. t. 174.*

In monte Athô, et circa Byzantium. η .

**** *Exstipulati suffruticosi.***

1215. *C. lævipes. Sp. Pl. 739.*

Helianthemum massiliense, coridis folio. Tourn.

Inst. 250.

Icon. *Jacq. Hort. Vind. v. 2. t. 158.*

In monte Athô. η .

1216. *C. Fumana. Sp. Pl. 740.*

*Helianthemum tenuifolium glabrum, luteo
flore, per humum sparsum. Tourn. Inst. 249.*

Icon. *Jacq. Austr. t. 252.*

In monte Athô. η .

1217. *C. alpestris, suffruticosus procumbens ex-
stipulatus, foliis oppositis oblongis laxè pi-
losis, pedunculis corymboso-racemosis to-
mentosus.*

C. alpestris. Jacq. Enum. Vind. 93, 248.

*Scop. Carn. v. 1. 376. t. 23. Crantz. Austr.
fasc. 2. 73. t. 6. f. 1.*

C. canus β . Sp. Pl. 740.

C. Seguieri. Crantz. Austr. fasc. 2. 74.

C. n. 1034. Hall. Hist. v. 2. 3. Nomencl. 93.

366 POLYANDRIA—MONOGYNIA.

Chamæcistus serpilli folio. *Clus. Pan.* 62, 63.

C. altera. *Clus. Hist.* v. 1. 73.

Helianthemum alpinum, serpilli folio nigricante et hirsuto. *Segu. Veron.* v. 3. 195.

t. 6. f. 2 ; ex ipso auctore.

Icon. Jacq. Austr. t. 399. *C. œlandicus.*

In Olympo Bithyno monte. h .

*** *Exstipulati herbacei.*

1218. *C. Tuberaria.* *Sp. Pl.* 741.

Helianthemum plantaginis folio, perenne.

Tourn. Inst. 250.

Icon. Cavan. Ic. t. 97.

In agro Eliensi. u .

1219. *C. guttatus.* *Sp. Pl.* 741. *Fl. Brit.* 573.

Helianthemum flore maculoso. *Tourn. Inst.* 250.

Icon. Fl. Græc. t. 498.

In Peloponneso frequens ; nec non in Cypro et Zacyntho insulis. ☉ .

**** *Stipulati herbacei.*

1220. *C. ledifolius.* *Sp. Pl.* 742. *Fl. Brit.* 574.

Helianthemum ledi folio. *Tourn. Inst.* 249.

Icon. Lob. Ic. v. 2. 118. f. 2.

In Græciâ ex herb. Sibth. ☉ .

1221. *C. salicifolius*. *Sp. Pl.* 742.

Helianthemum salicis folio. *Tourn. Inst.* 249.

Icon. Fl. Græc. t. 499.

In agro Argolico, et insulâ Cypro. ☉.

***** *Stipulati suffruticosi.*

1222. *C. thymifolius*. *Sp. Pl.* 743.

Icon. Fl. Græc. t. 500.

In Archipelagi insulis frequens. ♀.

1223. *C. pilosus*. *Sp. Pl.* 744.

Helianthemum folio thymi incano. *Tourn. Inst.* 249.

Icon. Clus. Hist. v. 1. 74. *f.* 2.

In Peloponnesi collibus. ♀.

1224. *C. lavandulifolius*. *Vahl. Symb. v.* 1. 39.

Willd. Sp. Pl. v. 2. 1207.

Helianthemum lavandulæ folio. *Tourn. Inst.* 249.

Icon. Jacq. Ic. Rar. v. 1. *t.* 96. *C. syriacus*.

In collibus Græciæ, ex herb. Sibth. ♀.

1225. *C. racemosus*. *Mant.* 76.

Icon. Cavan. Ic. t. 140.

In agro Byzantino. *Sibth. MSS.* ♀.

368 POLYANDRIA—MONOGYNIA.

1226. *C. Helianthemum. Sp. Pl. 744.*

Helianthemum vulgare, flore luteo. Tourn. Inst. 248.

Icon. Curt. Lond. fasc. 5. t. 36.

In monte Olympo Bithyno, tum in Argolidis et
Laconiæ collibus. η .

1227. *C. hirtus. Sp. Pl. 744.*

*Helianthemum foliis rorismarini splendentibus
subtùs incanis. Tourn. Inst. 250; ex Lin-
næo.*

Icon. Fl. Græc t. 501.

In insulâ Cypro. η .

1228. *C. ellipticus. Desfont. Atlant. v. 1. 418.*

t. 107. Willd. Sp. Pl. v. 2. 1202.

Icon. Fl. Græc. t. 502.

In Græciâ ex herb. Sibth. at locus specialis non
annotatur. η .

1229. *C. apenninus. Sp. Pl. 744.*

*Helianthemum saxatile, foliis et caulibus in-
canis oblongis, floribus albis, Apennini
montis. Tourn. Inst. 248.*

Icon. Mentz. Pug. t. 8. f. 3.

In montibus circa Athenas. η .

1230. *C. arabicus*. *Sp. Pl.* 745.

Helianthemum creticum, *linariæ folio*, flore
croceo. *Tourn. Cor.* 18.

Icon. *Fl. Græc. t.* 503.

In insulâ Cretâ. ٢.

II. Pentagynia.

(*Pistilla* 2—6.)

PÆONIA.

G. Pl. 273. *Juss.* 234. *Gærtn. t.* 65.

1231. *P. officinalis*. *Sp. Pl.* 747, α. *Willd. Sp.*
Pl. v. 2. 1221.

P. communis vel fœmina. *Tourn. Inst.* 274.

Παιονία ὀφθαλμική *Diosc.*

Μάκος *hodiè.*

Icon. *Fuchs. Hist.* 202. *Lob. Ic.* 682. *f.* 2.

In montibus Græciæ elatioribus, et in Sphacioti-
cis Cretæ. ٣.

370 POLYANDRIA—PENTAGYNIA.

1232. *P. corallina*. Retz. Obs. fasc. 3. 34. Willd.
Sp. Pl. v. 2. 1221.

P. officinalis β. Sp. Pl. 747.

P. folio nigricante splendido, quæ mas. Tourn.
Inst. 273.

Παιονία ἀρρήν Diosc.

Δηγενία Zacynth.

Icon. Engl. Bot. t. 1513.

In insulæ Zacynthi montibus. 4.

DELPHINIUM.

G. Pl. 274. Juss. 234. Gærtn. t. 65.

* *Unicapsularia*.

1233. *D. Consolida*. Sp. Pl. 748.

D. segetum, flore cæruleo. Tourn. Inst. 426.

Δελφίνιον ἕτερον Diosc.

Ἄγριο λινάρῳ τὸ βένε Zacynth.

Icon. Fl. Græc. t. 504.

Inter segetes Bæotiæ, Atticæ, et agri Messe-
niaci; tum in insulâ Zacyntho. ☉.

1234. *D. tenuissimum*, nectariis monophyllis,
caule paniculato; ramulis capillaribus di-
varicatis, capsulis solitariis semiovatis.

D. tenuissimum. Sibth. MSS.

Icon. *Fl. Græc. t.* 505.

In monte Hymetto prope Athenas. ☉.

**** *Tricapsularia.***

1235. *D. peregrinum.* *Sp. Pl.* 749.

D. latifolium, parvo flore. *Tourn. Inst.* 426.

Δελφινιον *Diosc.*

Λιναρίθρα *Zacynth.*

Icon. *Fl. Græc. t.* 506.

In asperis et apricis Græciæ et Archipelagi frequens. ☉.

1236. *D. halteratum*, nectariis diphyllis emarginatis, corollis enneapetalis: lateralibus suborbiculatis ungue capillari, foliis multipartitis.

D. græcum, foliis inferioribus fumariam, superioribus linariam referentibus. *Tourn. Cor.* 30?

Icon. *Fl. Græc. t.* 507.

In Siciliâ, et, ni fallor, in monte Athô, legit Sibthorp. ☉.

Præcedente major, foliis magis divisis, petalis infimis patentibus, nec conniventibus.

1237. *D. Staphisagria.* *Sp. Pl.* 750.

D. platani folio, *Staphisagria dictum.* *Tourn. Inst.* 428.

372 POLYANDRIA—PENTAGYNIA.

Σταφίς αγρία *Diosc.*

Ἄγριο σταφίδα *Zacynth.*

Icon. *Fl. Græc. t. 508.*

Ad pagos in insulâ Cretâ frequens, locis umbrosis suburbanis præcipuè gaudens; nec non in insulâ Zacyntho. ♂.

ACONITUM.

G. Pl. 274. Juss. 234. Gærtn. t. 65.

1238. *A. Napellus. Sp. Pl. 751.*

A. cæruleum, seu Napellus primus. Tourn. Inst. 425.

Ακόνιτον hodiè.

Icon. *Clus. Hist. v. 2. 96. f. 2. A. Lycoc. 6.*

In Laconiâ. *Sibth. MSS. 4.*

AQUILEGIA.

G. Pl. 275. Juss. 234. Gærtn. t. 118.

1239. *A. vulgaris. Sp. Pl. 752.*

A. sylvestris. Tourn. Inst. 428.

Icon. *Engl. Bot. t. 297.*

In agro Laconico. *Sibth. MSS. 4.*

NIGELLA.

G. Pl. 276. *Juss.* 233. *Gærtn. t.* 118.

* *Pentagynæ.*

1240. *N. damascena.* *Sp. Pl.* 753.

N. angustifolia, flore majore simplici cæruleo.

Tourn. Inst. 258.

Πορδόχορτον *hodiè.*

Μαδροκόνο *Attic.*

Icon. Fl. Græc. t. 509.

In Græciæ et Archipelagi arvis, haud rara. ☉.

1241. *N. aristata*, floribus involucro folioso cinctis, nectariis antherisque aristatis, capsulis turbinatis muricatis.

Icon. Fl. Græc. t. 510.

Prope Athenas. ☉.

1242. *N. sativa.* *Sp. Pl.* 753.

N. flore minore simplici candido. *Tourn. Inst.* 258.

Μελανθιον *Diosc.*

Μαδροκκαδεις *Cypr.*

Icon. Fl. Græc. t. 511.

In Græciâ et Archipelagi insulis frequens. ☉.

374 POLYANDRIA—POLYGYNIA.

1243. *N. arvensis*. *Sp. Pl.* 753.

N. arvensis cornuta. *Tourn. Inst.* 258.

Icon. Fl. Græc. t. 512.

In insulâ Cypri. ☉.

III. Polygynia.

ANEMONE.

G. Pl. 279. *Juss.* 232. *Gærtn.* t. 74.

* *Hepaticæ, flore calyculato.*

1244. *A. Hepatica*. *Sp. Pl.* 758.

Ranunculus tridentatus vernus, flore simplici
cæruleo. *Tourn. Inst.* 286.

Icon. Fl. Græc. t. 513.

In herbario Sibthorpiano, nescio unde lecta. 4.

** *Pulsatillæ, pedunculo involucrato, seminibus*
caudatis.

1245. *A. Pulsatilla*. *Sp. Pl.* 759. *Engl. Bot.*
t. 51.

Pulsatilla folio crassiore, et majore flore.
Tourn. Inst. 284.

Icon. Fl. Dan. t. 153.

In agro Byzantino. *D. Sestini.* 4.

1246. *A. pratensis. Sp. Pl.* 760.

Pulsatilla flore minore nigricante. Tourn. Inst.
284.

Icon. Fl. Dan. t. 611.

In agro Byzantino cum priore. *D. Sestini.* 4.

*** *Anemones, pedunculo involucrato, seminibus lanatis.*

1247. *A. coronaria. Sp. Pl.* 760.

A. tenuifolia. Tourn. Inst. 278 et sequ.

Ανεμώνη ἡμερα Diosc.

Παπαρσάνα hodiè.

Icon. Fl. Græc. t. 514.

In collibus siccis Græciæ copiosè, Martio florens. 4.

Variat floribus cæruleis, violaceis, albis, coccineis.

1248. *A. hortensis. Sp. Pl.* 761.

A. latifolia, simplici carneo flore. Tourn. Inst.
276.

Ανεμώνη αγρία Diosc.

Ἄγριο παπαρσάνα hodiè.

376 POLYANDRIA—POLYGYNIA.

Icon. *Fl. Græc. t. 515.*

In collibus Græciæ cum priore, eodem tempore
florens. 4 .

**** Anemonoideæ, flore nudo, seminibus muticis.

1249. *A. nemorosa. Sp. Pl. 762.*

Ranunculus phragmites albus vernus. Tourn.
Inst. 285.

Ανεμώνη μελαινα Diosc.? Sibth.

Icon. *Curt. Lond. fasc. 2. t. 38.*

In montis Parnassi nemoribus. 4 .

1250. *A. apennina. Sp. Pl. 762.*

Ranunculus nemorosus, flore cæruleo, foliis
majoribus, Apennini montis. Tourn. Inst.
285.

Icon. *Curt. Lond. fasc. 6. t. 35.*

In Peloponnesi nemorosis. 4 .

CLEMATIS.

G. Pl. 280. Juss. 232. Gærtn. t. 74.

* *Scandentes.*

1251. *C. Viticella. Sp. Pl. 765.*

C. purpurea repens. Tourn. Inst. 294.

Icon. *Fl. Græc. t. 516.*

Ad sepes circa lacum Nicææ, Bithyniæ. 2 .

1252. *C. cirrosa*. *Sp. Pl.* 766.

C. peregrina, foliis pyri incisis. *Tourn. Inst.* 293.

Κληματίτις *Diosc.?* *Sibth.*

Icon. *Fl. Græc. t.* 517.

Circa Athenas. η .

1253. *C. Vitalba*. *Sp. Pl.* 766.

C. sylvestris latifolia. *Tourn. Inst.* 293.

Αμπελος αγρια *Diosc.?* *Sibth.*

Ἀγριοἰμπέλι *hodiè*.

β. *Clematis sylvestris latifolia*, foliis non incisis.
Tourn. Inst. 293.

Icon. *Curt. Lond. fasc.* 4. *t.* 37.

In sepibus Græciæ et Archipelagi copiosè. η .

1254. *C. Flammula*. *Sp. Pl.* 766.

C. sive Flammula repens. *Tourn. Inst.* 293.

Ἀλογάκι γλυκύγη *hodiè in Laconid.*

Χελιδρόνια *Attic.*

Icon. *Dod. Pempt.* 404. *f.* 2.

In agro Eliensi et Laconico. η .

** *Erectæ.*

1255. *C. recta*. *Sp. Pl.* 767.

C. sive Flammula surrecta alba. *Tourn. Inst.* 294.

378 POLYANDRIA—POLYGYNIA.

Icon. *Jacq. Austr. t. 291.*

In Achaiaë, tum in montis Hæmi, sylvos. ʒ.

1256. *C. integrifolia.* *Sp. Pl. 767.*

C. cærulea erecta. *Tourn. Inst. 294.*

Icon. *Jacq. Austr. t. 363.*

In agro Laconico. ʒ.

THALICTRUM.

G. Pl. 280. Juss. 232. Gærtn. t. 74.

1257. *Th. minus.* *Sp. Pl. 769. Tourn. Inst. 271.*

Icon. *Jacq. Austr. t. 419.*

In Laconiâ. ʒ.

1258. *Th. majus.* *Jacq. Austr. v. 5. 9. Fl. Brit.*
585.

Icon. *Jacq. Austr. t. 420.*

In monte Athê. ʒ.

1259. *Th. angustifolium.* *Sp. Pl. 769.*

Th. pratense, angustissimo folio. *Tourn. Inst.*
271.

Icon. *Jacq. Hort. Vind. v. 3. t. 43.*

In Olympo Bithyno monte. ʒ.

1260. *Th. flavum.* *Sp. Pl. 770.*

Th. majus, siliquâ angulosâ aut striatâ. *Tourn.*
Inst. 270.

Icon. *Jacq. Austr. t. 421.* Th. nigricans.
In Achaiâ, nec non in agro Byzantino. 4.

1261. Th. *aquilegifolium.* Sp. Pl. 770.

Th. alpinum, aquilegiæ foliis, florum stamini-
bus purpurascentibus. *Tourn. Inst. 270.*

Icon. *Jacq. Austr. t. 318.*

In sylvis Laconiae et montis Hæmi. 4.

ADONIS.

G. Pl. 281. *Juss. 232. Gærtn. t. 74.*

1262. A. *æstivalis.* Sp. Pl. 771.

Ranunculus arvensis, foliis chamæmeli, flore
phæniceo. *Tourn. Inst. 291.*

Ἀργεμῶνη *Diosc. Sibth. e codicis Cæsarei auc-*
toritate.

Ἀγρίο παπαρῆνα *Zacynth.*

Icon. *Jacq. Austr. t. 354.* A. miniata.

Inter segetes Græciæ frequens. ☉.

1263. A. *autumnalis.* Sp. Pl. 771.

Ranunculus arvensis, foliis chamæmeli, flore
minore atrorubente. *Tourn. Inst. 291.*

Μῶρόχορτον *hodiè.*

Icon. *Curt. Lond. fasc. 2. t. 37.*

In Achaia et Peloponnesi arvis. ☉.

VOL. I.

2 D

RANUNCULUS.

G. Pl. 281. *Juss.* 233. *Gærtn. t.* 74.

* *Foliis simplicibus.*

1264. *R. Flammula. Sp. Pl.* 772.

R. longifolius palustris minor. Tourn. Inst.
292.

Icon. Curt. Lond. fasc. 6. *t.* 37.

In Peloponnesi aquosis. 4.

1265. *R. Ficaria. Sp. Pl.* 774.

R. vernus rotundifolius. Tourn. Inst. 286.

Χελιδονιον το μικρον Diosc.

Σφερδακύλα Arcad. hodiè.

Ζοχᾶδοχορτον Attic.

Icon. Curt. Lond. fasc. 2. *t.* 39.

In umbrosis humidis Græciæ vulgaris, Martio
florens. 4.

1266. *R. Thora. Sp. Pl.* 775.

R. cyclaminis folio, asphodeli radice, major.
Tourn. Inst. 285.

Icon. Jacq. Austr. t. 442.

In Laconia montibus. 4.

** *Foliis dissectis et divisis.*

1267. *R. trilobus. Desfont. Atlant. v.* 1. 437.
Willd. Sp. Pl. v. 2. 1315.

Icon. *Desfont. Atlant. t. 113.*

In herbario Græco Sibthorpiano, sed locus specialis non memoratur. 4.

Herba in nostris pilosiuscula.

1268. *R. auricomus. Sp. Pl. 775.*

R. nemorosus vel sylvaticus, folio rotundo. Tourn. Inst. 285.

Icon. *Curt. Lond. fasc. 2. t. 41.*

In montis Hæmi nemorosis, et circa Byzantium. 4.

1269. *R. scleratus. Sp. Pl. 776.*

R. palustris, apii folio, lævis. Tourn. Inst. 291.

Icon. *Curt. Lond. fasc. 2. t. 42.*

In aquosis Smyrnæ et Byzantii, nec non in paludibus montis Hæmi. ☉.

1270. *R. illyricus. Sp. Pl. 776.*

R. lanuginosus angustifolius, grumosâ radice, major. Tourn. Inst. 289.

Icon. *Jacq. Austr. t. 222.*

In montis Hæmi umbrosis. 4.

1271. *R. asiaticus. Sp. Pl. 777.*

R. grumosâ radice, flore phæniceo minimo simplici. Tourn. Inst. 287.

Βαρπαχίον Diosc.

382 POLYANDRIA—POLYGYNIA.

Ἄγριο σέλιον *hodiè in Cypro.*

Icon. *Fl. Græc. t. 518.*

In Cariâ et Ciliciâ, copiosius verò in insulâ Cypro. 4.

Variat *floribus* puniceis et flavis.

1272. *R. nivalis.* *Sp. Pl. 778.*

Icon. *Jacq. Austr. t. 325, 326.*

In Olympi Bithyni *cacumine.* 4.

1273. *R. bulbosus.* *Sp. Pl. 778.*

R. pratensis, radice *veiticilli modo rotundâ.*

Tourn. Inst. 289.

Icon. *Curt. Lond. fasc. 1. t. 38.*

Circa Byzantium in pascuis. 4.

1274. *R. hirsutus.* *Fl. Brit. 592.*

R. Philonotis. *Willd. Sp. Pl. v. 2. 1324.*

R. rectus, foliis *pallidioribus hirsutis.* *Tourn.*

Inst. 289.

Icon. *Curt. Lond. fasc. 2. t. 40.*

In agro Cariensi, etiam in Peloponneso. 4.

1275. *R. repens.* *Sp. Pl. 779.*

R. pratensis repens hirsutus. *Tourn. Inst. 289.*

Icon. *Curt. Lond. fasc. 4. t. 38.*

In Achaiâ et Peloponneso. 4.

1276. *R. lanuginosus*. *Sp. Pl.* 779.

R. montanus lanuginosus, foliis ranunculi
pratensis repentis. *Tourn. Inst.* 291.

Βατραχιον ἕτερον *Diosc.*

Σπυρδοκοκύλα *hodiè*.

Icon. *Fl. Græc.* t. 519.

In umbrosis humidis irriguis, Græciæ præcipuè
borealis, nec non in Peloponneso. 4.

1277. *R. flabellatus*, foliis pedato-biternatis in-
cisis; primordialibus flabelliformibus tri-
lobisve dentatis, caule paucifloro, fructu el-
liptico.

R. flabellatus. *Desfont. Atlant.* v. 1. 438.
t. 114. *Willd. Sp. Pl.* v. 2. 1318.

R. lanuginosus, apii folio, asphodeli radice.
Tourn. Inst. 289.

R. alter saxatilis, asphodeli radice. *Column.*
Ecphr. 312. t. 313. f. 1.

Icon. *Fl. Græc.* t. 520.

In montibus Græciæ borealis. 4.

1278. *R. millefoliatus*, calycibus erectis glabri-
usculis, foliis supradecompositis: laciniis
elliptico-linearibus, caulibus subunifloris.

R. millefoliatus. *Vahl. Symb.* v. 2. 63. t. 37.

384 POLYANDRIA—POLYGYNIA.

*Desfont. Atlant. v. 1. 441. t. 116. Willd.
Sp. Pl. v. 2. 1328.*

R. montanus leptophyllos, asphodeli radice.
Column. Ecphr. 312. t. 311.

R. chærophyllos, asphodeli radice. *Tourn.
Inst. 289?*

Icon. Fl. Græc. t. 521.

In Peloponnesi montibus. 4.

1279. **R. arvensis.** *Sp. Pl. 780.*

R. arvensis echinatus. *Tourn. Inst. 289.*

Icon. Curt. Lond. fasc. 6. t. 36.

In arvis Argolicis, Laconicis et Byzantinis. ☉.

1280. **R. muricatus.** *Sp. Pl. 780.*

R. palustris echinatus. *Tourn. Inst. 286.*

Βατραχίον τρίτον Diosc. Sibth.

Σπερδοκοκύλα hodiè.

Icon. Fl. Græc. t. 522.

In aquosis humidis Græciæ frequens. ☉.

1281. **R. parviflorus.** *Sp. Pl. 780.*

**R. arvensis annuus hirsutus, flore omnium
minimo luteo.** *Tourn. Inst. 290.*

Icon. Engl. Bot. t. 120.

In Achaïæ et Peloponnesi arvis. ☉.

1282. *R. grandiflorus*. *Sp. Pl.* 781.

R. orientalis, aconiti folio, flore luteo maximo.

Tourn. Cor. 20.

Icon *nulla*.

In agro Byzantino. *D. Sestini.* 4.

1283. *R. falcatus*. *Sp. Pl.* 781.

R. ceratophyllus, seminibus falcatis in spicam
adactis. *Tourn. Inst.* 289.

Icon. *Jacq. Austr. t.* 48.

In Argolicis et Arcadiensibus arvis. ☉.

1284. *R. aquatilis*. *Sp. Pl.* 781.

R. aquaticus, folio rotundo et capillaceo.

Tourn. Inst. 291.

Βατραχίον τεταρον *Diosc. Sibth.*

Icon. *Engl. Bot. t.* 101.

In aquis Græciæ, formâ et dissectione foliorum
varians, ut apud nos. 4.

ISOPYRUM.

G. Pl. 282. *Juss.* 233. *Gærtn. t.* 65.

1285. *I. thalictroides*. *Sp. Pl.* 783.

Thalictrum montanum præcox. *Tourn. Inst.*
271.

386 POLYANDRIA—POLYGYNIA.

Icon. *Jacq. Austr. t. 105.*

In montis Hæmi sylvis umbrosis. 4.

HELLEBORUS.

G. Pl. 282. Juss. 233. Gærtn. t. 65.

1286. *H. niger. Sp. Pl. 783.*

H. niger, angustioribus foliis. Tourn. Inst. 272.

Icon. *Jacq. Austr. t. 201.*

In Laconiâ, et monte Athô. 4.

1287. *H. officinalis, foliis pedatis, scapo multifloro, bracteis digitatis.*

H. officinalis. Salisb. in Tr. of L. Soc. v. 8. 305.

H. orientalis. Lamarck. Encycl. v. 3. 96. Willd. Sp. Pl. v. 3. 1337.

H. niger orientalis, amplissimo folio, caule præalto, flore purpurascente. Tourn. Cor. 20.

Ελληξορος μελας *Diosc.*

Σκάρφη *hodiè.*

Zopleme Turc.

Icon. *Fl. Græc. t. 523.*

In Athô, Delphi, et Olympo Bithyno, nec non in montibus circa Thessalonicam. Propè Byzantium copiosè provenit. 4.

CALTHA.

G. Pl. 283. *Juss.* 234. *Gærtn. t.* 118.

1288. *C. palustris.* *Sp. Pl.* 784.

Populago flore majore. *Tourn. Inst.* 273.

Icon. Curt. Lond. fasc. 1. *t.* 40.

In *Laconiaë paludosis.* 4.

XIV. DIDYNAMIA.

I. *Gymnospermia.*

A J U G A.

G. Pl. 287.

Bugula. Juss. 112. *Tourn. t.* 98.

Chamæpitys. Tourn. t. 98.

* *Bugulæ. Fl. axillares plures, (sive verticillati),
cærulei.*

1289. *A. orientalis. Sp. Pl.* 785.

*Bugula orientalis villosa, flore inverso. Tourn.
Cor.* 14.

Icon. Dill. Elth. t. 53.

Ad montis Hæmi radices. 4.

1290. *A. pyramidalis. Sp. Pl.* 785.

*Bugula sylvestris villosa, flore cæruleo. Tourn.
Inst.* 209.

Icon. Engl. Bot. t. 1270.

In Hæmo monte. 4.

1291. *A. reptans*. *Sp. Pl.* 785.

Bugula. *Tourn. Inst.* 209.

Icon. *Curt. Lond. fasc. 2. t. 43.*

In sylvis Peloponnesiacis et Byzantinis. 4.

** *Chamæpites*. *Fl. axillares solitarii, flavi.*

1292. *A. Chamæpitys*. *Schreb. Vertic. Unilab.* 24.

Fl. Brit. 605. *Willd. Sp. Pl. v. 3. 10.*

Teucrium Chamæpitys. *Sp. Pl.* 787.

Chamæpitys lutea vulgaris, sive folio trifido.

Tourn. Inst. 208.

Χαμαιπίτης τρίτη *Diosc. Sm.*

Λιβανόχορτον *Lacon. hodiè.*

Δοδεκάνθη *Argol.*

Icon. *Engl. Bot. t. 77.*

In insulis Archipelagi frequens, nec non in Peloponneso, et monte Olympo Bithyno. ☉.

1293. *A. chia*. *Schreb. Vertic. Unilab.* 25. *Willd.*

Sp. Pl. v. 3. 11.

Chamæpitys chia lutea, folio trifido, flore

magno. Tourn. Cor. 14.

Icon. *Fl. Græc. t. 524.*

In Archipelagi insulis frequens, etiam in Asiâ minore. ☉.

1294. *A. Iva*. *Schreb. Vertic. Unilab.* 25. *Willd.*

Sp. Pl. v. 3. 11.

390 DIDYNAMIA—GYMNOSPERMIA.

Teucrium Iva. *Sp. Pl.* 787.

Chamæpitys moschata, foliis serratis, an prima
Dioscoridis. *Tourn. Inst.* 208.

Χαμαιπitys *Diosc. Sm.*

Icon. *Fl. Græc. t.* 525.

In Archipelagi insulis, nec non in Cretâ et Zacyntho. ☉.

1295. **A. salicifolia.** *Schreb. Vertic. Unilab.* 26.

Willd. Sp. Pl. v. 3. 12.

Teucrium salicifolium. *Mant.* 80. *Schreb. Dec. t.* 9.

Chamæpitys orientalis, salicis folio. *Tourn. Cor.* 14.

Icon. *Fl. Græc. t.* 526.

Ad viam inter Smyrnam et Bursam. ♀.

TEUCRIUM.

G. Pl. 287. *Juss.* 112.

1296. **T. orientale.** *Sp. Pl.* 786.

T. orientale angustifolium laciniatum, flore magno. *Tourn. Cor.* 14.

Icon. *Commel. Rar. t.* 25.

In herbario Græco Sibthorpiano, sed de loco ejus natali nihil annotatum est. ♀.

1297. *T. fruticans*. *Sp. Pl.* 787.

T. boeticum. *Tourn. Inst.* 208.

Icon. *Fl. Græc. t.* 527.

In Siciliâ depingi curavit Sibthorp ; anne postea
in Græciâ, vel Archipelagi insulis, hæc stir-
pem pro herbario, ubi hodiè reponitur, colle-
git, non constat. h .

1298. *T. brevifolium*. *Schreb. Vertic. Unilab.* 27.

Willd. Sp. Pl. v. 3. 17.

T. frutescens, stœchadis arabicæ folio et facie.

Tourn. Cor. 14.

Rosmarinum stœchadis facie. *Alp. Exot.* 103.

t. 102.

Icon. *Fl. Græc. t.* 528.

In rupibus Cretæ. h .

1299. *T. creticum*. *Sp. Pl.* 788. *Willd. Sp. Pl.*

v. 3. 17.

T. hyssopifolium. *Schreb. Vertic. Unilab.* 28.

Polium angustifolium creticum. *Bauh. Pin.*

221.

Icon. *Fl. Græc. t.* 529.

In insulâ Cypro. h .

1300. *T. quadratulum*. *Schreb. Vertic. Unilab.* 36.

Willd. Sp. Pl. v. 3. 18.

392 DIDYNAMIA—GYMNOSPERMIA.

T. ramosissimum. *Desfont. Atlant. v. 2. 4.*
t. 118.

Chamædrys hispanica minima saxatilis incana.
Tourn. Inst. 205.

Ch. cretica saxatilis, folio exiguo subtus incano. *Tourn. Cor. 14. Sibth.*

Icon. *Fl. Græc. t. 530.*

In rupibus Cretæ. ʒ.

1301. T. Arduini. *Mant. 81. Willd. Sp. Pl.*
v. 3. 22.

Scutellaria cretica. *Sp. Pl. 836.*

Cassida cretica fruticosa, catarixæ folio, flore albo. *Tourn. Cor. 11. Herb. Linn.*

Icon. *Fl. Græc. t. 531.*

In Olympi Bithyni sylvis umbrosis. ʒ.

1302. T. Scorodonia. *Sp. Pl. 789.*

Chamædrys fruticosa sylvestris, melissæ folio.
Tourn. Inst. 205.

Icon. *Curt. Lond. fasc. 5. t. 40.*

In Laconiâ. ʒ.

1303. T. Massiliense. *Sp. Pl. 789.*

Chamædrys fruticosa insularum Stœchadum,
melissæ folio minori, pomum redolens.
Tourn. Inst. 205.

Icon. *Jacq. Hort. Vind. v. 1. t. 94.*

In insulâ Cretâ. 2.

1304. *T. Scordium. Sp. Pl. 790.*

Chamædrys palustris canescens, seu Scordium officinarum. Tourn. Inst. 205.

Σκορδιον Diosc.

Σκορδεῖ, ἢ σκορδόχορτον, hodiè.

Icon. *Engl. Bot. t. 828.*

β. *Teucrium scordioides. Schreb. Vertic. Unilab. 37. Willd. Sp. Pl. v. 3. 27.*

Chamædrys cretica palustris canescens scordioides, betonicæ folio. Tourn. Cor. 14.

Scordium lanuginosum. Bauh. Pin. 247.

In paludosis Cretæ, Asiæ minoris, et Zacynthi. 2.

1305. *T. Chamædrys. Sp. Pl. 790.*

Chamædrys major, et minor, repens. Tourn. Inst. 204.

Χαμαιδρυς Diosc.

Χαμαιδρυὰ hodiè.

Icon. *Engl. Bot. t. 680.*

In siccis petrosis Græciæ et Archipelagi. 2.

1306. *T. lucidum. Sp. Pl. 790.*

Chamædrys alpina frutescens, folio splendente. Tourn. Inst. 205.

394 DIDYNAMIA—GYMNOSPERMIA.

Icon. *Fl. Græc. t. 532.*

In Parnasso aliisque Græciæ montibus ; nec non
in insulâ Cypri. 4 .

1307. *T. flavum. Sp. Pl. 791.*

Chamædrys frutescens, Teucrium vulgò. *Tourn.
Inst. 205.*

Χαμαιδρύα hodiè.

Icon. *Fl. Græc. t. 533.*

In Cretæ, Zacynthi, insularumque Archipelagi,
rupibus, frequens. 2 .

1308. *T. montanum. Sp. Pl. 791. Schreb. Ver-
tic. Unilab. 50.*

Polium lavandulæ folio. *Tourn. Inst. 206.*

Icon. *Fl. Græc. t. 534.*

β. *T. supinum. Sp. Pl. 791.*

Polium montanum repens. *Tourn. Inst. 206.*

Icon. *Jacq. Austr. t. 417.*

In Delphi, Athô, et Olympo Bithyno, montibus.
4 .

1309. *T. Polium. Sp. Pl. 792.*

Polium montanum album, etiam luteum.
Tourn. Inst. 206.

Πολιον *Diosc.*

Παναγιόχορτον, ἢ ἀμάραντο, hodiè.

Της κύρας το χόρτον *Attic.*

Giuda *Turc.*

Icon. *Fl. Græc. t. 535.*

In montibus Græciæ et Asiæ minoris, tum in Archipelagi insulis, frequens. *h.*

1310. *T. capitatum.* *Sp. Pl. 792.*

Polium candidum tenellum tomentosum, flore purpureo. *Tourn. Inst. 206.*

Λιβανόχορτον, ἡ πόλεον τὰ Ἑνε, *Zacynth.*

Icon. *Fl. Græc. t. 536.*

In insulæ Zacynthi montibus, alibique. *u.*

Præcedenti valdè affinis.

1311. *T. cuneifolium*, capitulis terminalibus confertis, foliis rotundatis inciso-crenatis basi cuneiformibus undique lanatis.

Icon. *Fl. Græc. t. 537.*

In Cretæ montibus Sphacioticis. *h.*

Affinis videtur *T. rotundifolio Willd. Sp. Pl. v. 3. 33. Caules procumbentes, densè lanati.*

1312. *T. alpestre*, floribus axillaribus solitariis, foliis cuneatis rotundatis inciso-crenatis tomentosis, caule cæspitoso ramosissimo.

Icon. *Fl. Græc. t. 538.*

In montium Sphacioticorum summis jugis. *h.*

296 DIDYNAMIA—GYMNOSPERMIA.

1313. *T. spinosum.* Sp. Pl. 793.

**Chamædrys multifida spinosa odorata. Tourn.
Inst. 205.**

Icon. Fl. Græc. t. 539.

In arvis inter Smyrnam et Bursam. ☉.

SATUREJA.

G. Pl. 288. Juss. 112.

1314. *S. juliana.* Sp. Pl. 793.

**Thymbra Sancti Juliani, sive Satureja vera.
Tourn. Inst. 198.**

Τραγοριγανος αλλος Diosc.? Sibth.

Υσσέπο hodiè.

Icon. Fl. Græc. t. 540.

**In Peloponneso, nec non in Cretâ et Zacyntho
insulis, copiosè. ♀.**

1315. *S. nervosa.* Desfont. Atlant. v. 2. 9. Willd.

Sp. Pl. v. 3. 42.

Ἠζώπον Zacynth.

Icon. Desfont. Atlant. t. 121. f. 2.

In insulâ Zacyntho. ♀.

1316. *S. Thymbra.* Sp. Pl. 794.

Thymbra legitima. Tourn. Inst. 197.

Θυμβρα Diosc.

Θύμβρο, Θρίμβρη, ἢ Θρίμβρος, *hodiè*.

Icon. *Fl. Græc. t. 541.*

In montosis asperis Græciæ australis et Archipelagi frequentissimè. *h.*

1317. *S. græca. Sp. Pl. 794.*

Calamintha cretica, angusto oblongo folio.

Tourn. Inst. 194; ex Linnæo.

Υσσόπο, ἢ Θρέμπι, *hodiè*.

Supha Turc.

Icon. *Fl. Græc. t. 542.*

In Peloponneso, tum in Cretâ insulâ, *u.*

1318. *S. montana. Sp. Pl. 794.*

Calamintha frutescens, saturejæ folio facie et odore. Tourn. Inst. 194.

Icon. *Fl. Græc. t. 543.*

In monte Athê. *h.*

1319. *S. capitata. Sp. Pl. 795,*

Thymus capitatus, qui Dioscoridis. Tourn. Inst. 196.

Θυμός *Diosc.*

Θυμιό, θυμάρι, ἢ Θρέμπι, *hodiè*.

Μελιτζίνι *Lacôn.*

Icon. *Fl. Græc. t. 544.*

In apricis Græciæ et Archipelagi copiosè. *h.*

398 DIDYNAMIA—GYMNOSPERMIA.

1320. *S. spinosa*. *Sp. Pl.* 795.

S. cretica frutescens spinosa. *Tourn. Cor.* 13.

Icon. *Fl. Græc. t.* 545.

In insulâ Cretâ. *h*.

THYMBRA.

G. Pl. 288. *Juss.* 115.

1321. *Th. spicata*. *Sp. Pl.* 795.

Thymus capitatus orientalis, capitulis et foliis
longioribus. *Tourn. Cor.* 12?

ῥωσπος ορεινός *Diosc.?* *Sibth.*

Icon. *Fl. Græc. t.* 546.

In Achaïæ, Cretæ, et Asiæ minoris, collibus sic-
cis. *h*.

NEPETA.

G. Pl. 289. *Juss.* 113.

1322. *N. cataria*. *Sp. Pl.* 796.

Cataria major vulgaris. *Tourn. Inst.* 202.

Icon. *Engl. Bot. t.* 137.

In agro Byzantino. *u*.

1323. *N. nuda*. *Sp. Pl.* 797. *Jacq. Austr. t.* 24.

N. violacea. *Villars. Dauph. v.* 2. 367; *nec*
Linn.

Cataria hispanica, betonicæ folio angustiori,

flore cæruleo ; item flore albo. *Tourn. Inst.* 202.

C. alpina præalta spicata, spicis amethystatis.
Ponted. Comp. 97.

Icon. *Fl. Græc. t.* 547.

In monte Parnasso. 4.

1324. N. *italica.* *Sp. Pl.* 798.

Cataria minor alpina. *Tourn. Inst.* 202.

Icon. *Fl. Græc. t.* 548.

In montibus circa Athenas. 4.

LAVANDULA.

G. *Pl.* 290. *Juss.* 113. *Gærtn. t.* 66.

1325. L. *Spica.* *Sp. Pl.* 800.

L. *latifolia.* *Tourn. Inst.* 198.

Καλογερίκωχορτον hodiè.

Icon. *Dod. Pempt.* 273, *Lavandula.*

In agro Laconico. 2.

1326. L. *dentata.* *Sp. Pl.* 800.

L. *foliis crenatis.* *Tourn. Inst.* 198.

Icon. *Curt. Mag.* 400. *t.* 401.

In insulâ Zacyntho, at vix spontanea. 2.

1327. L. *Stoechas.* *Sp. Pl.* 800.

Stoechas purpurea. *Tourn. Inst.* 201.

Στρας Diosc.

Μαυροκεφάλι hodiè.

Cara bach Turc.

Icon. Fl. Græc. t. 549.

In Græciâ boreali, tum in Archipelagi insulis,
vulgaris. *η*.

SIDERITIS.

G. Pl. 290. Juss. 113.

1328. *S. cretica. Sp. Pl. 801, excl. syn. Tourn.*

Icon. Commel. Hort. v. 2. t. 99.

In Eubœæ et Laconia montibus. *Sibth. MSS. η*.

1329. *S. syriaca. Sp. Pl. 801.*

S. cretica tomentosa candidissima, flore luteo.

Tourn. Cor. 12.

Icon. Fl. Græc. t. 550.

In montibus Sphacioticis Cretæ. *υ*.

1330. *S. perfoliata. Sp. Pl. 802.*

S. orientalis, phlomidis folio. Tourn. Cor. 12?

Icon nulla.

In herbario Græco Sibthorpiano, at locus non
memoratur. *υ*.

1331. *S. montana. Sp. Pl. 802.*

Marrubiastrum sideritidis folio, caliculis acu-

DIDYNAMIA—GYMNOSPERMIA. 401

leatis, flore flavo cum limbo atro-purpureo.
Tourn. Inst. 190.

Icon. *Fl. Græc.* t. 551.

In maceriis et petrosis Græciæ. Ad viam inter
Smyrnam et Bursam. ☉.

1332. *S. romana.* *Sp. Pl.* 802.

Marrubiastrum sideritidis folio, caliculis aculeatis, flore candicante. *Tourn. Inst.* 190.

Σιδηρίτις *Diosc.?*

Icon. *Fl. Græc.* t. 552.

In cultis et ruderalis Græciæ atque Archipelagi
frequens. ☉.

1333. *S. lanata.* *Sp. Pl.* 804.

Icon. *Murray in Comm. Gott. ann.* 1778. t. 4.

S. elegans.

In agro Cariensi. ☉.

VERBENA.

G. Pl. 14. *Juss.* 109. *Gærtn.* t. 66.

1334. *V. nodiflora.* *Sp. Pl.* 28.

Icon. *Fl. Græc.* t. 553.

Ad ripas fluvii prope Plataniam in insulâ Cretâ,
Junio florens. 4.

402 DIDYNAMIA—GYMNOSPERMIA.

1335. *V. officinalis*. *Sp. Pl.* 29.

V. communis, cæruleo flore. *Tourn. Inst.* 200.

Ἰερα βοτανή *Diosc.*

Σταυροβοτάνι *hodiè*.

Icon. Curt. Lond. fasc. 1. *t.* 41.

Ad pagos et vias in Græciâ et Archipelagi insulis, vulgaris. 4.

1336. *V. supina*. *Sp. Pl.* 29.

V. tenuifolia. *Tourn. Inst.* 200.

Icon. Fl. Græc. t. 554.

In locis depressis, hyeme inundatis, Asiæ minoris prope Smyrnam alibique, Julio florens. ☉.

M E N T H A.

G. Pl. 291. *Juss.* 113.

1337. *M. sylvestris*. *Sp. Pl.* 804.

M. sylvestris, longiore folio. *Tourn. Inst.* 189.

Καλαμινθη τριτη *Diosc.*

Καλαμίθρα, ἡ ἀγριοηδύσμος, *hodiè*.

Icon. Engl. Bot. t. 686.

In humidis Græciæ frequens. 4.

1338. *M. rotundifolia*. *Sp. Pl.* 805.

M. sylvestris, rotundiore folio. *Tourn. Inst.* 189.

Ἀγριοηδύσμος *hodiè*.

Icon. *Engl. Bot. t. 446.*

Ad rivulos in Peloponneso et insulâ Cretâ; etiam
in Olympo Bithyno monte. 4.

1339. *M. crispa. Sp. Pl. 805.*

M. rotundifolia crispa spicata. Tourn. Inst.
189.

Icon. *Riv. Monop. Irr. t. 50. M. crispa.*
In agro Laconico. 4.

1340. *M. hirsuta. Mant. 81. Fl. Brit. 616.*

M. rotundifolia palustris, seu aquatica, major.
Tourn. Inst. 189.

Σισυμβριον Diosc.?

Icon. *Engl. Bot. t. 447.*

Juxta rivulos ad viam inter Smyrnam et Bur-
sam. 4.

1341. *M. gentilis. Sp. Pl. 805. Sibth.*

M. crispa verticillata. Tourn. Inst. 189?

Ἠδυόσμος αγριος Diosc.

Ἀγριοῦ Ἠδυόσμου hodiè.

Icon

In agris Græciæ inter stipulas, sero autumno,
haud infrequens. *Sibth. 4.*

Species, ob speciminis defectum, valdè obscura.

404 DIDYNAMIA—GYMNOSPERMIA.

1342. *M. arvensis*. *Sp. Pl.* 806.

M. arvensis verticillata hirsuta. *Tourn. Inst.*
189.

Icon. *Fl. Dan.* t. 512.

In agro Byzantino. *D. Sestini.* 4.

1343. *M. Pulegium*. *Sp. Pl.* 807.

M. aquatica, seu Pulegium vulgare. *Tourn.*
Inst. 189.

Γληχων *Diosc.*

Γλυφόνι, ἢ βληχώνι, *hodiè.*

Filis cun *Turc.*

Icon. *Engl. Bot.* t. 1026.

Ubique in vineis et agris Græciæ et Archipelagi,
vulgatissima. 4.

GLECHOMA.

G. Pl. 291. *Juss.* 113.

1344. *G. hederacea*. *Sp. Pl.* 807.

Calamintha humilior, folio rotundiore. *Tourn.*
Inst. 194.

Χαμαικισσος *Diosc.?* *Sibth.*

Κύσσος *Lacon. hodiè.*

Icon. *Curt. Lond. fasc.* 2. t. 44.

In Olympi Bithyni montis, et agri Laconici, um-
brosis. 4.

L A M I U M.

G. Pl. 292. *Juss.* 113.

1345. *L. garganicum*. *Sp. Pl.* 808. *Trew. Ehret.*
t. 75.

Icon. *Exot. Bot.* t. 48.

In Laconia et Creta montibus; tum in Olympi
Bithyni summitate. γ .

1346. *L. rugosum*. *Ait. Hort. Kew.* v. 2. 296.
Willd. Sp. Pl. v. 3. 87.

L. montanum, foliis elegantèr incisis. *Tourn.*
Inst. 183?

Icon. *Fl. Græc.* t. 555.

In Sicilia. γ .

1347. *L. maculatum*. *Sp. Pl.* 809.

L. albâ lineâ notatum. *Tourn. Inst.* 183.

Icon. *Fl. Græc.* t. 556.

In monte Athô, nec non in agro Argolico. γ .

1348. *L. striatum*, foliis cordatis obtusiusculis,
corollarum galeâ bifidâ: laciniis divaricatis
dentatis; fauce utrinque bidentatâ.

Βαλλωνη Diosc.? *Sibth.*

Icon. *Fl. Græc.* t. 557.

In ruderatis Græciæ et Archipelagi copiosè. γ .

406 DIDYNAMIA—GYMNOSPERMIA.

Flores albi, rubro pulcherrimè picti ac striati.
A *L. bifido*, *Willd. Sp. Pl. v. 3. 89*, distinctum.

1349. *L. purpureum. Sp. Pl. 809.*

L. purpureum fœtidum, folio subrotundo, sive
Galeopsis Dioscoridis. Tourn. Inst. 183.

Icon. Curt. Lond. fasc. 1. t. 42.

In agro Byzantino. ☉.

Γαλιούψις *Dioscoridis* est *Scrophularia peregrina*,
monente Sibth.

1350. *L. amplexicaule. Sp. Pl. 809.*

L. folio caulem ambiente minus. Tourn. Inst.
184.

Icon. Curt. Lond. fasc. 2. t. 46.

In Peloponnesi agris. ☉.

GALEOBDOLON.

Huds. 257. Fl. Brit. 631.

Galeopsis. G. Pl. 292. Juss. 114.

1351. *G. luteum. Fl. Brit. 631. Engl. Bot.*
t. 787.

Galeopsis Galeobdolon. Sp. Pl. 810.

G. sive Urtica iners, flore luteo. Tourn. Inst.
185.

Icon. Curt. Lond. fasc. 4. t. 40. G. Galeopsis.

In montis Hæmi et agri Byzantini sylvos. 4.

BETONICA.

G. Pl. 293. *Juss.* 114.

1352. *B. officinalis.* *Sp. Pl.* 810.

B. purpurea. *Tourn. Inst.* 203.

Πριονήτης *hodiè.*

Icon. Curt. Lond. fasc. 3. t. 33.

In Laconiâ. 4.

1353. *B. Alopecuros.* *Sp. Pl.* 811.

B. alpina latifolia major villosa, flore luteo.

Tourn. Inst. 203.

Κεῖτρον *Diosc.*

Βετονική *hodiè.*

Icon. Jacq. Austr. t. 78.

In monte Parnasso frequens. 4.

STACHYS.

G. Pl. 293. *Juss.* 114.

1354. *S. sylvatica.* *Sp. Pl.* 811.

Galeopsis procerior foetida spicata. *Tourn.*

Inst. 185.

Icon. Curt. Lond. fasc. 3. t. 34.

In agro Laconico et Byzantino. 4.

408 DIDYNAMIA—GYMNOSPERMIA.

1355. *S. palustris*. *Sp. Pl.* 811.

Galeopsis palustris, betonicae folio, flore variegato. *Tourn. Inst.* 185.

Icon. *Curt. Lond. fasc. 3. t. 35.*

In umbrosis humidis Bithyniae, circa Bursam;
nec non in pratis Byzantinis. γ .

1356. *S. alpina*. *Sp. Pl.* 812.

Galeopsis alpina, betonicae folio, flore variegato. *Tourn. Inst.* 185.

Icon. *Lapeyrous. Pyren. t. 8.*

In Laconiae montibus. γ .

1357. *S. germanica*. *Sp. Pl.* 812.

S. major germanica. *Tourn. Inst.* 186.

Icon. *Jacq. Austr. t. 319.*

In Achaiae apricis. γ .

1358. *S. lanata*. *Willd. Sp. Pl. v. 3.* 100.

Στάχυς *Lacon. hodiè.*

Icon. *Jacq. Ic. Rar. t. 107.*

Circa Byzantium; nec non ad viam inter Bursam et Smyrnam; etiam in Laconia. γ .

1359. *S. cretica*. *Sp. Pl.* 812. *Tourn. Inst.* 186.

Icon. *Fl. Græc. t. 558.*

In Cretâ, et Archipelagi insulis, frequens. γ .

1360. *S. glutinosa*. *Sp. Pl.* 813.

Siderite cretica viscosa con odore di bitume.

Zannoni Istor. 186.

Icon. *Zannoni loc. cit.* t. 71.

In insulâ Cretâ. η .

1361. *S. spinosa*. *Sp. Pl.* 813.

S. spinosa cretica. *Tourn. Cor.* 11.

Icon. *Fl. Græc.* t. 559.

In insulâ Cretâ. η .

1362. *S. orientalis*. *Sp. Pl.* 813.

S. orientalis altissima et foetidissima. *Tourn. Cor.* 12.

Icon. *Fl. Græc.* t. 560.

Ad viam inter Smyrnam et Bursam; etiam in agro Messeniaco. η .

1363. *S. palæstina*. *Sp. Pl.* 1674.

Σταχυς *Diosc. Sibth.*

Icon. *Barrel. Ic.* t. 279.

In locis montosis et asperis, ut a Dioscoride memoratur, per totam Græciam copiosè. η .

1364. *S. maritima*. *Mant.* 82.

Betonica maritima, flore ex luteo pallescente.

Tourn. Inst. 203.

410 DIDYNAMIA—GYMNOSPERMIA.

Icon. *Jacq. Hort. Vind. v. 1. t. 70.*

In rupibus maritimis insulæ Hydræ. ۷.

1365. *S. recta. Mant. 82.*

Sideritis vulgaris hirsuta erecta. Bauh. Pin. 233.

Icon. *Jacq. Austr. t. 359.*

In Asiâ minore prope Cressam; nec non in agro
Laconico et Byzantino. ۷.

1366. *S. annua. Sp. Pl. 813.*

Betonica arvensis annua, flore ex albo flavescente. Tourn. Inst. 203.

Icon. *Jacq. Austr. t. 360.*

In monte Athô, et prope Byzantium. ☉.

1367. *S. arvensis. Sp. Pl. 814.*

Marrubiastrum vulgare. Tourn. Inst. 190.

Icon. *Curt. Lond. fasc. 4. t. 41.*

In agro Cariensi. ☉.

1368. *S. spinulosa, verticillis sexfloris, foliis cordatis pilosis, caule erecto ramoso spinuloso.*

Sideritis cretica maxima, ocymastri Valentini facie. Tourn. Cor. 12.

Icon *nulla.*

In insulâ Cretâ. ☉?

Radix fibrosa. *Caulis* erectus, strictus, pedalis aut sesquipedalis, brachiatus, crassiusculus, acutè quadrangulus, angulis spinuloso-asperimis. *Folia* petiolata, sesquiuncialia, cordata, acutiuscula, crenata, planiuscula, venosa, undique plùs minùs pilosa. *Verticilli* subspicati, bracteati, plerumque sexflori. *Calyx* campanulatus, pilosus, dentibus spinosis, brevibus. *Corolla* calyce duplò longior, flavescent, labio superiori integro.

BALLOTA.

G. Pl. 294. *Juss.* 114.

1369. *B. nigra.* *Sp. Pl. ed. 1.* 582. *Fl. Brit.* 635.

Ballote. *Tourn. Inst.* 185.

Πισπερίτζα hodiè.

Icon. *Engl. Bot. t.* 46.

In ruderatis Græciæ et Archipelagi. 2.

MARRUBIUM.

G. Pl. 294. *Juss.* 114.

* *Calycibus 5-dentatis.*

1370. *M. peregrinum.* *Sp. Pl.* 815.

M. album latifolium peregrinum. *Tourn. Inst.* 192.

412 DIDYNAMIA—GYMNOSPERMIA.

Σάρομα hodiè.

Icon. *Jacq. Austr. t.* 160.

Prope Orchomenum, Arcadiæ, copiosè; nec
non in agro Byzantino, et inter Smyrnam et
Bursam, ad vias. 4.

1371. *M. creticum.* *Willd. Sp. Pl. v.* 3. 110.

M. peregrinum β. *Sp. Pl.* 816.

M. album angustifolium peregrinum. *Tourn.*
Inst. 192.

Icon. *Dalech. Hist.* 962.

In insulâ Cretâ. 4.

1372. *M. velutinum*, foliis subrotundis retusis se-
riceis rugosis crenatis, dentibus calycinis
patentibus, caule ramoso.

Icon. *Fl. Græc. t.* 561.

In monte Parnasso. 4.

** *Calycibus 10-dentatis.*

1373. *M. vulgare.* *Sp. Pl.* 816.

M. album vulgare. *Tourn. Inst.* 192.

Πρασιον *Diosc.*

Σκῆλόχορτον hodiè.

Icon. *Engl. Bot. t.* 410.

In Græciâ et insulis circumjacentibus frequens. 4.

1374. *M. Pseudodictamnus. Sp. Pl.* 817.

Pseudodictamnus verticillatus inodorus. Tourn.

Inst. 188.

Ψευδοδικταμνος *Diosc.*

Μαξιρομάργο *Attic. hodiè.*

Ἀσπροπίκροπάνδι *Lacon.*

Icon. Fl. Græc. t. 562.

In Græciâ, tum in Cretâ, et Archipelagi insulis,
frequens. 4.

1375. *M. acetabulosum. Sp. Pl.* 817.

Pseudodictamnus acetabulis moluccæ. Tourn.

Inst. 188.

Ἑτερος ἀπο Κρητης δικταμνος *Diosc.*

Icon. Barrel. Ic. t. 129.

In insulâ Cretâ copiosè, nec alibi, invenit Sib-
thorp. 4.

LEONURUS.

G. Pl. 295. *Juss.* 114.

1376. *L. Cardiacæ. Sp. Pl.* 817.

Cardiacæ. Tourn. Inst. 186.

Icon. Engl. Bot. t. 286.

Prope Thessalonicam ; etiam in agro Byzantino.
4.

PHLOMIS.

G. Pl. 295. *Juss.* 114. *Gærtn. t.* 66.

1377. *Ph. fruticosa. Sp. Pl.* 818.

Ph. fruticosa, *salviæ folio latiore et rotundiore.*

Tourn. Inst. 177.

Φλομος αγρια *Diosc.*

Σφάκα, γαδαροσφάκα, ἡ φλομό, *hodiè.*

Icon. Fl. Græc. t. 563.

In petrosis siccis maritimis Græciæ et Archipelagi vulgaris. ἡ.

1378. *Ph. samia. Sp. Pl.* 819, *excluso Tournefortii syn.*

Icon. Fl. Græc. t. 564.

In Eubœa. ὡ.

1379. *Ph. lunarifolia*, foliis cordatis crenatis subtùs tomentosis, bracteis ovato-lanceolatis fasciculato-ciliatis mucronatis.

Ph. samia herbacea, lunaris folio. Tourn. Cor. 10.

Καλογρίτζα *Arcad. hodiè.*

Icon nulla.

In variis Peloponnesi locis; etiam in monte Athò. ὡ.

Habitus præcedentis, sed bracteæ latæ, indivisæ,

densè ciliatæ ac setosæ, setis fasciculatis. *Calycis* dentes horizontalitè patentes, spinosi, rigidi. *Corolla* flava.

1380. *Ph. Herba-venti. Sp. Pl.* 819.

Ph. narbonensis, hormini folio, flore purpurascente. *Tourn. Inst.* 178.

Icon. *Fl. Græc. t.* 565.

Prope Athenas; nec non in Asiâ minore inter Smyrnam et Bursam. 4.

MOLUCCELLA.

G. Pl. 296. *Juss.* 115. *Gærtn. t.* 66.

1381. *M. lævis. Sp. Pl.* 821.

Molucca lævis. Tourn. Inst. 187.

Icon. *Fl. Græc. t.* 566.

In arvis inter Smyrnam et Bursam. ☉.

1382. *M. spinosa. Sp. Pl.* 821.

Molucca spinosa. Tourn. Inst. 187.

Icon. *Fl. Græc. t.* 567.

In monte Parnasso. ☉.

1383. *M. frutescens. Sp. Pl.* 821.

Molucca fruticosa sicula. Tourn. Inst. 188.

Icon. *Fl. Græc. t.* 568.

In insulâ Cypro. 2.

CLINOPODIUM.

G. Pl. 296. *Juss.* 115.

1384. *C. vulgare.* *Sp. Pl.* 821.

C. origano simile elatius, majore folio. *Tburn.*
Inst. 195.

Κλινοποδιον *Diosc.?* *Sibth.*

Καψόχορτον *hodiè.*

Icon. *Engl. Bot. t.* 1401.

In petrosis montosis Græciæ, et insulæ Cretæ. 4.

ORIGANUM.

G. Pl. 297. *Juss.* 115.

1385. *O. Dictamnus.* *Sp. Pl.* 823.

O. creticum latifolium tomentosum, seu Dictamnus creticus. *Tburn. Inst.* 199.

Δικταμνος *Diosc.*

Στοματόχορτον *Cret. hodiè.*

Icon. *Curt. Mag. t.* 298.

In Cretæ rupibus, nec alibi. *Sibth.* 2.

1386. *O. Tournefortii.* *Sibth. in Ait. Hort. Kew.*
v. 2. 311.

O. dictamni cretici facie, folio crasso, nunc villoso nunc glabro. *Tburn. Cor.* 13. *It.*

v. 1. 91, *cum ic.*

Icon. *Fl. Græc. t.* 569.

In Amorgi insulæ rupibus, prope divæ virginis
cænobium. η .

1387. *O. sipyleum*. *Sp. Pl.* 823.

O. montis Sipyli. *Tourn. Inst.* 199.

Μαρον Diosc.

Icon. Fl. Græc. t. 570.

In monte Sipylo, Phrygiæ; etiam ad viam inter
Smyrnam et Bursam. In monte Delphi, Eu-
bœæ, at vix alibi, intra Græciæ terminos, oc-
currit. *Sibth.* η .

1388. *O. creticum*. *Sp. Pl.* 823.

O. onites. *Tourn. Inst.* 199.

Αγριορίγανος Diosc.

Ἀγριορίγανι hodiè.

Icon. Lob. Ic. 494. *f.* 2.

In variis Græciæ locis, tum in insulâ Cretâ, vul-
garis. η .

1389. *O. smyrnæum*. *Sp. Pl.* 823.

O. glandulosum. *Desfont. Atlant. v.* 2. 27,
ex descr. optimâ.

O. heracleoticum, cunila gallinacea Plinii,
floribus candidis. *Tourn. Inst.* 199. *Herb.*
Vaill.

Ρίγανι hodiè.

Sater Turc.

418 DIDYNAMIA—GYMNOSPERMIA.

Icon. *Fl. Græc. t. 571.*

Circa Smyrnam; nec non in ericetis circa Byzantium. γ .

1390. *O. heracleoticum. Sp. Pl. 823.*

O. sylvestre album. Tourn. Inst. 199.

Ορίγανος ηρακλειωτική Diosc. Sibth.

Icon. *Matth. Valgr. v. 2. 60.*

In montosis siccis Græciæ haud rara. γ .

1391. *O. vulgare. Sp. Pl. 824.*

O. sylvestre, cunila bubula Plinii. Tourn. Inst. 198.

‘Ορίγανον, ἡ ῥίγανι, hodiè.

Icon. *Curt. Lond. fasc. 5. t. 39.*

In variis Peloponnesi locis; tum in monte Athô, et insulâ Lemno. γ .

1392. *O. onites. Sp. Pl. 824.*

Majorana cretica, origani folio, villosa, satyreïæ odore, corymbis majoribus albis.

Tourn. Cor. 13. Herb. Tourn.

Ορίγανος ονητὶς Diosc.

Ῥίγανι hodiè.

Icon. *Fl. Græc. t. 572.*

In Græciâ australi, insulisque circumjacentibus. γ .

1393. *O. Maru. Sp. Pl.* 825; *excluso Tourn. syn.*
Majorana cretica rotundifolia, lavandulæ odore,
 capitulis minoribus incanis, flore purpuras-
 cente. *Tourn. Cor.* 13. *Herb. Tourn.*

Icon. *Fl. Græc. t.* 573.

In Cretæ montibus Sphacioticis. 4.

THYMUS.

G. Pl. 297. *Juss.* 115.

1394. *Th. Serpyllum. Sp. Pl.* 825.
Serpyllum vulgare. Tourn. Inst. 197.
Ερπυλλος Diosc.

Icon. *Curt. Lond. fasc.* 2. *t.* 47.

In montosis Græciæ frequens. In Olympo Bi-
 thyno, et Sphacioticis Cretæ montibus. 2.

1395. *Th. vulgaris. Sp. Pl.* 825. *Tourn. Inst.* 196.

Icon. *Woodv. Med. Bot. t.* 109.

In Græciæ et Archipelagi montosis. 2.

1396. *Th. lanceolatus. Desfont. Atlant. v.* 2. 30.

Willd. Sp. Pl. v. 3. 140.

Icon. *Desfont. Atlant. t.* 128.

In montosis Græciæ. 2.

1397. *Th. pulegioides. Sp. Pl. ed.* 1. 592.

Cunila thymoides. Sp. Pl. ed. 2. 31.

420 DIDYNAMIA—GYMNOSPERMIA.

Icon. *Moris. sect. 11. t. 19. f. 6.*

In montibus Græciæ. η .

1398. Th. *Zygis. Sp. Pl. 826.*

Thymbra hispanica, coridis folio. *Tourn. Inst.*
197.

Ερπυλλος ζυγίς *Diosc.? Sibth.*

Σμάρι *hodiè.*

Icon. *Fl. Græc. t. 574.*

In montibus circa Athenas et Byzantium. η .

1399. Th. *Acinos. Sp. Pl. 826.*

Clinopodium arvense, ocymi facie. *Tourn.*
Inst. 195.

Ακινος *Diosc.? Sibth.*

Icon. *Curt. Lond. fasc. 1. t. 43.*

In agro Laconico. $\odot$.

1400. Th. *suaveolens*, floribus verticillatis, foliis
lanceolato-ellipticis mucronatis subserratis
hirtis, caulibus suffruticosis.

Clinopodium minus angustifolium, pulegii
odore, romanum. *Bocc. Mus. v. 1. 50—54.*

Icon. *Bocc. Mus. v. 1. t. 45, A.*

In monte Parnasso. η .

1401. Th. *alpinus. Sp. Pl. 826.*

Clinopodium montanum. *Tourn. Inst. 195.*

Icon. *Jacq. Austr. t. 97.*

In montium Sphacioticorum Cretæ summis jugis;
nec non in Olympo Bithyno. η .

1402. *Th. exiguus*, verticillis paucifloris, foliis
rhombeis mucronatis obliquis subintegerri-
mis, caulibus basi divisis, corollâ filiformi.

Icon. *Fl. Græc. t. 575.*

In insulæ Cypri montosis. $\odot$.

1403. *Th. graveolens*, verticillis subsexfloris, fo-
liis ovato-rhombeis obtusis revolutis subser-
ratis, caulibus ramosissimis suffruticosis.

Τραγοριγανος Diosc.? Sibth.

Icon. *Fl. Græc. t. 576.*

In monte Parnasso. η .

1404. *Th. Tragoriganum. Mant. 84. Turr.*
Farset. 11.

Icon. *Alpin. Exot. 78.*

In insulæ Cypri montibus; nec non in Bæotiâ.
Sibth. MSS. η .

1405. *Th. incanus*, verticillis pedunculatis sub-
sexfloris, foliis subrotundis integerrimis to-
mentosissimo-incanis, villis calycinis inclusis.

Calamintha orientalis annua, ocymi folio, flore
minimo. Tourn. Cor. 12. ex caractere.

422 DIDYNAMIA—GYMNOSPERMIA.

Icon. *Fl. Græc. t. 577.*

In Archipelagi insulis frequens, et circa Athenas.
4 ?

1406. Th. *Calamintha. Fl. Brit. 641.*

Melissa Calamintha. *Sp. Pl. 827.*

Calamintha vulgaris vel officinarum Germaniæ.
Tourn. Inst. 194.

Icon. *Engl. Bot. t. 1676.*

In monte Athô, et prope Byzantium. 4 .

1407. Th. *Nepeta. Fl. Brit. 642.*

Melissa Nepeta. *Sp. Pl. 828.*

Calamintha pulegii odore, sive nepeta. *Tourn. Inst. 194.*

Icon. *Curt. Lond. fasc. 6. t. 40.*

In Græciâ, et Archipelagi insulis, frequens. 4 .

1408. Th. *villosus. Sp. Pl. 827.*

Th. lusitanicus, folio capillaceo villosus, capite magno purpurascens oblongo, sive rotundo. *Tourn. Inst. 196.*

Icon. *Fl. Græc. t. 578.*

In Archipelagi insulis. 2 .

1409. Th. *Mastichina. Sp. Pl. 827.*

Thymbra hispanica, majoranæ folio. *Tourn. Inst. 197.*

Icon. *Dod. Pempt.* 271.

In monte Hymetto prope Athenas. η .

M E L I S S A.

G. Pl. 298. *Juss.* 115.

1410. *M. officinalis.* *Sp. Pl.* 827.

M. hortensis. *Tourn. Inst.* 193.

Μελισσοφυλλον *Diosc.*

Μελισσοβότανον, ἡ μελισσόχορτον, *hodiè.*

Icon. *Woodv. Med. Bot.* t. 147.

In montis Parnassi sylvis umbrosis. ψ .

1411. *M. altissima*, verticillis dimidiatis pedunculatis, bracteis petiolatis, foliis cordatis acutè crenatis.

Καλαμινθη τριτη *Diosc.?* *Sibth.*

Icon. *Fl. Græc.* t. 579.

Ad sepes umbrosas Græciæ vulgaris; nec non in insulâ Cretâ. ψ .

1412. *M. grandiflora.* *Sp. Pl.* 827.

Calamintha magno flore. *Tourn. Inst.* 194.

Κόστον *Lacon.* *hodiè.*

Icon. *Curt. Mag.* t. 208.

In Olympo Bithyno; Athò, et Laconicis montibus, ad sylvas umbrosas. ψ .

MELITTIS.

G. Pl. 299. *Juss.* 116.

1413. *M. Melissophyllum. Sp. Pl.* 832. *Fl. Brit.* 643. *Engl. Bot. t.* 577.

Melissa humilis latifolia, maximo flore purpurascente. *Tourn. Inst.* 193.

Icon. *Jacq. Austr. t.* 26.

In monte Athô; nec non in Laconizæ montosis umbrosis. 4.

SCUTELLARIA.

G. Pl. 301. *Juss.* 117.

1414. *S. orientalis. Sp. Pl.* 834.

Cassida orientalis, chamædryos folio, flore luteo. *Tourn. Cor.* 11. *It. v.* 2. 129, cum ic.

Icon. *Fl. Græc. t.* 580.

In Olympo Bithyno monte. 4.

Variat foliorum latitudine et canitie.

1415. *S. albida. Mant.* 248.

Cassida flore exalbido. Tourn. Inst. 182.

Icon. *Fl. Græc. t.* 581.

In Olympo Bithyno et circa Byzantium. 4.

1416. *S. peregrina. Sp. Pl.* 836.

Cassida. Tourn. Inst. 181.

Icon. *Fl. Græc. t.* 582.

In insulâ Cypro et prope Byzantium. 4.

1417. *S. hirta*, foliis cordatis serratis cauleque hirtis, spicis arctis secundis, bracteis petiolatis flore duplò brevioribus.

Cassida cretica minor, catarixæ folio, flore subcæruleo. *Tourn. Cor.* 11.

Scordote secondo di Plinio. *Pon. Bald.* 91. *ic.* 93.

Icon. *Fl. Græc. t.* 583.

In Cretæ montibus umbrosis. 4.

1418. *S. galericulata*. *Sp. Pl.* 835.

Cassida palustris vulgatior, flore cæruleo. *Tourn. Inst.* 182.

Icon. *Curt. Lond. fasc.* 3. *t.* 36.

In palustribus circa Byzantium. 4.

PRUNELLA.

G. Pl. 301.

Brunella. *Juss.* 116.

1419. *P. vulgaris*. *Sp. Pl.* 837.

Brunella major, folio non dissecto. *Tourn. Inst.* 182.

Βάττεροχορτον Θηλυκὸν *Zacynth.*

Icon. *Curt. Lond. fasc.* 4. *t.* 42.

426 DIDYNAMIA—GYMNOSPERMIA.

In insulis Græcis, tum in Peloponneso alibique,
frequens. ۲.

1420. *P. laciniata*. *Sp. Pl.* 837.

Brunella folio laciniato. *Tourn. Inst.* 183.

Βέτραρχορον Ξηλυκὸν *Zacynth.*

Icon. Jacq. Austr. t. 378.

In umbrosis sylvaticis Cretæ, Zacynthi, et agri
Byzantini. ۲.

1421. *P. hyssopifolia*. *Sp. Pl.* 837.

Brunella hyssopifolia. *Tourn. Inst.* 183.

Icon. Moris. sect. 11. t. 5. f. 7.

In agro Byzantino. ۲.

PRASIUM.

G. Pl. 302. *Juss.* 117. *Gærtn. t.* 66.

1422. *P. majus*. *Sp. Pl.* 838.

Galeopsis hispanica frutescens, teucris folio.

Tourn. Inst. 186.

Φάσσοχορτον *Zacynth.*

Icon. Fl. Græc. t. 584.

In Peloponneso, tum in littore Cariensi, et in-
sulâ Zacyntho. ۲.

II. Angiospermia.

BARTSIA.

G. Pl. 303. *Juss.* 100. *Fl. Brit.* 647.

1423. *B. Trixago*, foliis oppositis lineari-oblongis obtusè serratis, floribus quadrifariàm spicatis; labio superiore abbreviato.

B. Trixago. *Sp. Pl. ed.* 1. 602.

Rhinanthus Trixago. *Sp. Pl. ed.* 2. 840.

Trixago apula unicaulis τετρασαχης. *Column. Ecphr.* 199. *t.* 197.

Pedicularis maritima, folio oblongo serrato.
Tourn. Inst. 173.

Ἀγρίόλυκος hodiè.

Σταρόλυκος *Zacynth.*

Icon. Fl. Græc. t. 585.

In maritimis arenosis humidis Græciæ, et insularum vicinarum. ☉.

1424. *B. viscosa.* *Sp. Pl.* 839. *Fl. Brit.* 648.

Pedicularis lutea viscosa serrata pratensis.
Tourn. Inst. 172.

428 DIDYNAMIA—ANGIOSPERMIA.

P. cretica spicata maxima lutea. *Tourn. Cor.* 9.
Buxb. Cent. 5. 46. *f.* 33; vix enim varietas
est.

Icon. *Engl. Bot.* t. 1045.

In maritimis humentibus Græciæ. ☉.

1425. *B. latifolia*, foliis oppositis ovatis dentato-
palmatis, floribus quadrifariâ spicatis; labio
superiore abbreviato.

Euphrasia latifolia. *Sp. Pl.* 841. *Dicks. Dr.*
Pl. 10.

Pedicularis purpurea annua minima verna.
Tourn. Inst. 172.

Icon. *Fl. Græc.* t. 586.

In agro Argolico, Messeniaco et Eliensi; nec
non in insulâ Cipro; ad campos, tempore ver-
nali. ☉.

1426. *B. Odontites.* *Huds. Fl. Angl.* 268. *Fl.*
Brit. 648. *Engl. Bot.* t. 1415.

Euphrasia Odontites. *Sp. Pl.* 841.

Pedicularis serotina, purpurascens flore.
Tourn. Inst. 172.

Icon. *Curt. Lond. fasc.* 1. t. 44.

Circa Byzantium. ☉.

EUPHRASIA.

G. Pl. 304. *Juss.* 100. *Gærtn. t.* 54.

1427. *E. officinalis. Sp. Pl.* 841.

E. officinarum. Tourn. Inst. 174.

Icon. Curt. Lond. fasc. 5. t. 42.

In Olympi Bithyni herbidis, tum in Laconiae montibus. ☉.

MELAMPYRUM.

G. Pl. 305. *Juss.* 101. *Gærtn. t.* 53.

1428. *M. cristatum. Sp. Pl.* 842.

M. cristatum, flore albo et purpureo. Tourn. Inst. 173.

Icon. Engl. Bot. t. 41.

In agro Byzantino. ☉.

1429. *M. arvense. Sp. Pl.* 842.

M. purpurascente comâ. Tourn. Inst. 173.

Icon. Engl. Bot. t. 53.

In arvis circa Byzantium. ☉.

PEDICULARIS.

G. Pl. 307. *Juss.* 101. *Gærtn. t.* 53.

1430. *P. flava. Pallas. It. v. 3. 736. Herb. Linn. ex ipso auctore. Willd. Sp. Pl. v. 3. 208.*

Icon. *Pall. loc. cit. t. R. f. 1.*

In Olympi Bithyni cacumine. *4.*

Pallasii specimina, e situ minùs elevato vel solo
feliciore, magis quam Sibthorpiana luxuriant.

ANTIRRHINUM.

G. Pl. 309. Juss. 120. Gærtn. t. 53.

* *Foliis dilatatis, caulibus laxis.*

1431. *A. Cymbalaria. Sp. Pl. 851.*

Linaria hederaceo folio glabro, seu Cymbalaria vulgaris. Tourn. Inst. 169.

Icon. *Curt. Lond. fasc. 1. t. 45.*

In Laconiâ, et insulâ Cypro, ad rupes maritimas. *4.*

1432. *A. spurium. Sp. Pl. 851.*

Linaria segetum, nummulariæ folio villosa. Tourn. Inst. 169.

Ελατίνη Diosc.? Sibth.

Icon. *Curt. Lond. fasc. 3. t. 37.*

In segetibus et vineis Græciæ et Archipelagi frequens. *☉.*

1433. *A. Elatine. Sp. Pl. 851.*

Linaria segetum, nummulariæ folio aurito et villosa, flore luteo; et flore cæruleo. Tourn. Inst. 169.

Icon. *Curt. Lond. fasc. 1. t. 46.*

In vineis Græciæ et Archipelagi; nec non in arvis Cypriis et Byzantinis. ☉.

1434. *A. cirrosum. Mant. 249.*

Icon. *Jacq. Hort. Vind. v. 1. t. 82.*

In Cretæ vineis. ☉.

1435. *A. ægyptiacum. Sp. Pl. 851.*

Ἐλξιν Diosc. omnind. Sibth.

Icon *nulla.*

In sepibus, vineis et segetibus insularum Græcarum vulgaris. ☉.

**** Foliis angustioribus, caulibus erectis, florum calcare brevi.**

1436. *A. minus. Sp. Pl. 852.*

Linaria pumila vulgatio arvensis. Tburn. Inst. 169.

Icon. *Curt. Lond. fasc. 5. t. 41.*

In arvis Græciæ. ☉.

1437. *A. micranthum. Cavan. Ic. v. 1. 51. t. 69.*

f. 3. Willd. Sp. Pl. v. 3. 246.

Icon. *Fl. Græc. t. 587.*

In insulâ Rhodo. ☉.

432 DIDYNAMIA—ANGIOSPERMIA.

1438. *A. albifrons*, foliis lanceolatis glaucis: inferioribus ternis quaternisve, calyce glabro, calcare brevissimo, seminibus alveolatis.

Icon. *Fl. Græc. t.* 588.

In insulâ Rhodo. ☉.

*** *Caulibus erectis, vel adscendentibus, foliis plûs minùs oppositis, florum calcare elongato.*

1439. *A. purpureum*. *Sp. Pl.* 853.

Linaria purpurea major odorata. Tourn. Inst. 170.

Icon. *Fl. Græc. t.* 589.

In Græciâ, ex herb. Sibth. 4.

1440. *A. arvense*. *Sp. Pl.* 855.

Linaria arvensis cærulea. Tourn. Inst. 170.

Icon. *Dill. Elth. t.* 163. *f.* 198.

β. *A. arvense* γ. *Sp. Pl.* 855.

Linaria quadrifolia lutea. Tourn. Inst. 170.

Icon. *Fl. Græc. t.* 590.

In Peloponnesi arvis. β in maris Euxini littoribus arenosis. ☉.

1441. *A. pelisserianum*. *Sp. Pl.* 855.

Linaria annua purpuro-violacea, calcaribus longis, foliis imis rotundioribus. Tourn. Inst. 170.

Icon. *Fl. Græc. t. 591.*

In agro Messeniaco et Eliensi, nec non in littore Cariensi. ☉.

1442. *A. chalepense. Sp. Pl. 859.*

Linaria annua angustifolia, flosculis albis longius caudatis. Tourn. Inst. 171.

Icon. *Fl. Græc. t. 592.*

In Peloponnesi arvis, nec non in Cariæ littore, et insulâ Cypro. ☉.

1443. *A. reflexum. Sp. Pl. 857.*

Linaria pusilla procumbens latifolia, flore pallido, rictu aureo. Tourn. Inst. 169.

Icon. *Fl. Græc. t. 593.*

In agro Argolico. ☉.

Caulis ferè erectus. Variat foliis ternis alternisve.

**** *Caulibus erectis vel adscendentibus, foliis sparsis, florum calcare elongato.*

1444. *A. strictum, foliis linearibus confertis, caule erecto, spicis terminalibus, floribus imbricatis, calyce pubescente obtuso.*

Linaria orientalis erecta, angusto oblongo folio, flore aureo. Tourn. Cor. 9; ex char.

Icon. *Fl. Græc. t. 594.*

434 DIDYNAMIA—ANGIOSPERMIA.

**In agro Cariensi, et insulâ Cypro ; nec non in
Siciliâ. ☉.**

1445. *A. supinum.* Sp. Pl. 856.

***Linaria pumila supina lutea.* Tourn. Inst. 170.**

Icon. *Fl. Græc. t.* 595.

In agro Byzantino. ☉.

Caules basi decumbunt, ramis erectis.

1446. *A. genistifolium.* Sp. Pl. 858.

***Linaria flore pallido, rictu aureo.* Tourn.
Inst. 170.**

Icon. *Fl. Græc. t.* 596.

In monte Athô, et circa Byzantium. ♀.

1447. *A. Linaria.* Sp. Pl. 858.

***Linaria vulgaris lutea, flore majore.* Tourn.
Inst. 170.**

Icon. *Curt. Lond. fasc. 1. t.* 47.

In agro Laconico. ♀.

******* *Corollis ecaudatis.***

1448. *A. majus.* Sp. Pl. 859.

***A. vulgare.* Tourn. Inst. 168.**

Icon. *Engl. Bot. t.* 129.

In Laconiâ, et insulâ Cypro, tum in muris Byzantii. ♀.

1449. *A. Orontium*. *Sp. Pl.* 860.

A. arvense majus. *Tourn. Inst.* 168.

Αντιρρίνον *Diosc.*

Icon. Curt. Lond. fasc. 4. t. 45.

In arvis Græciæ et Archipelagi frequens. ☉.

SCROPHULARIA.

G. Pl. 312. *Juss.* 119. *Gærtn. t.* 53.

1450. *S. nodosa*. *Sp. Pl.* 863.

S. nodosa foetida. *Tourn. Inst.* 166.

Icon. Engl. Bot. t. 1544.

In agro Laconico. ♀.

1451. *S. aquatica*. *Sp. Pl.* 864.

S. aquatica major. *Tourn. Inst.* 166.

Icon. Curt. Lond. fasc. 5. t. 44.

Ad lacum Nicææ. ♀.

1452. *S. peregrina*. *Sp. Pl.* 866.

S. folio urticæ. *Tourn. Inst.* 166.

Γαλιόψις *Diosc. optimè monente Sibth.*

Βρομόχορτον *hodiè.*

Icon. Fl. Græc. t. 597.

Circa sepes, semitas, edificiorumque areas, ubique,
ut à Dioscoride memoratur. ♀.

436 DIDYNAMIA—ANGIOSPERMIA.

1453. *S. Scorodonia*. *Sp. Pl.* 864.

S. melissæ folio. *Tourn. Inst.* 166.

Icon. Pluk. Phyt. t. 59. *f.* 5.

Circa Byzantium in aquosis. 4.

1454. *S. canina*. *Sp. Pl.* 865.

S. ruta canina dicta vulgaris. *Tourn. Inst.*
167.

Σιδηριτις ἑτέρα *Diosc.?* *Sibth.*

Σκροπιδόχορον *hodiè*.

Icon. Fl. Græc. t. 598.

In Peloponneso frequens; nec non in Cretâ et
Cypro insulis. ☉.

1455. *S. lucida*. *Sp. Pl.* 865.

S. saxatilis lucida, laserpitii massiliensis foliis.
Tourn. Inst. 167.

Σιδηριτις ἑτέρα (τρίτη) *Diosc.?* *Sibth.*

Icon. Fl. Græc. t. 599.

In Archipelagi insulis. 4.

1456. *S. filicifolia*. *Mill. Dict. n.* 10.

S. foliis filicis modo laciniatis, vel ruta canina
latifolia. *Tourn. Inst.* 167.

Icon. Fl. Græc. t. 600.

In insulâ Cretâ. 4.

1457. *S. itoida*, foliis bipinnatis angulato-incisis dilatatis, racemo stricto virgato; ramulis subquinquefloris.

Icon. *Fl. Græc. t.* 601.

In Asiâ minore. ☉.

1458. *S. bicolor*, foliis bipinnatis argutè incisis angustatis, racemo paniculato; ramulis multifloris.

S. orientalis, chrysanthemi folio, flore minimo variegato. *Tourn. Cor.* 9; ex char.

Icon. *Fl. Græc. t.* 602.

In Siciliâ depingi curavit Sibthorp. 4?

1459. *S. frutescens*, foliis glaucescentibus: caulinis pinnatis lobatisve incisis; floralibus elliptico-lanceolatis integerrimis, paniculâ cylindraceâ.

S. frutescens. Sp. Pl. 866.

S. lusitanica frutescens, verbenacæ foliis. *Tourn. Inst.* 167.

- β. *S. cretica frutescens*, folio vario crassiori. *Tourn. Cor.* 9.

Icon. *Fl. Græc. t.* 603.

In Cretâ et Zacyntho; etiam in monte Athô. η.

438 DIDYNAMIA—ANGIOSPERMIA.

1460. *S. cæsia*, foliis glaucescentibus lyrato-pinnatifidis incis, caulibus numerosis, paniculâ abbreviatâ pauciflorâ.

S. orientalis minor, melissæ folio. *Tourn. Cor.* 9? *Burb. Cent.* 5. 10. *t.* 17. *f.* 2?

Icon. *Fl. Græc. t.* 604.

In rupibus circa Athenas; nec non in agro Laconico et Messeniaco. ♀.

C E L S I A.

G. Pl. 312. *Juss.* 124. *Gærtn. t.* 55.

1461. *C. orientalis*. *Sp. Pl.* 866.

Verbascum orientale, sophiæ folio. *Tourn. Cor.* 8.

Icon. *Fl. Græc. t.* 605.

In agro Argolico. ☉.

1462. *C. Arcturus*. *Syst. Veg. ed.* 13. 469.

Verbascum Arcturus. *Sp. Pl.* 254.

Blattaria perennis cretica incana, foliis binis conjugatim posit, uno majore extremum claudente. *Tourn. Inst.* 148.

Icon. *Jacq. Hort. Vind. v.* 2. *t.* 117.

In Cretâ et Cypro insulis, ad muros. ♂.

DIGITALIS.

G. Pl. 313. *Juss.* 120. *Gærtn. t.* 53.

1463. *D. lutea. Sp. Pl.* 867.

D. minor, luteo parvo flore. *Tourn. Inst.* 165.

Icon. Jacq. Hort. Vind. v. 2. t. 105.

In Arcadiâ. *γ*.

1464. *D. ferruginea. Sp. Pl.* 867.

D. latifolia, flore ferrugineo. *Tourn. Inst.* 166.

Ελλεβορος λευκος *Diosc. Sibth.* at mihi non videtur.

Κωράχορτον *hodiè.*

Icon. Fl. Græc. t. 606.

In Parnasso, aliisque Græciæ montibus elatioribus, frequens; etiam in Olympo Bithyno. *γ*.

1465. *D. leucophæa*, calycibus ciliatis, spicâ cylindraceâ densissimâ, bracteis flore longioribus, labio spatulato rotundato pubescente.

Icon. Fl. Græc. t. 607.

In monte Athô. *γ*.

SIBTHORPIA.

G. Pl. 320. *Juss.* 99. *Gærtn. t.* 55.

1466. *S. europæa. Sp. Pl.* 880. *Engl. Bot. t.* 649.

Icon. Salisb. Ic. t. 6. *S. prostrata.*

440 DIDYNAMIA—ANGIOSPERMIA.

In paludibus montosis Cretæ. *D. Hawkins.* 4.
Honorem patri datum quam optimè meruit filius!

OROBANCHE.

G. Pl. 321. *Juss.* 101.

1467. *O. caryophyllacea.* *Sm. Tr. of L. Soc.*
v. 4. 169. *Willd. Sp. Pl.* v. 3. 348.

O. major, garyophyllum olens. *Tourn. Inst.*
176.

Οροβαρχη *Diosc.*

Λύκος *hodiè.*

Icon *vix ulla fidenda.*

In arvis Græciæ et insularum vicinarum. 4.

1468. *O. cærulea.* *Fl. Brit.* 670.

O. cretica non ramosa, caule tenui, flore parvo
subcæruleo. *Tourn. Cor.* 10. *Sibth.*

Λύκος *hodiè.*

Icon. *Jacq. Austr. t.* 276. *O. purpurea.*

In Peloponnesi et insulæ Cretæ arvis. 4.

1469. *O. ramosa.* *Sp. Pl.* 882. *Engl. Bot. t.* 184.
Tourn. Inst. 176.

Icon. *Fl. Græc. t.* 608.

In agro Messeniaco; nec non in Cretâ et Cypro
insulis, et littore Cariensi. ☉.

VITEX.

G. Pl. 326. *Juss.* 107. *Gærtn. t.* 56.

1470. *V. Agnus-castus. Sp. Pl.* 890.

V. latiore folio. Tourn. Inst. 603.

Αγνυς Diosc.

Αγνυιά, ἡ λυγυιά, hodiè.

Icon. Fl. Græc. t. 609.

In depressis humidis, ad rivulorum margines,
vulgatissima. *η*.

ACANTHUS.

G. Pl. 327. *Juss.* 103. *Gærtn. t.* 54.

1471. *A. mollis. Sp. Pl.* 891.

A. sativus vel mollis. Tourn. Inst. 176.

Icon. Fl. Græc. t. 610.

In Siciliâ, nec in Græciâ, legit Sibthorp. *υ*.

1472. *A. spinosus. Sp. Pl.* 891.

A. aculeatus. Tourn. Inst. 176.

Ακανθα, η ἑρπακανθα, Diosc.

Μεντρίνα, μετρίνα, ἡ μετρένα, hodiè.

Τζελαδίτζα Lacon.

Icon. Fl. Græc. t. 611.

Ad agrorum margines, nec non in petrosis hu-
midis, Græciæ australis et Archipelagi. In
Cretâ vulgaris. *υ*.

SYNONYMA ADDENDA.

n. 221. *Bromus scoparius.*

Icon. *Cavan. Ic. t. 589. f. 2. B. humilis.*

n 332. *Galium capillare.*

Icon. *Cavan. Ic. t. 191. f. 1.*

FINIS VOLUMINIS PRIMI.

**LONDINI
IN ÆDIBUS RICHARDI TAYLOR ET SOCI
MDCCCIX.**

JW

AUG 15 1935

